State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-193 Relating to Certification of New Motor Vehicles

CHRYSLER MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Chrysler Motors Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LCR2.5V5FBE8

<u>Displacement</u>: 2.5 Liters (152 Inches³)

Equipped with the following exhaust emission control systems:

Exhaust Gas Recirculation Heated Oxygen Sensor Three-Way Catalyst Throttle Body Electronic Fuel Injection On-Board Diagnostic System

Yehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
N 39	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides			
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)			
0.20	4.5	0.3			

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year California-certified (passenger cars/light-duty trucks/and medium-duty vehicles.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed (in Attachment B) have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 6th day of April, 1989.

K. D. Drachand, Chief Mobile Source Division

Manufacturer CHRYSLER MOTORS CORPORATIONG. Family LCR2.5V5FBE8 Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Gas X Diesei Eng. Type SOHC I-4 Liter (CID) 2.5 (152) Evap. Family LCRVB Emission Control Sys. (Use SAE Abbrv.) EGRV, TWC, HO2S, (TBI), (OBD) Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT 4WD-PT								
Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Test	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No. ECU	EGR Syst. Part No. VALVE	Catalyst Part No.	
м-3	PPL24,PDL24, PPH24,PDH24, PPL44,PDH44, GVL24, PDH27* JCH21,GVH24 JCH27 (APH41,ADH41, APP41,ADP41)**	M5	3000 - 3125 3250 3375 3250	SEE ATTACHED	5234681	4287178	4427165	-

Date of	issue:		
---------	--------	--	--

ATTACHMENT TO PG. 1 SDS FOR E.O. A-9-193

VEHICLE MODELS:	CARLINE:
JCH21 JCH27	CHRYSLER LEBARON CONVERTIBLE
ADH41,ADP41 GVH24,GVL24 PDH24,PDH44, PDL24,PDL44	DODGE SPIRIT DODGE DAYTONA DODGE SHADOW
APH41,APP41 PPH24,PPH44, PPL24,PPL44	PLYMOUTH ACCLAIM PLYMOUTH SUNDANCE
*PDH27	DODGE SHADOW CONVERTIRE

DODGE SHADOW CONVERTIBLE

Revised: *06-25-89. RC 4C. Addition of model.

EXEC. ORDER A-9-193

1990 CALIFORNIA 2.5L TBI PASSENGER CAR TEST WEIGHT AND HORSEPOWER

E.F. KCR2.5V5FBE8

MODELS	TRANS	TIRES		CODE	(LBS.)	COASTDOWN H.F.
00144		· · · · · · · · · · · · · · · · · · ·				
ADH41	MS	F195/70R14	TJ1	TAD GDY	3250	7.8
		F195/70R14	TJ1	TAD MIC	3250	7.8
		P195/70R14	TKS	TAD GDY	3.250	8.2
		P195/70R14	TKS	TAD MIC	3250	7.6
		P205/60R15	TPX	TAD GDY	3250	6.7
		F205/60R15	TFX	TAD MIC	3250	6.7
	A3, A4	P195/70R14	TJi	TAD GDY	3250	8.2
		P195/70R14	TJi	TAD MIC	3250	8.2
		P195/70R14	TKS	TAD GDY	3250	8.1
•		P195/70R14	TKS	TAD MIC	3250	7.5
		P205/60R15	TPX	TAD GDV	3250 3250	6.6
		P205/60R15	TFX	TAD MIC	3250	6.6
	•					
ADF41	MS	P195/70R14	TKS	TAD GDY	3250	8.2
		P195/70R14	TKS	TAD MIC	3250	7.6
		P205/60R15	TPX	TAD GDY	3250	6.7
		P205/60R15	TFX	TAD MIC	3250	6.7
	A3	F195/70R14	TKS	TOD GOV	70 <i>6</i> 0	
		P195/70R14	TKS	TOD MIC	3630	8.1
		P205/60R15	TOY	TOD GAV	3230	7.5
		P205/60R15	TFX	TAD MIC	3250 3250	6.6 6.6
	0.4					6. 6
	84	P195/70R14	TKS	TAD GDY	3375	8.1
		P195/70R14	TKS	TAD MIC	3375	7.5
		P205/60R15	TFX	TAD GDY	3375	6.6
		P205/60R15	TFX	TAD MIC	3375	6.6
APP41	MS					
FIFF 41	140	F195/70R14	TKS	TAD GDY	3250	8.2
		P195/70R14	TKS	TAD MIC	3250	7.6
	A3	P195/70R14		TAD GDY	3250	8. 1
-		P195/70R14	TKS	TAD MIC	3250	7.5
	A4	P195/70R14	TKS	TAD GDY	3375	8. 1
		P195/70R14	TKS	TAD MIC	3375	7.5

ISSUE DATE: 10-10-88 REVISED:

17.03.-05

EXEC. ORDER A-9-193
1990 CALIFORNIA 2.5L TBI PASSENGER CAR
TEST WEIGHT AND HORSEFOWER E.F. KCR2.5V5FBE8

MODELS	TRANS	TIRES				(LBS.)	
00044	07.01						*."
HCF'41	но, на	P195/70R14 P195/70R14	TKT	TAD (MIC	3375 3375	8. i 7. 5
APH41	M5	P185/70R14	TJ1	TAD 0	GDY	3250	7. 8
		P185/70R14	TJ1	TAD I	MIC	3250	7.8
	A3, A4	P185/70R14	TJ1	TAD (BDY	3250	8.2
		P185/70R14	TJ1	TAD N	MIC	3250	8.2
CDH41	A3, A4	F195/75R14	TKL	TAD 0	BDY	3500	8.5
GVL24	M5	P185/70R14	TJ1	TAD 6	YOF	3125	7.0
		F185/70R14	TJ1	TAD N	MIC	3125	7.0
	A3, A4	F185/70R14	TJ1	TAD E	3DY	3250	6.9
		F185/70R14	TJ1	TAD M	1IC .	_3250	6.9
GVH24	M5, A3, A4	P205/60R15	TFX	TAD G	YŒ	3250	6.2
		P205/60R15	TFX	TAD M	IIC	3250	6.2
JCH21	M5	F195/70R14	TKS	TAD G	BDY	3250	7.3
		F195/70R14	TKS	TAD M	IIC	3250	6.8
		P205/60R15	TPJ	TAD G	DY	3250	5.6
		P205/60R15	TPJ	TAD M	IC	3250	6.8
		P205/60R15	TFK	TAD G	DY	3250	6.6
		P205/60R15	TPK	TAD M	IC	3250	6.8
		P205/60R15					6.4
		P205/60R15	TPX	TAD M	IC	3250	6.4
	A3, A4	F195/70R14					
		P195/70R14		TAD M		3250	6.8
_		P205/60R15		TAD G		3250	6.5
_		P205/60R15 P205/60R15	TPJ	TAD M		3250	6.8
		P205/60R15		TAD 6		3250 3250	6.5
		P205/60R15		TAD G		3250	6.8
		P205/60R15		TAD M		3250 3250	6.3
		· -~~ OVNIJ	1 L.V	1 MW (9.	٠.	3200	6.3

ISSUE DATE: 10-10-88 REVISED:

EXEC ORDER A-9-193

1990 CALIFORNIA 2.5L TBI PASSENGER CAR TEST WEIGHT AND HORSEPOWER

E.F. KCR2.5V5FBE8

MODELS	TRANS	TIRES		TIRE CODE	TEST WEIGHT (LBS.)	COASTDOWN H.P.
JCH27	MS	P205/60R15 P205/60R15 P205/60R15	TPJ TPK	TAD GDY	3375 3375	7.4 7.4 7.4
	·	P205/60R15 P205/60R15 P205/60R15	TPX	· - · ·	3375	7.4 7.2 7.2
	A3, A4	P205/60R15 P205/60R15 P205/60R15 P205/60R15 P205/60R15 P205/60R15	TPJ TPK TPX	TAD GDY TAD MIC TAD GDY TAD MIC TAD GDY TAD MIC	3500 3500 3500 3500	7.4 7.4 7.4 7.6 7.0
PFL24, 44, PDL24, 44	M5, A3, A4	P185/70R14 P185/70R14	TJ1 TJ1	TAD GDY TAD MIC		8.6 8.6
PPH24, PDH24	M5	P185/70R14 P185/70R14		TAD GDY	3000 3000	8.6 8.6
	A3, A4	F185/70R14 F185/70R14	TJ1 TJ1	TAD GDY	3125 3125	8.6 8.6
PPH44, PDH44	M5, A3, A4	P185/70R14 P185/70R14		TAD GDY	3125 3125	8.6 8.6

ISSUE DATE: 10-10-88 REVISED: