State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-167 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LTY2.4T5FCC5 Displacement: 2.4 Liters (144 Inches³)

Equipped With the Following Exhaust Emission Control Systems:

Pulsed Air Injection
Exhaust Gas Recirculation
Heated Oxygen Sensor
Three-way Catalyst
Multipoint Electronic Fuel Injection
On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Weight(lbs.)	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0-3750	0.39	9.0	0.4

The following are the certification emission values for this engine family:

Loaded Vehicle <u>Weight(lbs.)</u>	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	<u>(Grams per Mile)</u>	(Grams per Mile)	(Grams per Mile)
0-3750	0.11	1.6	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions of California Health and Safety Code Section 43205.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of July, 1989.

K. D. Drachand, Chief Mobile Source Division C

(

(

(

(

14-	167	
	14-	14-167

1990 ATR RESOURCES BOARD SUPPLEMENTAL DATA SHEET Page ____ Manufacturer ________ TOYOTA _____ Engine family _____LTY2.4T5FCC5 Passenger Cars ___ Light-Duty Trucks <u>x</u> Medium-Duty Vehicles ___ Gas <u>x</u> Diesel ___ Eng. Type 4 cyl. in-line Liter (CID) 2.4 (144.4) Evap.Family EV-E Emission Control Sys. (Use SAE Abbrv.) PAIR + MPI + EGR + HO2S + TWC Engine :Front x Mid. Rear Drive: FWD RWD x 4WD-FT 4WD-PT Engine Veh. Models Trans. Equiv. RLHP Ign. System EGR Catalyst Code/ (If Coded see Type: Test or (ECU/PROM) System (Cert attachmt.) A-Auto Weight DPA Part No. Part No. Part No. std.) M-Man. 1 thru 4 RN80L-TRKREA 3,000 11.3 25620-35100 M4 89661-35160 18450-43051 12.4 (E59) *1 3,000 RN80L-TRMDEA M5 RN85L-TRMDEA 3,125 -TRMSEA 3,250 RN90L-CRMDEA -CRMSEA 5 thru 8 RN80L-TRSDEA 3,000 A4 11.3 RN85L-TRSDEA 3,125 12.4 -TRSSEA 3,250 RN90L-CRSDEA -CRSSEA

Page : A-17.11-42

Issued: 05/26/89

E/O # A-14-167

17.11.00

Comment: Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1: Parenthetical information represents identifying marks found on production parts.

VEHICLE MODELS :

Truck	2WD
RN80L-TRKREA	RN90L-CRMDEA
-TRMDEA	-CRMSEA
-TRSDEA	-CRSDEA
RN85L-TRMDEA	-CRSSEA
-TRMSEA	
-TRSDEA	
-TRSSEA	

Page : A-17.11-43

Issued: 05/26/89