

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-166
Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Toyota Motor Corporation emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LTY3.0V5FBT8 Displacement: 3.0 Liters (180 Inches³)

Equipped with the following exhaust emission control systems:

- Exhaust Gas Recirculation
- Turbocharger
- Intercooler
- Heated Oxygen Sensor
- Warm-Up Three-Way Catalyst
- Three-Way Catalyst
- Multipoint Electronic Fuel Injection
- On-Board Diagnostic System (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.7

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.35	1.8	0.6

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year California-certified passenger cars.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3rd day of August, 1989.


K. D. Drachand, Chief
Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer TOYOTA Engine family LTY3.0V5FBT8
 Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel
 Eng. Type 6 cyl. in-line Liter (CID) 3.0 (180.2) Evap.Family EV-ME
 Emission Control Sys. (Use SAE Abbrv.) MPI + EGR + HO2S + TWC + WUTWC
 Engine :Front Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT TURBOCHARGER INTER COOLER

Engine Code/ (Cert. std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1	MA70L-BLMVZA -BJMVZA	M5	3,875 4,000	8.1	89661-14241	25620-42040	Under floor : 18450-42210 (C02)*1 Start catalyst 18450-42200 (C01)*1
2	MA70L-BLPVZA -BJPVZA	A4	4,000	8.1	89661-14251		

Engine Code	Air induction system Part No.
1 & 2	Turbocharger : 17201-42020 (42020)*1 Intercooler : 17940-42030 (42030)*1

Comments : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1 : Parenthetical information represents identifying marks found on production parts.

VEHICLE MODELS :

Supra
 MA70L-BLMVZA
 -BLPVZA
 -BJMVZA
 -BJPVZA

OVER

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page _____

Manufacturer TOYOTA Engine family LTY3.0V5FBT8Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel Eng. Type 6 cyl. in-line Liter (CID) 3.0 (180.2) Evap. Family EV-MEEmission Control Sys. (Use SAE Abbrv.) MPI + EGR + HO2S + TWC + WWTWC + TC + INICR

COOLER

Engine : Front Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT

Engine Code/ (Cert std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
1	MA70L-BLMVZA -BJMVZA	M5	3,875 4,000	8.1	89661-14241	25620-42040	Under floor : 18450-42210 (C02)*1 Start catalyst : 18450-42200 (C01)*1
1R1	MA70L-BLMVZA -BJMVZA	M5	3,875 4,000	8.1	89661-14242		
2	MA70L-BLPVZA -BJPVZA	A4	4,000	8.1	89661-14251		
2R1	MA70L-BLPVZA -BJPVZA	A4	4,000	8.1	89661-14252		

Engine Code	Air induction system Part No.
1, 2, 1R1 & 2R1	Turbocharger : 17201-42020 (42020)*1 Intercooler : 17940-42030 (42030)*1

Comments : Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

EO# A-14-166

17.11.00

Note *1 : Parenthetical information represents identifying marks found on production parts.

VEHICLE MODELS :

Supra
MA70L-BLMVZA
-BLPVZA
-BJMVZA
-BJPVZA