State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-163 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LNS3.0V5FFC4 <u>Displacement</u>: 3.0 Liters (181 Inches³)

Exhaust Emission Control Systems (Special Features):

Dual Three-Way Catalysts
Dual Heated Oxygen Sensors
Exhaust Gas Recirculation
Dual Pulsed Secondary Air Injection
Sequential Multipoint Electronic Fuel Injection
On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	<u>(Grams per Mile)</u>	<u>(Grams per Mile)</u>		
0.39	7.0	0.4		

The following are the certification exhaust emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	<u>(Grams per Mile)</u>	(Grams per Mile)		
0.20	3.6	0.1		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE II FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4 day of March, 1989.

K. D. Drachand, Chief Mobile Source Division

17.12.00	19 <u>90</u> AIR RESOU	RCES BO	ARD SUP	PLEMENTAL D	ATA SHEET	A - A	5-163
					F	age 2	
Manufact	urer: NISSAN MOT	OR CO.,	LTD.	Engine Fa	mily:_LNS3.0V	5FFC4	
Pass Car	s X Lt-Duty T	rucks	Ked	-Duty Vehic	les Gas	X Diese	.1
Eng. Type	V-6, OHC L	iter (C	ID) 3	.0 (180.6)	Evan Family	FIR-1	**
	Control Sys. (Us						
	ront <u>X</u> Wid				~~~~~~~~~	VD-FT	4WD-PT
Engine Code	Vehicle Models (If Coded see attachment)	Type	Equiv. Test Weight	or			**
 	300ZX SC 2-SEATER COUPE		3500	8.3			TAPL NO.
	300ZX GS 2-SEATER COUPE	; ; ;			Unit Unit A18-A24	EVK72-81	N-xx, x1 N-xx, x2 N-xx, x3 N-xx, x4
AV30DCH2 -R1 <u>1</u> /	300ZX GS E-PKG 2-SEATER COUPE	M5	3625	8.5			
	300ZX GS 2+2 COUPE	; ; ;	 			· :	
	300ZX GS E-PKG 2+2 COUPE		3750	8.7		·	

See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing. **The figures and numbers in the place of the mark x are variable according to lot number and production date. 1/ With R/C No. L30V5FFC-01

Issue Date: 01/10/89

Revision Date: 1/ 02/22/90