

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-168  
Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LNS2.4V5FACX      Displacement: 2.4 Liters (146 Inches<sup>3</sup>)

Exhaust Emission Control Systems:

- Three-Way Catalyst
- Oxygen Sensor
- Pulsed Secondary Air Injection
- Exhaust Gas Recirculation
- Sequential Multipoint Electronic Fuel Injection
- On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification exhaust emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.25	2.6	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 13<sup>th</sup> day of July, 1989.

  
K. D. Drachand, Chief  
Mobile Source Division

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS2.4V5FACX

Pass Cars X Lt-Duty Trucks \_\_\_\_\_ Med-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Eng.Type L-4, OHC Liter (CID) 2.4 (145.8) Evap.Family FI4-2

Emission Control Sys.(Use SAE Abbrv.) SMPI/EGR/PAIR/TWC/O2S

Engine:Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive:FWD X RWD \_\_\_\_\_ 4WD-FT \_\_\_\_\_ 4WD-PT \_\_\_\_\_

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU)	EGR Valve	Catalyst ***
					Part No.	Part No.	Part No.
AK24ECM1 -R3 3/	STANZA 4-DOOR SEDAN XE	M5	3125	7.1	Control Unit All-B86 3/	EGR Valve AEY77-40	Gxx,xxF Gxx,xxG Gxx,xxP Gxx,xxQ
	STANZA 4-DOOR SEDAN XE *			7.6			
	STANZA 4-DOOR SEDAN GXE			7.1			
	STANZA 4-DOOR SEDAN XE			7.1			
	STANZA 4-DOOR SEDAN XE *			7.6			
	STANZA 4-DOOR SEDAN GXE *			7.6			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*The model equipped with the tire of which size is 195/65R14(M+S).

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

The supplemental data sheet is not changed by R/C No. L24V5FAC-01 1/  
2/ The supplemental data sheet is not changed by F/F No. L24V5FAC-02 at all.

Issue Date: 04/10/89

Revision Date: 1/ 08/25/89 2/ 12/14/89 3/ 02/02/90

2/ With F/F No. L24V5FAC-02

3/ With R/C No. L24V5FAC-03

## 17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 2Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS2.4V5FACXPass Cars X Lt-Duty Trucks \_\_\_\_\_ Med-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_Eng.Type L-4, OHC Liter (CID) 2.4 (145.8) Evap.Family FI4-2Emission Control Sys.(Use SAE Abbrev.) SMPI/EGR/PAIR/TWC/O2SEngine:Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive:FWD X RWD \_\_\_\_\_ 4WD-FT \_\_\_\_\_ 4WD-PT \_\_\_\_\_

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No	Catalyst *** Part No.
BK24ECM1 -R3 3/	STANZA 4-DOOR SEDAN XE	M5	3125	6.4	Control Unit All-886 3/	EGR Valve AEY77-40	Gxx,xxF Gxx,xxG Gxx,xxP Gxx,xxQ
	STANZA 4-DOOR SEDAN XE *			6.9			
	STANZA 4-DOOR SEDAN XE			6.4			
	STANZA 4-DOOR SEDAN XE *			6.9			
	STANZA 4-DOOR SEDAN GXE			6.4			
	STANZA 4-DOOR SEDAN GXE *			6.9			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\* The model equipped with the tire of which size is 195/85R14(M+S).

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

The supplemental data sheet is not changed by R/C No. L24V5FAC-01 1/

2/ The supplemental data sheet is not changed by F/F No. L24V5FAC-02 at all.

2/ With F/F No. L24V5FAC-02

3/ With R/C No. L24V5FAC-03

Issue Date: 04/10/89

Revision Date: 1/ 08/25/89 2/ 12/14/89

3/02/02/90

## 17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 3Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS2.4V5FACXPass Cars X Lt-Duty Trucks \_\_\_\_\_ Med-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_Eng.Type L-4, OHC Liter (CID) 2.4 (145.8) Evap.Family FI4-2Emission Control Sys.(Use SAE Abbv.) SMPI/EGR/PAIR/TWC/02SEngine:Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive:FWD X RWD \_\_\_\_\_ 4WD-FT \_\_\_\_\_ 4WD-PT \_\_\_\_\_

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
AK24ECA1 -R3 3/	STANZA 4-DOOR SEDAN XE	L4	3125	6.8	Control Unit All-B87 3/	EGR Valve AEV77-40	Gxx,xxF Gxx,xxG Gxx,xxQ
	STANZA 4-DOOR SEDAN XE *			7.3			
	STANZA 4-DOOR SEDAN XE			6.8			
	STANZA 4-DOOR SEDAN XE *			7.3			
	STANZA 4-DOOR SEDAN GXE			6.8			
	STANZA 4-DOOR SEDAN GXE *			3250			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*The model equipped with the tire of which size is 195/65R14(M+S).

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

The supplemental data sheet is not changed by R/C No. L24V5FAC-01. 1/

2/ The supplemental data sheet is not changed by F/F No. L24V5FAC-02 at all.

Issue Date: 04/10/89

2/ With F/F No. L24V5FAC-02

Revision Date: 1/ 08/25/89 2/ 12/14/89

3/ With R/C No. L24V5FAC-03

3/02/02/90

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS2.4V5FACX

Pass Cars X Lt-Duty Trucks \_\_\_\_\_ Med-Duty Vehicles \_\_\_\_\_ Gas X Diesel \_\_\_\_\_

Eng.Type L-4, OHC Liter (CID) 2.4 (145.8) Evap.Family FI4-2

Emission Control Sys. (Use SAE Abbrev.) SMPI/EGR/PAIR/TWC/02S

Engine: Front X Mid. \_\_\_\_\_ Rear \_\_\_\_\_ Drive: FWD X RWD \_\_\_\_\_ 4WD-FT \_\_\_\_\_ 4WD-PT \_\_\_\_\_

Engine Code	Vehicle Models (If Coded see attachment)	Trans. Type	Equiv. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst *** Part No.
BK24ECA1 -R3 3/	STANZA 4-DOOR SEDAN XE	L4	3125	6.2	Control Unit All-B87 3/	EGR Valve AEY77-40	Gxx,xxF Gxx,xxG Gxx,xxP Gxx,xxQ
	STANZA 4-DOOR SEDAN XE *			6.6			
	STANZA 4-DOOR SEDAN GXE			6.2			
	STANZA 4-DOOR SEDAN XE			6.2			
	STANZA 4-DOOR SEDAN XE *			6.6			
	STANZA 4-DOOR SEDAN GXE *			6.6			
	STANZA 4-DOOR SEDAN GXE *			6.6			

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

\*The model equipped with the tire of which size is 195/65R14(M+S).

\*\*\*The figures and numbers in the place of the mark x are variable according to lot number and production date.

The supplemental data sheet is not changed by R/C No. L24V5FAC-01 1/

2/ The supplemental data sheet is not changed by F/F No. L24V5FAC-02 at all.

2/ With F/F No. L24V5FAC-02

3/ With R/C No. L24V5FAC-03

Issue Date: 04/10/89

Revision Date: 1/ 08/25/89 2/ 12/14/89

3/ 02/02/90