State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-172 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LNS3.0V5FHC8 Displacement: 3.0 Liters (181 Inches³)

Exhaust Emission Control Systems (Special Features):

Dual Warm-Up Three-Way Catalysts
Dual Three-Way Catalysts
Dual Heated Oxygen Sensors
Exhaust Gas Recirculation
Dual Pulsed Secondary Air Injection
Sequential Multipoint Electronic Fuel Injection
On-Board Diagnostics (Exempted)
(Dual Turbochargers)
(Dual Intercoolers)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	<u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification exhaust emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.17	3.5	0.2		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

The state of the s

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16 day of August, 1989.

K. D. Drachand, Chief Mobile Source Division

E.O. # A-15-172

17.11.00 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: LNS3.0V5FHC8

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Gas X Diesel

Eng.Type V-6, DOHC Liter (CID) 3.0 (180.6) Evap.Family FI6-1

Emission Control Sys. (Use SAE Abbrv.) TWC/PAIR/HO2S/EGR/SMPI/OBD EXEMPT

Engine:Front X Mid. Rear Drive:FWD RWD X 4WD-FT 4WD-PT

	Tenne Vehicle Models (If Coded see attachment) 	Туре		or	 Ign. System (ECU) Part No.	 EGR Valve Part No	**
		 3750 	7.0	,	İ		
		 3875 	7.7				
	300ZX TURBO 2-SEATER COUPE (GL) (with	L4 	3750 3750	7.0	MIE MIE		(LH) JLxx, x1 (RH) JLxx, x2
		 3875 	 7.7 	 		1 	

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 06/16/89

Revision Date: