## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-16-115 Relating to Certification of New Motor Vehicles

## MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LTK1.3V5HFD4 <u>Displacement</u>: 1.3 Liters (80 Inches<sup>3</sup>) Equipped with the following exhaust emission control systems:

Secondary Air Injection
Oxygen Sensor
Warm Up Three-Way Catalyst
Warm Up Oxidation Catalyst
Three-Way Catalyst
Oxidation Catalyst

Multipoint Electronic Fuel Injection Turbocharger Charge Air Cooler On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.39	7.0	0.7		

The following are the certification exhaust emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.14	0.6	0.5		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year California-certified passenger cars.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from tompliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 🔟

K. D. Drachand, Chief Mobile Source Division

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Gas X Diesel Eng. Type R-2 Liter (CID) 1.3 (40.0 x 2) Evap. Family Emission Control Sys. (Use SAE Abbrv.) AIP.OS. WUOC.WUTWC.OC.TWC, EMPI, TC, TC, OBD Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT							
Eng. Code/ (Cert Std.)	Veh. Models (if Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ign. Sys. (ECU/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
-M :d:*)	Mazda RX-7	M <b>−</b> 5	3,250	6.4	Crank Angle Sensor	n/a · ·	N370 20 500A
-MC td:*)				7.0	N326 18 230		& N370 20 600
Certificati n-Methane N Ev		·			Control Unit N370 18 881		
			• .				
						Note) 20	5/55VR16 tire