State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-118 Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Mitsubishi Motors Corporation emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LMT2.4T5FC11 Displacement: 2.4 Liters (143.4 inches³)

Equipped with the following exhaust emission control systems:

Exhaust Gas Recirculation Sequential Multipoint Electronic Fuel Injection Three-Way Catalyst On-Board Diagnostic System Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Weight (1bs.	(Grams per Mile)	(Grams per Mile)	(<u>Grams per Mile)</u>
0-3750	0.39	9.0	0.4

The following are the certification emission values for this engine family:

Loaded Vehicle	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Weight (lbs.)	(Grams per Mila)	(Grams per Mile)	(Grams per Mile)
0-3750	0.30	4.1	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $2l^{3/2}$ day of June, 1989.

K. D. Drachand, Chief Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # __A-86-118 Page 1

Mfr.: Mitsubishi Motors Corporation Eng. Family: LMT2.4T5FC11

Passenger Cars: _ Light-Duty Trucks: X Gas: X

Eng. Type: $\underline{\text{IL4}}$ Liter (CID): $\underline{\text{2.4 (143.4)}}$ Evap. Family: $\underline{\text{I}}$

Emission Control Sys.: <u>EGR+O2S+TWC+(SMPI+OBD)</u>

(Special Features)

Engine: Front \underline{X} Rear _

Drive : FWD _ RWD \underline{X}

 $4WD-FT = 4WD-PT \times (for RAM50 4WD)$

Eng. Code	Vehicle Models	Trans. Type	ETW	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
CM ACM	Dodge RAM50 2WD Mitsubishi Truck 2WD	M5	3000 3125 3250	Distributor T1T42075 ECU E2T34171	EGR Valve K5T50285 Solenoid K5T47172	MD140506 (H2)
CA ACA	Dodge RAM50 2WD Mitsubishi Truck 2WD	L4	3125 3250	Distributor T1T42075 ECU E2T34171 E2T34174 \$		
CM-F ACM-F	Dodge Power RAM50 4WD	M5	3375	Distributor T1T42075 ECU E2T34171	EGR Valve K5T50285 Solenoid K5T47172	MD140508 (H3)
CA-F ACA-F	Dodge Power RAM50 4WD	L4	3500	Distributor T1T42075 ECU E2T34171 E2T34174 \$		

Noto.	Refer	+0	& O O	12	0.2	for	DIUD
NOTE:	кегег	EO	- N U O .	. L.J.	. UZ	LOI	RLIDE.

Date of Issue: ____ Revisions: 10-16-89 \$