### State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-86-120 Relating to Certification of New Motor Vehicles

#### MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Mitsubishi Motors Corporation emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: LMT1.8T5FB14 Displacement: 1.8 Liters (107.1 inches<sup>3</sup>)

Equipped with the following exhaust emission control systems:

Exhaust Gas Recirculation Sequential Multipoint Electronic Fuel Injection Three-Way Catalyst No On-Board Diagnostic System (Exempted) Oxygen Sensor

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
Weight (1bs.)	(Grams per Mile)	(Grams per Mile)	( <u>Grams per Mile)</u>
0-3750	0.39	9.0	0.7

The following are the certification emission values for this engine family:

Loaded Vehicle	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
Weight (lbs.)	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0-3750	0.23	1.8	0.4		

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles."

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year California-certified light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles."

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 4 day of July, 1989.

K. D. Drachand, Chief Mobile Source Division

## 1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-86-120 Page 1

Mfr.: Mitsubishi Motors Corporation Eng. Family: LMT1.8T5FB14

Passenger Cars: \_ Light-Duty Trucks:  $\underline{X}$  Gas:  $\underline{X}$ 

Eng. Type:  $\underline{IL4}$  Liter (CID):  $\underline{1.8 (107.1)}$  Evap. Family:  $\underline{I}$ 

Emission Control Sys.: <u>EGR+O2S+TWC+(SMPI)</u>

(Special Features)

Engine: Front X Rear \_

Drive : FWD \_

RWD \_

 $4WD-FT \underline{X} \qquad 4WD-PT \underline{\ }$ 

Eng. Code	Vehicle Models	Trans. Type	ETW	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
BM-LF ABM-LF	Dodge Colt Wagon 4WD Plymouth Colt Wagon 4WD	M5	2875 3000	Distributor T3T64173 ECU E2T33574	EGR Valve K5T50380	MD139235 (D3)

Note: Refer to §08.13.02 for RLHP.

Date	of	Issue:	Revisions:
	<b></b>		

# TEST WEIGHT & TEST HORSEPOWER

E.O. # <u>A-86-120</u>

Engine Family: <u>LMT1.8T5FB14</u>

(LDT)

(Engine Family)	Body T/M	T/M	Test	Tire	W/O A.C.		With A.C.		A.C.
Car Line	Style	Туре	Wei- ght		Test HP	C/D Time	Test HP	C/D Time	(%)
(1.8TEB)	4-SW	M/T	2875	P185/70R14	9.7	12.45			>33
Dodge Colt Wagon 4WD			3000	P185/70R14			10.6	12.23	
Plymouth Colt Wagon 4WD					•				

W/O A.C.; Without Air Con.
 Body Style; 2-HB; 2-door hatchback 4-SD; 4-door sedan 4-SW; 4-door station wagon