(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-74 Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Audi AG emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family LAD3.6V5FNE7 <u>Displacement:</u> 3.6 Liters (217 inches³) Equipped with the following exhaust emission control systems:

> Heated Oxygen Sensor Dual Three-Way Catalyst Sequential Multipoint Electronic Fuel Injection On-Board Diagnostics (Exempted)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
<u>(Grams per Mile)</u>	<u>(Grams per Mile)</u>	<u>(Grams per Mile)</u>
0.41	7.0	0.7

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
<u>(Grams per Mile)</u>	<u>(Grams per Mile)</u>	(Grams per Mile)
0.23	1.5	0.1

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of the Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard by providing evidence that there are sufficient projected sales of vehicles certifying to the primary NOx emissions standard. AUDI AG

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOL/ED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 <u>et seq</u>.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of May, 1989.

Monouna

K. D. Drachand, Chief Mobile Source Division

page 17.06. - 07.1

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-30-74

•

Manufacturer	AUDI AG	Engine Family _	LAD3.6V5FNE7
Evaporative Family	LNE4	Engine Type	٧8
		Liters (CID)	3.6 (217)

ABBREVIATIONS

. .

Ignition System	Exhaust Emissions Control System	Special Features
EI-Electronic Ignition PCM2-Powertrain Control Module	AIR-Secondar Air Injection PAIR-Pulsed Secondary Air EGR-Exhaust Gas Recirculation EM-Engine Modification SPL-Smoke Puff Limiter TOC-Trap Oxidizer, Continual TOP-Trap Oxidizer, Periodical OC-Oxidation Catalyst TWC-Three-Way Catalyst WUOC-Warm-Up Oxidation Catalyst WUTWC-Warm-Up Three-Way Catalyst TWC+OC-Three-Way Catalyst + Oxidation Catalyst O2S-Exhaust Gas Oxygen Sensor HO2S-Heated Oxygen Sensor	CIS-Continous Fuel Injection MPI-Multipoint Electronic Fuel Injection SMPI-Sequential Multipoint Electronic Fuel Injection TBI-Throttle Body Electronic Fuel Injection IDI-Indirect Diesel Injection DI-Direct Diesel Injection TC-Turbocharger SC-Supercharger OBD-On-Board Diagnostics

VEHICLE MODELS: Audi V8

ı

Engine:	Front _	X	Mid.		_ Re	ear					
Drive: ¹⁾ Fi	WD <u>X</u>	RWD		2) _{4WD}	Full	Time	<u> </u>	4WD	Part	Time	
111586			1) on	Dyno							
			2) on	Road							

page 17.06, -07.2

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

. .

.

E.O.	ij	A-30-74	

Manufacturer _	AUD1 AG	Engine FamilyLAD (3.6 V5FNE7
Passenger Cars	X Light-Duty Trucks	Medium-Duty Vehicles	Gas X_ Diesel
Engine Type _	V8 Liter (CID)	3.61 Evap. Family	LNE4
Emission Contr	ol System (Special Feature	s)SMPI, TWC, HO2S	

·.

	Code	<pre>!Vehicles Models !(If coded see !attachment) !</pre>	!Trans.! !Type ! !A-Auto! !M-Man.!	Equiv. Test Weight	! RLHP ! or ! DPA !	! Ign. System ! (ECU/PROM) ! Part No. !	! EGR Syst. ! Part No. !	! Çatalyst ! Part No.
	NCD1	: !Audi V8 !	! !A (L4)! !	4250	! ! 8.8 ! !	! ! 441907404 C !	! ! n.a. !	! !441131702 J, !441131702 H, ! A,
	NCD2	! !Audi V8 !	! !A (L4)! !	4250	! ! 8.8 !	! ! ! 441907404 H ! #	! ! ! n.a. !	 - " -
	NCD3	! !Audi V8 !	!M (M5)! ! !	4250	! ! 8.8 !	! ! 441907404 F !	! ! n.a. ! ; !	 441131702 AD 441131702 AC
					! ! !	 	! ! !	
	<u>'.</u>					! ! ! !	! ! !	
							! ! !	
							! ! !	
<u> </u>			!			!	!	1

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

· Date of Issue: 02-10-89

Revisions: 01-11-90