

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-76
Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Audi AG exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LAD2.2V6FNG3 Displacement: 2.2 Liters (136 Inches³)
Equipped with the following exhaust emission control systems:

Heated Oxygen Sensor
Three-Way Catalyst
Continuous Fuel Injection System
On-Board Diagnostics (Exempt)

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

| <u>Hydrocarbons</u> <u>(Grams per Mile)</u> | <u>Carbon Monoxide</u> <u>(Grams per Mile)</u> | <u>Nitrogen Oxides</u> <u>(Grams per Mile)</u> |
|--|---|---|
| 0.41 | 7.0 | 0.7 |

The following are the certification exhaust emission values for this engine family:

| <u>Hydrocarbons</u> <u>(Grams per Mile)</u> | <u>Carbon Monoxide</u> <u>(Grams per Mile)</u> | <u>Nitrogen Oxides</u> <u>(Grams per Mile)</u> |
|--|---|---|
| 0.22 | 2.6 | 0.2 |

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year California-certified passenger cars.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed have been granted an exemption from compliance with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25th day of August, 1989.


K. D. Drachand, Chief
Mobile Source Division

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-30-76

Manufacturer AUDI AG Engine Family LAD 2.2 V6FNG3
 Evaporative Family KNG4 Engine Type L 5
 Liters (CID) 2.2 (136)

ABBREVIATIONS

| <u>Ignition System</u> | <u>Exhaust Emissions Control System</u> | <u>Special Features</u> |
|--------------------------------|--|--|
| EI-Electronic Ignition | AIR-Secondary Air Injection | CIS-Continous Fuel Injection |
| PCM2-Powertrain Control Module | PAIR-Pulsed Secondary Air | MPI-Multipoint Electronic Fuel Injection |
| | EGR-Exhaust Gas Recirculation | SMPI-Sequential Multipoint Electronic Fuel Injection |
| | EM-Engine Modification | TBI-Throttle Body Electronic Fuel Injection |
| | SPL-Smoke Puff Limiter | IDI-Indirect Diesel Injection |
| | TOC-Trap Oxidizer, Continual | DI-Direct Diesel Injection |
| | TOP-Trap Oxidizer, Periodical | TC-Turbocharger |
| | OC-Oxidation Catalyst | SC-Supercharger |
| | TWC-Three-Way Catalyst | OBDD-On-Board Diagnostics |
| | WUOC-Warm-Up Oxidation Catalyst | |
| | WUTWC-Warm-Up Three-Way Catalyst | |
| | TWC+OC-Three-Way Catalyst + Oxidation Catalyst | |
| | O2S-Exhaust Gas Oxygen Sensor | |
| | H02S-Heated Oxygen Sensor | |

VEHICLE MODELS:

- (a) Audi 200 Turbo
 (b) Audi 200 quattro/Wagon

Engine: Front X Mid. _____ Rear _____

Drive: FWD (a) RWD _____ 4WD Full Time (b) 4WD Part Time _____

05-22-89

Revision Date:

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-30-76

Manufacturer AUDI AG Engine Family LAD 2.2 V6FNG3
 Passenger Cars Light-Duty Trucks Medium-Duty Vehicles Gas Diesel
 Engine Type L 5 Liter (CID) 2.22 (136) Evap. Family KNG4
 Emission Control System (Special Features) CIS, TWC, HO2S, OBD (exempt)

| Engine Code | Vehicles Models (If coded see attachment) | Trans. Type A-Auto M-Man. | Equiv. Test Weight | RLHP or DPA | Ign. System (ECU/PROM) Part No. | EGR Syst. Part No. | Catalyst Part No. |
|-------------|--|---------------------------------|--------------------|-------------|---------------------------------|--------------------|--|
| NAA3 | Audi 200 Turbo | A3 | 3500 | 7.0 | 447905383 L | n.a. | 447131701 A |
| NAA4 | Audi 200 qu | M5 q | 3750 | 7.8 | - " - | - " - | 443131701G, or 443131701Q, or 443131701S |
| NAA4 | Audi 200 qu Wagon | M5 q | 3875 | 7.8 | - " - | - " - | - " - |

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyno test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.