State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-37-18 Relating to Certification of New Motor Vehicles

LOTUS CARS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1990 model-year Lotus Cars Limited emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: LLT2.2V5F1C9 <u>Displacement</u>: 2.2 Liters (133 Inches³)

Equipped with the following exhaust emission control systems:

Heated Oxygen Sensor Turbocharger Charge Air Cooler Three-Way Catalyst Multipoint Electronic Fuel Injection On-Board Diagnostic System

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.41	7.0	0.7		

The following are the certification emission values for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides		
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)		
0.16	1.2	0.3		

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1989 model-year Californiacertified passenger cars.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks. and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of October, 1989.

K. D. Drachand, Chief Mobile Source Division

1990 MODEL YEAR CERTIFICATION REVIEW SHEET EXHAUST/EVAPORATIVE SYSTEM & FILL PIPE SPECIFICATION COMPLIANCE

MIST. LOTUS CARS LID		Engine	Family <u>LLT2.</u>	2V5FP40	
Rated HP 228 @ 6500 RPM Rated	d Torque 218 @ 4000	RPM			
Cert. Type - CA 49S 5	50S Type Cert	50K	100K		
i salariya Salariya	Section/Page	**************************************	,	Section/Page	
1 Authorized Representative 2 Fuel, Test Equipment, Procedures & Route 3 Warr. State & Parts List 4 Maint: Cert/Req'd/Recm'd 5 Tune-up Lab./Vac.Hose Diag. 6 Evap. Control System 7 Engine Parameters 8 Fuel/Ignition Systems 9 Exhaust Control System 10 Projected Sales 11 Vehicle Descript. 12 Test Veh.Information C/O MY or C/A EF Vehicle Logs Zero Mile Books Maint. Logs & Engr. Eval.	01:01:00:00 Sections 3, 4 & 5 17:01:00:00 06:01:01:01 07:01:00:00 09:00:00:00 10:00:00:00 10:07:00:00 10:10:25:00 10:10:40:00 Dur. ID Dur. Assigned D.F	13 Evap. Bench Te 14 Gen. Std., Inc Safety, Mtg. A 15 Prod. Veh. Sam 16 Label Durability 18 Fill Pipe Spec 19 Altitude A/F F 20 Cert. Preview 21 OBD System 22 EPA Certificat 23 Two Yr./24k Wa MY Emis. ID 62011 12:00:00:06 12:00:00:06 16:04:00:0	crease in Em., All Req'ments me as Test Veh ity cs. Req'ment Program te arranty Emis. MY 1989 0	16:01:00:00	
2h. ID (Displ) Trans Ra 62011 2.2 M5 3. (132.6) (1) The emission data vehicle and includes deteriorate (2) Evaporative DF is the av	le tio ETW RLHP 889 3250 5.7 e/s above comply willon factors of	ASSIGNED and Be	HC CO NO: 0.08 0.72 0. (with D.Fs accepted of the description of the d	41 .33 1.62 dded) 2.0 0.5	
Application Processed By	Date 10/5/89	Reviewed By	Declarif Dat	te 10/6/89	

Attachment 3

E.O. A-37-18

1990 Air Resources Board Supplemental Data Sheet

Manufacturer LOTUS CARS	LTD Engine Family	LLT2.2V5F1C9
Evaporative Family LT4	Engine Type	I_4
: - -	Li	tres (CID) 2.2 (132.6)
ABBREVIATIONS		
Ignition System	Exhaust Emissions Control S	System Special Features
CA-Centrifugal Advance ECU-Electronic Control Unit EI-Electronic Ignition ESAC-Electronic Spark Advance Control VA- Vacuum Advance VR-Vacuum Retard	AIP-Air Injection - Pump AIV-Air Injection - Valve EGR-Exhaust Gas Recircular EIC-Electronic Injection ((Diesel only) EM-Engine Modification SPL-Smoke Puff Limiter or Throttle Delay TOC-Trap Oxidizer, Continu TOP-Trap Oxidizer, Periodi DBC-Dual Bed Catalyst	tion Throttle Body Control Injection. EPFI-Electronic Port Fuel Injection MPFI-Mechanical Port Fuel Injection sal SFI- Sequential Fuel ical Injection DID-Diesel
Fuel System CFI,EPFI,MPFI, SFI, DID, DIP, HOS, OS nV-nVenturi Carburetor VV-Variable Carburetor	TWC-Three way Catalyst WUOC-Warm up Oxidation Cat WUTWC-Warm up Three way Ca OS-Oxygen Sensor HOS-Heated Oxygen Sensor	Injection-Direct DIP-Diesel Injection talyst Prechamber IC-Turbocharger SC-Supercharger IC-Intercooler or Aftercooler CCV-Combustion Chamber Valve OBD-On board Diagnostics
VEHICLE MODELS		
Engine: Front Mid Onive; FWD RWD	Rear 4WD Full Time 4W	<i>I</i> D Part Time

1990 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

100	ў я					E	0 73-3	/-18
が北京	PASSENGER CA	RSLIGHT DU	TY TRUC	KS	MEDIUM DUT	Y VEHICLES	.GASD	IESEL
1	MANUFACTURER	: LOTUS CARS LT	<u>D</u> .		. E	ENGINE FAMILY:	LLT2.2V5F	109
1	LITRE (CID)	(132.6) 2.2	•	•	E	ENGINE FAMILY:	L-4	<u></u>
EMISSION CONTROL SYSTEM (SPECIAL FEATURES) TWC/H.02S/OBD/MFT/TC/CAC								
	ENGINE CODE	VEHICLE MODELS (IF CODED SEE ATTACHMENT)		EQUIV TEST	IGN SYSTEM	FUEL SYSTEM	EGR VALVE	CATALYST
		(DYNO HP)			PART NO.	PART NO.	PART NO.	PART NO.
	LLT2.2V5F1C9	LOTUS ESPRIT TURBO (7.0 Hp)	M5	3250	A910E6940 Direct ignition system	A910E6946 (Fuel rail assembly)		C08256045
						e e		
	identification settings base	ee Page 1 for abon. Please refered on model and be used for test	to mar equipme	nufactu	rer's Hp li	st for correc	t dyno tes	t Hp lower
		en en en					4 ° 1	•
· :	Date of Issue					Revision	s:	