State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-497-A Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code. Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: M3G2.5T5TEG2 Displacement: 2.5 Liters (151 Cu. In.)

Exhaust Emission Control Systems (Special Features):

Three-Way Catalyst
Oxygen Sensor
Exhaust Gas Recirculation
Throttle Body Electronic Fuel Injection
On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

| Weight(lbs.) | Hydrocarbons (Grams per Mile) | Carbon Monoxide (Grams per Mile) | . • |
|--------------|----------------------------------|----------------------------------|-----|
| 0 - 3,750 | 0.39 | 9.0 | 0.4 |

The following are the certification emission values for this engine family:

| Loaded Vehicle Weight(1bs.) | Hydrocarbons | Carbon Monoxide | Nitrogen Oxides |
|-----------------------------|------------------|------------------|------------------|
| | (Grams per Mile) | (Grams per Mile) | (Grams per Mile) |
| 0 - 3,750 | 0.24 | 3.6 | 0.4 |

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{27}{}$ day of September, 1989.

K. D. Drachand, Chief Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: M3G2.5T5TEG2 PASSENGER CARS____ LIGHT DUTY TRUCKS X MEDIUM DUTY VEHICLES GAS X DIESEL ENGINE TYPE: 14 LITER (CID): 2.5 (151) EVAP FAMILY: MBO-3A EMISSION CONTROL SYSTEM: EGR/TWC/02S (OBD, TBI) ENGINE: FRONT X MID REAR DRIVE: FWD___ RWD_X 4WD-FT___ 4WD-PT___ CERTIFICATION STANDARDS: 0.39 NMHC, 9.0 CO, 0.4 NOX DPA: SEE ATTACHMENT I **TYPE** IGN SYSTEM EQUIV EGR **ENG** SYSTEM CATALYST VEH MODELS A-AUTO TEST (ECU/PROM) (SEE PAGE 1A) PART NO. CODE M-MAN WEIGHT PART NO. PART NO. TLC* 55 **M5** 16153741/ 17084743 LCU S10603+E63 3000 25104939 3125 S10653+E63 AUXK S10803+E63 56 S10603+E63 3000 S10653+E63 3125

16153751/

AUXL

3000

3125

3000

3125

ISSUED: 003 (RC M3-033) REV. NO.:

S10803+E63

S10603+E63

S10653+E63

S10803+E63

\$10603+E63 \$10653+E63

S10803+E63

58

^{*} Tune-up label codes are found in upper left hand corner of tune-up label. Vehicles with "LCU" on the label conform to 0.39 g/mi NMHC, 9.0 g/mi CO and 0.4 g/mi NOx.

(FOR CARB USE ONLY)

16.03.00.00

EXECUTIVE ORDER INFORMATION

ENGINE FAMILY..... M3G2.5T5TEG2

EVAPORATIVE FAMILY.... MBO-3A

CARLINES TO BE COVERED:

ISSUED: 07-03-89

| CARLINE NAME | CARLINE CODE |
|--------------------|--------------|
| ASTRO 2WD (CARGO) | 55045 |
| S10 P/U 2WD | 55082 |
| SAFARI 2WD (CARGO) | 80035 |
| S15 P/U 2WD | 80072 |

ATT/CHIE!!T 1

TEST HORSEPOWER VALUES

| | Test | 50mph Road | _ | .withAC. Coast | |
|------------|---------|---------------|---------|-------------------|----|
| • | Weight | Load | | Dyno Down | or |
| Body Style | Classes | Hp | Hp Time | Mp Time | FA |
| | | | | | |

CHEVROLET \$10 PICKUP 2WD (C\$10603+E63,C\$10653+E63,C\$10803+E63)
GMC \$15 PICKUP 2WD (T\$10603+E63,T\$10653+E63,T\$10803+E63)

| w/P(1950r205)/75R14 w/auto trans | 3 125-3500 | 15.47 | 10.6 13.99 | 11.6 13.14 | CA |
|----------------------------------|-------------------|-------|------------|------------|----|
| w/P(1950r205)/75R14 w/auto trans | 0-3000 | 15.07 | 10.6 12.45 | 11.6 11.56 | CA |
| w/P(195or205)/75R14 w/man. trans | 3125-3500 | 14.25 | 10.6 15.19 | 11.6 14.15 | CA |
| w/P(1950r205)/75R14 w/man. trans | 0-3000 | 13.85 | 10.6 13.44 | 11.6 12.50 | CA |
| w/P215/65R15s | 3500 Only | 15.47 | 11.1 14.00 | 12.2 13.00 | CA |
| w/P215/65R15s | 0-3375 | 14.40 | 10.4 14.52 | 11.4 13.56 | 41 |

CHEVROLET ASTRO (CM10905,CM1)005,CM10906,CM11006)
CMC SAFARI (TM10905,TM11005,TM10906,TM11006)

| w/(P195 & P205)/75R15 ALS | 4000-4250 | 16.84 | 12.7 15.63 | 14.0 14.60 | CD |
|---------------------------|-----------|-------|------------|------------|----|
| w/(P195 & P2D5)/75R15 ALS | 0-3875 | 15.49 | 12.0 15.46 | 13.3 14.39 | CD |
| w/P245/60HR15 AL3 | 0-4250 | 19.38 | 13.1 13.60 | 14.4 12.72 | LD |

08.13.02.00-14 (1991)

ISSUED: DESEP88