# State of California AIR RESOURCES BOARD

# EXECUTIVE ORDER A-6-498 Relating to Certification of New Motor Vehicles

#### GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year General Motors Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: M3G4.3T5XEB2 Displacement: 4.3 Liters (262 Cu. In.)

#### Exhaust Emission Control Systems (Special Features):

Three-Way Catalyst
Oxygen Sensor
Exhaust Gas Recirculation
Throttle Body Electronic Fuel Injection
On-Board Diagnostics

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Weight(1bs.)	Hydrocarbons (Grams per Mile)		Nitrogen Oxides (Grams per Mile)
0 - 3,750	0.39	9.0	0.4
3,751 - 5,750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(lbs.)	<b>J</b>		Nitrogen Oxides (Grams per Mile)
0 - 3,750	0.28	6.0	0.1
3,751 - 5,750	0.28		0.1

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this  $\frac{39^7}{2}$ 

<del>\_day</del> of September, 1989.

K. D. Drachand, Chief Mobile Source Division

# (FOR CARB USE ONLY)

# 16.03.00.00

# EXECUTIVE ORDER INFORMATION

ENGINE FAMILY..... M3G4.3T5XEB2

EVAPORATIVE FAMILY.... MBO-3E

#### CARLINES TO BE COVERED:

CARLINE NAME	CARLINE CODE
T10 P/U 4WD	55037
T10 BLAZER 4WD	55070
S10 P/U 2WD	55082
S10 BLAZER 2WD	55090
T15 P/U 4WD	80027
T15 JIMMY 4WD	80060
S15 P/U 2WD	80072
S15 JIMMY 2WD	80076
BRAVADA	92520

# AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

V	FH	T	ſ١	LE	MO	n	FI	19
	_,,		v		110	•	_	,

#### CC10703 + E63 (EXAMPLE)

	Dig	it 1	l	
<u>Sell</u>	ing	Div	<u>/isi</u>	on*

C-Chevrolet T-GMC Truck H-Oldsmobile

#### <u>Digit 2</u> <u>Chassis Type</u>

C,M,R,S-Conventional 4x2 G-Forward Control 4x2 (Body Frame Integral) K,T,V-Conventional 4x4 & AWD Brayada

#### Digit 3 Series/GVWR Range

1-3500 to 7300 lbs 2-6400 to 8600 lbs 3-7100 to 14500 lbs

# Digits 4 & 5 CA Dimension/Model Type

05-Blazer, Jimmy, Bravada
06-S10/15
07-42"/Pickup, Chassis-Cab
09-56"/Suburban, ChassisCab, Pickup, Astro, Safari
10-60" Chevy Van/Vandura,
Sportvan/Rally, Chassis-Cab
13-Chevy Van/Vandura,
Sportvan/Rally

# Digits 6 & 7 Cab or Body Style

03-Conventional Cab
(S-T, C-K Models)
05-Chevy Van/Vandura &
Astro/Safari (Cargo)
06-Suburban/Sportvan/
Rally & Astro/Safari
(Passenger), 4-Dr Blz/
Jimmy/Bravada

Jimmy/Bravada 16-Blazer/Jimmy 53-Extended Cab (S-T, C-K Models)

#### Digits 8, 9 & 10 Body Ordering Code

E62-Stepside/Fenderside Pickup E63-Fleetside/Wideside Pickup ZW9-Base Body

#### **VEHICLE MODELS:**

#### 1 U M O 6 (EXAMPLE)

Digit 1 <u>Selling Division</u>	Digit 2	Digit 3	Digits 4 and 5
	Body Designation	<u>Trim Level</u>	Body Style
1-Chevrolet 2-Pontiac	U-Lumina APV, Trans Sport	H, M, S	06-Van

<sup>\*</sup> Digit 1 is not shown on subsequent pages. All vehicle models listed are sold by Chevrolet (C) and GMC Truck (T); plus T10506 Oldsmobile Bravada (H).

ISSUED: 06-16-89

REV. NO.: 003

17-M3G4.3T5XEB2-1 (1991)

ENGINE FAMILY: M3G4.3T5XER2

#### AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

PASSENGER CARS	LIGHT DUTY TRUCKS X	MEDIUM DUTY VEHICLES	GAS_X DIESEL

ENGINE TYPE: V6 LITER (CID): 4.3 (262) EVAP FAMILY: MBO-3E

EMISSION CONTROL SYSTEM: EGR/TWC/02S (OBD, TBI)

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE: FRONT X MID\_\_ REAR\_\_ DRIVE: FWD\_\_ RWD\_ 4WD-FT\_\_ 4WD-PT\_X

CERTIFICATION STANDARDS\*: .50 HC, 1.0 NOX DPA: SEE ATTACHMENT I

ENG CODE	VEH MODELS (SEE PAGE 1A)	TRANS TYPE A-AUTO <u>M-MAN</u>	EQUIV TEST WEIGHT	IGN SYSTEM (ECU/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO. TLC*
21	T10603+E63 T10803+E63 T10653+E63 T10516 T10506	<b>A4</b>	3875 4000 4250	16129851/ APAL	17088109	25101432LDF (MS 447), 25104269 (MS 461)
210				16155931/ AWLN		
22	T10603+E63 T10803+E63 T10653+E63 T10516 T10506**		3875 4000 4250	16129851/ APAL		
22C				16155931/ AWLN		

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDF labels conform to the .50 HC; 1.0 NOx gm/mi standard.

ISSUED: 06-16-89 REV. NO.: 001, 003, 004

<sup>\*\*</sup> Includes Oldsmobile AWD Bravada model.

MANUFACT	URER: GENERAL MOT	ORS CORPORATION	ENG	INE FAMILY:	M3G4.3T5XEB2
PASSENGE	R CARS LIGHT	DUTY TRUCKS_X_	MEDIUM DUTY V	EHICLES (	GAS_X_ DIESEL
ENGINE T	YPE: V6 LI	TER (CID): 4.3	(262) E	VAP FAMILY:	MB0-3E
EMISSION	CONTROL SYSTEM:	EGR/TWC/02S (OBD	, TBI)		
ENGINE:	FRONT_X MID	REAR D	RIVE: FWD	RWD_X 4WD	-FT 4WD-PT
CERTIFIC	ATION STANDARDS*:	.39 HC, 0.4 NOx		DPA: SEE A	TTACHMENT I
ENG CODE	VEH MODELS (SEE PAGE 1A)	M-MAN WEIGHT	(ECU/PROM) PART NO.	PART NO.	PART NO. TLC*
21	\$10603+E63 \$10803+E63 \$10653+E63 \$10516	3375 3500 3625	16129851/ APAL	17088109	25101432LDH (MS 447), 25104269 (MS 461)
210			16155931/ AWLN		
22	S10603+E63 S10803+E63 S10653+E63 S10516	3375 3500 3750	16129851/ APAL		
<b>22</b> C	210310		16155931/ AWLN		

ISSUED: 06-16-89 REV. NO.: 004

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDH labels conform to the .39 HC; 0.4 NOx gm/mi standard.

ANUFACTU	JRER: GENERAL MOT	ORS CORPO	ORATION	ENG	INE FAMILY:	M3G4.3T5XEB	2
PASSENGER	R CARS LIGHT	DUTY TRU	CKS <u>X</u>	MEDIUM DUTY V	EHICLES (	GAS <u>X</u> DIES	EL
ENGINE TY	YPE: V6 LI	TER (CID	): 4.3 (	262) E	VAP FAMILY:	MB0-3E	
EMISSION	CONTROL SYSTEM:	EGR/TWC/	02S (OBD,	TBI)			
ENGINE:	FRONT_X MID	REAR	DR	IVE: FWD	RWD_X 4WD-	-FT 4WD-	PT
CERTIFICA	ATION STANDARDS*:	.39 HC,	0.4 NOx		DPA: SEE AT	TTACHMENT I	
ENG CODE	VEH MODELS (SEE PAGE 1A)	TRANS TYPE A-AUTO M-MAN	EQUIV TEST WEIGHT		EGR SYSTEM PART NO.	CATALYST PART NO.	TLC*
23	\$10603+E63 \$10803+E63 \$10653+E63	M5	3250 3375	16129801/ APAC	17088109	25101432 (MS 447), 25104269 (MS 461)	LDH
23A				16143101/ ATAU			
23B				16151201/ AULZ			
24	S10603+E63 S10803+E63 S10653+E63		3375 3500	16129801/ APAC			
24A	3100337103		3300	16143101/ ATAU			
24B				16151201/ AULZ			

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDH labels conform to the .39 HC; 0.4 NOx gm/mi standard.

ISSUED: 06-16-89

REV. NO.: 001, 002

MANUFACTI	URER: GENERAL MOT	ORS CORPORATION	ENG	INE FAMILY:	M3G4.3T5XEB	32
PASSENGE	R CARS LIGHT	DUTY TRUCKS X	MEDIUM DUTY V	EHICLES	GAS <u>X</u> DIES	EL
ENGINE TY	YPE: V6 LI	TER (CID): 4.3	(262) E	VAP FAMILY:	MBO-3E	
EMISSION	CONTROL SYSTEM:	EGR/TWC/02S (OBD	, TBI)			
ENGINE:	FRONT_X MID	REAR D	RIVE: FWD	RWD_X 4WD	-FT 4WD-	PT
CERTIFICA	ATION STANDARDS*:	.39 HC, 0.4 NOx		DPA: SEE A	TTACHMENT I	
ENG CODE	VEH MODELS (SEE PAGE 1A)			EGR SYSTEM PART NO.		TLC*
25	S10603+E63 S10803+E63 S10653+E63 S10516	M5 3250 3375 3625	16129811/ APAD	17088109	25101432 (MS 447), 25104269 (MS 461)	LDH
25A			16143111/ ATAW			
25B			16151211/ AUMA			
26	S10603+E63 S10803+E63 S10653+E63 S10516	3375 3500 3625	16129811/ APAD			
26A			16143111/ ATAW			
26B			16151211/			

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDH labels conform to the .39 HC; 0.4 NOx gm/mi standard.

AUMA

ISSUED: 06-16-89 REV. NO.: 001, 002

MANUFACT	URER: GENERAL MO	TORS CORPORATION	ENG	INE FAMILY:	M3G4.3T5XEB	32
PASSENGE	R CARS LIGHT	DUTY TRUCKS_X_	MEDIUM DUTY V	EHICLES (	GAS <u>X</u> DIES	EL
ENGINE TY	YPE: V6 L	ITER (CID): 4.3 (	262) E	VAP FAMILY:	MBO-3E	
EMISSION	CONTROL SYSTEM:	EGR/TWC/02S (OBD,	TBI)			
ENGINE:	FRONT_X MID	REAR DR	IVE: FWD	RWD 4WD	-FT 4WD-	PT_X_
CERTIFICA	ATION STANDARDS*:	.50 HC, 1.0 NOx		DPA: SEE AT	TTACHMENT I	
ENG CODE	VEH MODELS (SEE PAGE 1A)	TRANS TYPE EQUIV A-AUTO TEST M-MAN WEIGHT	IGN SYSTEM (ECU/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.	<u>TLC*</u>
25	T10603+E63 T10803+E63 T10653+E63 T10516	M5 3875 4000	16129811/ APAD	17088109	25101432 (MS 447), 25104269 (MS 461)	LDF
	T10506	4250				
25A •			16143111/ ATAW			
25B			16151211/ AUMA			
26	T10603+E63 T10803+E63 T10653+e63 T10516 T10506	3750 3875 4000	16129811/ APAD			
26A			16143111/ ATAW			
26B			16151211/			

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDF labels conform to the .50 HC; 1.0 NOx gm/mi standard.

AUMA

ISSUED: 06-16-89 REV. NO.: 001, 002

MANUFACT	URER: GENERAL MO	TORS CORP	ORATION	ENG	INE FAMILY:	M3G4.3T5XE	32
PASSENGE	R CARS LIGHT	DUTY TRU	CKS <u>X</u>	MEDIUM DUTY V	EHICLES	GAS <u>X</u> DIES	SEL
ENGINE T	YPE: V6 L	ITER (CID	): 4.3 (2	262) E	VAP FAMILY:	MBO-3E	
EMISSION	CONTROL SYSTEM:	EGR/TWC/	02S (OBD,	TBI)			
ENGINE:	FRONT_X MID	REAR	DRI	IVE: FWD	RWD_X 4WD	-FT 4WD-	PT
CERTIFIC	ATION STANDARDS*:	.39 HC,	0.4 NOx		DPA: SEE A	TTACHMENT I	
ENG CODE	VEH MODELS (SEE PAGE 1A)	TRANS TYPE A-AUTO <u>M-MAN</u>	EQUIV TEST <u>WEIGHT</u>	IGN SYSTEM (ECU/PROM) PART NO.	EGR SYSTEM <u>PART NO.</u>	CATALYST PART NO.	TLC*
27	S10603+E63 S10803+E63 S10653+E63 S10516	M5	3250 3375 3625	16129821/ APAF	17088109	25101432 (MS 447), 25104269 (MS 461)	LDH
27A				16143121/ ATAX			
27B				16151221/ AUMB			
28	\$10603+E63 \$10803+E63 \$10653+E63 \$10516		3375 3500 3625	16129821/ APAF			
28A				16143121/ ATAX			
28B				16151221/ AUMB			

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDH labels conform to the .39 HC; 0.4 NOx gm/mi standard.

SSUED: 06-16-89 REV. NO.: 001, 002

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: M3G4.3T5XEB2						
PASSENGER	CARS LIGHT	DUTY TRU	ICKS <u>X</u>	MEDIUM DUTY V	EHICLES	GAS_X_ DIESEL
ENGINE TY	PE: V6 L	ITER (CIC	): 4.3 (	(262) E	VAP FAMILY:	MBO-3E
EMISSION	CONTROL SYSTEM:	EGR/TWC/	'02S (OBD,	TBI)		
ENGINE:	FRONT_X MID	REAR	_ Df	RIVE: FWD	RWD 4WI	D-FT 4WD-PT_X
CERTIFICA	ATION STANDARDS*:	.50 HC	, 1.0 NOx	•	DPA: SEE	ATTACHMENT I
ENG CODE	VEH MODELS (SEE PAGE 1A)	TRANS TYPE A-AUTO M-MAN	EQUIV TEST WEIGHT		SYSTEM	CATALYST PART NO. TLC*
27	T10603+E63 T10803+E63 T10653+E63 T10516 T10506	M5	3750 3875 4000 4250	16129821/ APAF	17088109	25101432 LDF (MS 447), 25104269 (MS 461)
27A	•			16143121/ ATAX		
27B				16151221/ AUMB		
28	T10603eE63 T10803+E63 T10653+E63 T10516 T10506		3875 4000 4250	16129821/ APAF		
28A				16143121/ ATAX		
28B				16151221/ AUMB		

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDF labels conform to the .50 HC; 1.0 NOx gm/mi standard.

ISSUED: 06-16-89 REV. NO.: 001, 002, 005

MANUFACTU	RER: GENERAL MOTO	ORS CORPO	PRATION	ENGI	NE FAMILY:	M3G4.3T5XEB2
PASSENGER	CARS LIGHT I	OUTY TRUC	CKS <u>X</u> 1	MEDIUM DUTY VE	HICLES	GAS_X_ DIESEL
ENGINE TY	PE: V6 LI	TER (CID)	): 4.3 (	262) EV	AP FAMILY:	MBO-3E
EMISSION	CONTROL SYSTEM:	EGR/TWC/0	02S (OBD,	TBI)		
ENGINE:	FRONT_X_ MID	REAR	DR	IVE: FWD	RWD_X 4WD	-FT 4WD-PT
CERTIFICA	TION STANDARDS*:	.50 HC,	1.0 NOx	•	DPA: SEE A	TTACHMENT I
ENG CODE 21	VEH MODELS (SEE PAGE 1A) S10506	A-AUTO	TËST WEIGHT		SYSTEM	PART NO. TLC*
	3.0000		33.3	APAL	1,000100	(MS 447), 25104269 (MS 461)
210	·			16155931/ AWLN		
22	S10506		3875	16129851/ APAL		
22C				16155931/ AWLN		

ISSUED: 06-16-89

REV. NO.: 001, 004, 005

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDF labels conform to the .50 HC; 1.0 NOx gm/mi standard.

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: M3G4.3T5XEB2						
PASSENGER CARS LIGHT DUTY TRUCKS_X MEDIUM DUTY VEHICLES GAS_X DIESEL						
ENGINE 7	TYPE: V6 L	ITER (CII	0): 4.3 (	(262) E	VAP FAMILY:	MBO-3E
EMISSION	CONTROL SYSTEM:	EGR/TWC/	/02S (OBD,	TBI)		
ENGINE:	FRONT_X MID	REAR	_ DR	RIVE: FWD	RWD_X 4W	D-FT 4WD-PT
CERTIFIC	CATION STANDARDS*:	.50 HC	, 1.0 NOx		DPA: SEE	ATTACHMENT I
ENG CODE	VEH MODELS (SEE PAGE 1A)	TRANS TYPE A-AUTO <u>M-MAN</u>	EQUIV TEST WEIGHT	IGN SYSTEM (ECU/PROM) PART NO.	SYSTEM	CATALYST
25	\$10506	M5	3875	16129811/ APAD	17088109	25101432 LDF (MS 447), 25104269 (MS 461)
25A	•			16143111/ ATAW		
25B				16151211/ AUMA		
26	\$10506		3875	16129811/ APAD		
26A				16143111/ ATAW		
26B				16151211/ AUMA		

ISSUED: 06-16-89

REV. NO.: 001, 002, 005

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDF labels conform to the .50 HC; 1.0 NOx gm/mi standard.

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: M3G4.3T5XEB2					
PASSENGE	R CARS LIGHT	DUTY TRUCKS	X MEDIUM	DUTY VEHICLES	GAS_X DIESEL
ENGINE 7	YPE: V6 L	ITER (CID):	4.3 (262)	EVAP FAM	ILY: MBO-3E
EMISSION	CONTROL SYSTEM:	EGR/TWC/02S	(OBD, TBI)		
ENGINE:	FRONT_X MID	REAR	DRIVE:	FWDRWD_X	4WD-FT 4WD-PT
CERTIFIC	ATION STANDARDS*:	.50 HC, 1.	O NOx	DPA: S	SEE ATTACHMENT I
ENG CODE	VEH MODELS (SEE PAGE 1A)	A-AUTO TÈ	UIV IGN ST (ECU IGHT PAR	/PROM) SYST	
27	\$10506	M5 3750	0 161298 APAI	821/ 1708810 F	9 25101432 LDF (MS 447), 25104269
27A			16143 ATAX	121/ X	(MS 461)
27B	•		161512 AUMI		
28	S10506	387!	5 161298 APAI		
28A			16143 ATA	•	
28B			16151: AUM		

ISSUED: 002

REV. NO.: 005

<sup>\*</sup> Tune-up label codes are found in the upper left hand corner of the tune-up label. Vehicles with LDF labels conform to the .50 HC; 1.0 NOx gm/mi standard.