

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-454  
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: MFM2.3V5FWCX Displacement: 2.3 Liters (140 Cu. Inches)  
Equipped with the following exhaust emission control systems:

Heated Oxygen Sensor  
Three-Way Catalyst  
Pulsed Secondary Air  
Exhaust Gas Recirculation  
Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification exhaust emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.15	2.3	0.3

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30<sup>th</sup> day of May, 1990.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family MEM2.3V5FCXPass Cars X Lt-Duty Trucks      Med-Duty Vehicles      Fuel Type UNLEADEDEng. Type I-4 Liter (CID) 2.3L (140) Evap. Family HMEmission Control System & Special Features EGR/MPI/TWC/PAIR/HO2S  
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid.      Rear      Drive: FWD X RWD      4WD-FT X 4WD-PT     

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (PCME/PROM) Part No.	EGR Syst. Part No	Catalyst Part No.
2.3H							
026TR12	N TEMPO 2DR SDN	A	3125	8.1	FOTF -- ABD	E6AE--BA	F03C--KA
	A " "	"	3125	8.9	"	"	"
	N TEMPO 4DR SDN	"	3125	8.1	"	"	"
	A " "	"	3125	8.9	"	"	"
	N TOPAZ 2DR SDN	"	3125	8.1	"	"	"
	A " "	"	3125	8.9	"	"	"
	N TOPAZ 4DR SDN	"	3125	8.1	"	"	"
	A " "	"	3125	8.9	"	"	"
025PR11	N TEMPO 2DR SDN	M	2875	6.6	FOTF -- YC	"	F03C--LA
	A " "	"	2875	7.3	"	"	"
	N TEMPO 4DR SDN	"	2875	6.6	"	"	"
	A " "	"	3000	7.3	"	"	"
	N TOPAZ 2DR SDN	"	2875	6.6	"	"	"
	A " "	"	2875	7.3	"	"	"
	N TOPAZ 4DR SDN	"	3000	6.6	"	"	"
	A " "	"	3000	7.3	"	"	"
026SR00	N TEMPO 2DR SDN	A	2875	6.6	FOTF -- BSA	"	"
	A " "	"	3000	7.3	"	"	"
	N TEMPO 4DR SDN	"	3000	6.6	"	"	"
	A " "	"	3000	7.3	"	"	"
	N TOPAZ 2DR SDN	"	2875	6.6	"	"	"
	A " "	"	3000	7.3	"	"	"
	N TOPAZ 4DR SDN	"	3000	6.6	"	"	"
	A " "	"	3000	7.3	"	"	"
Certification Standards							
	NMHC:		0.39				
	CO:		7.0				
	NOx:		0.4				
	EVAP:		2.0				

E.O.# A-10-454

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family MF2.3V5FWCX

Pass Cars X Lt-Duty Trucks      Med-Duty Vehicles      Fuel Type UNLEADED

Eng. Type I-4 Liter (CID) 2.3L (140 ) Evap. Family HM

Emission Control System & Special Features EGR/MPI/TWC/PAIR/HO2S  
(Use abbreviations per SAE J1930 June88)

Engine: Front X Mid.      Rear      Drive: FWD X RWD      4WD-FT X 4WD-PT     

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP	Ign. Sys. (PCME/PROM) Part No.	EGR Syst. Part No	Catalyst Part No.
2.3P					-12A650-	-9D475-	-5E212 -
026RR11 N	TEMPO 2DR SDN	A	2875	6.4	FOTF -- XC	E6AE--BA	F03C--LA
A	"	"	2875	7.0	"	"	"
N	TEMPO 4DR SDN	"	3000	6.4	"	"	"
A	"	"	3000	7.0	"	"	"
N	TOPAZ 2DR SDN	"	2875	6.4	"	"	"
A	"	"	3000	7.0	"	"	"
N	TOPAZ 4DR SDN	"	3000	6.4	"	"	"
A	"	"	3000	7.0	"	"	"
025QR11 N	TEMPO 2DR SDN	M	2875	6.4	FOTF -- VC	"	"
A	"	"	2875	7.0	"	"	"
N	TEMPO 4DR SDN	"	2875	6.4	"	"	"
A	"	"	3000	7.0	"	"	"
N	TOPAZ 2DR SDN	"	2875	6.4	"	"	"
A	"	"	2875	7.0	"	"	"
N	TOPAZ 4DR SDN	"	2875	6.4	"	"	"
A	"	"	3000	7.0	"	"	"
Certification Standards							
NMHC: 0.39							
CO: 7.0							
NOx: 0.4							
EVAP: 2.0							