

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-464
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Ford Motor Company exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: MFM5.OV5FXC7 Displacement: 5.0 Liters (302 Cu. Inches)
Equipped with the following exhaust emission control systems:

Dual Heated Oxygen Sensors
Dual Warm-Up Three-Way Catalysts
Three-Way Catalyst
Sequential Multipoint Electronic Fuel Injection
Exhaust Gas Recirculation
Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the exhaust emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.7

The following are the certification exhaust emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.07	1.4	0.2

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1990 model-year California-certified passenger cars, or is allowed a delay in implementation under small volume manufacturer provisions.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 27 day of July, 1990.



for R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family MFM5.OV5FXC7Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type GASOLINEEng. Type V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/2HO2S/AIR/2TWC+TWC.TWC/SMPI
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP (DPA)	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No.
122TROOA/N	T-BIRD 2DR	A-4	4000	8.9 ¹ / _(A/C) 8.1 ¹ / _(NAC) 9.1 ² / _(A/C) 8.3 ² / _(NAC) 9.1 ⁴ / _(AC) 8.3 ⁴ / _(NAC)	F1MF-GA	F1SE-AC	F1SC-AA F1SC-AB (ALT)
	COUGAR 2DR			9.2 ¹ / _(A/C) 8.4 ¹ / _(NAC) 9.9 ² / _(A/C) 9.0 ² / _(NAC) 9.6 ³ / _(A/C) 8.8 ³ / _(NAC)			
Certification Standards							
	NMHC: 0.39						
	CO: 7.0						
	NOx: 0.7						
	EVAP: 2.0						
				1/ P205/70R15 TIRES			
				2/ P215/70R15 TIRES			
				3/ COUGAR XR7 P225/60ZR16 TIRES			
				4/ P215/65R15 TIRES			