State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-189 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MTY3.0T5FBE1 Displacement: 3.0 Liters (180 Cu. In.)

Exhaust Emission Control Systems and Special Features:

Three-Way Catalyst
Heated Oxygen Sensor
Pulsed Secondary Air Injection
Exhaust Gas Recirculation
Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
3751-5750	0.50	9.0	1.0

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(lbs.)	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
3751-5750	0.10	1.8	0.4

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this __/c_ day of August, 1990

R. B. Summerfield

Assistant Division Chief Mobile Source Division

E.O.	#	A -	14 -	189

Page __

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacti	urer	TOYOTA				Engine fami	ly MT	Y3.0T5FBEl
Passenger	r Cars Light	-Duty 1	rucks	5 <u>x</u>	Medi	um-Duty Vehic	cles Fue	el Type <u>Gasoline</u>
Eng. Type	e <u>6 cyl. 60° V</u> -	<u>-6</u> I	Liter	(CID)	3.	0 (180.5)	_ Evap.Fami	ly <u>EV-E</u>
Emission	Control System 8	Specia	al Fea	tures	***************************************	MPI +	PAIR + EGR +	+ HO2S + TWC
(Use abbi	reviation per SAE	E J1930	Jun88	3)				
	*1 Engine :Front <u>x</u> Mid. <u>Rear</u> Drive: FWD <u>RWD x</u> 4WD-FT <u>4WD-PT x</u>						4WD-PT x	
Certifica	ation std. : 1.0	NOX						
_	Veh. Models	Trans.	ETW	RLHP		Ign. System		Catalyst
Code/ (Cert	(If Coded see attachmt.)	Type: A-Auto		or DPA		(PCME/PROM) Part No.		Part No.
std.)	accacimic.)	M-Man.		DPA		Falt NO.	Part NO.	rait No.
9	VZN120L-GKPGEA	A4	4000	13.5		89661-35520	25620-65011	18450-65030
10	VZN120L-GKPGEA			14.8				(H02) *2
11	VZN100L-TRMDEA	M5	3875	14.3,	15.2	89661-35510		
	VZN105L-TRMDEA				•	*3		
	VZN110L-CRMDEA		4000			89661-35511		
	-CRMGEA							
	VZN130L-GJMGEA		4250	14.8.	15.3			
	-GKMGEA			<u> </u>				
12	VZN100L-TRMDEA		3875	15.7,	16.6			
	VZN105L-TRMDEA		4000					
	VZN110L-CRMDEA -CRMGEA		4000					
	VZN130L-GJMGEA		4250	16.2,	16.7			
	-GKMGEA	Ì	4500		10.7			
13	VZN110L-CRPDEA	A4			15.2	89661-35570		3
	-CRPGEA							
	VZN130L-GJPGEA	1	4250	14.8,	15.3			
	-GKPGEA		4500	1				
14	VZN110L-CRPDEA	1	,	15.7,	16.6			
	-CRPGEA	1	4250	ľ				
	VZN130L-GJPGEA		4500	16.2,	16.7			
	-GKPGEA	1	1	1		1	1	1

Note *3 : After Field fix : 91-TF-3

Page : A-17.11-59

Issued: 05/25/90 91-TF-3: 02/20/92

17.11.00

Engine Code/ (Cert std.)	Veh. Models (If Coded see attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP or DPA	Ign. System (PCME/PROM) Part No.		Catalyst Part No.
15	VZN85L-TWMREA6	м5	4250	28.0	89661-35550	25620-65021	18450-65030
16	VZN85L-TWMREA6		4250	29.4		*3	(H02) *2
17	VZN85L-TWSREA6	A4	4250	28.0	89661-35560	25620-65022	
18	VZN85L-TWSREA6		4250	29.4			

Comments: Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1 : Applicable vehicle models are VZN120L-GKPGEA, VZN85L-TWMREA6 & VZN85L-TWSREA6

*2 : Parenthetical information represents identifying marks found on production parts.

*3 : After Field fix : 91-TF-1

VEHICLE MODELS :

4-Runner 2WD	4-Runner 4WD	Truck 4WD	Cab/Chassis 2WD
VZN120L-GKPGEA	VZN130L-GJMGEA	VZN100L-TRMDEA	VZN85L-TWMREA6
	-GKMGEA	VZN105L-TRMDEA	-TWSREA6
	-GJPGEA	VZN110L-CRMDEA	
	-GKPGEA	-CRMGEA	
		-CRPDEA	
		-CRPGEA	

Page : A-17.11-60

Issued: 05/25/90 91-TF-1: 10/01/91