State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-185 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MNS2.4T5FBA1 Displacement: 2.4 Liters (146 Cu. In.)

Exhaust Emission Control Systems and Special Features:

Three-Way Catalyst
Oxygen Sensor
Pulsed Secondary Air Injection
Exhaust Gas Recirculation
Sequential Multi-point Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle Hydrocarbons Weight(lbs.) (Grams per Mile)			Nitrogen Oxides (Grams per Mile)	
3751-5750	0.50	9.0	1.0	

The following are the certification emission values for this engine family:

Weight(lbs.)	Hydrocarbons (Grams per Mile)		(Grams per Mile)	
3751-5750	0.15	3.8	0.3	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19

y of July, 1990.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

		•		, ,	Б. О	A -15	~ 100
17.11.00	1990 AIR RESOU	RCES BO	ARD SUP	PLEMENTAL DAT	TA SHEET	# $A-15$ ise 1	-197
Manufactu	rer: NISSAN HOT	OR CO.,	LTD.	Engine Fami			
Pass Cars	Lt-Duty T	rucks	X Med-	Duty Vehicle	esGas_	X_ Diesel	
Eng.Type_	L-4, OHC L	iter (C	ID) <u>2.4</u>	(145.8)	Evap.family	FI4-4	
Emission (Control Sys.(Use	SAE AI	bbrv.)	TWC/PAIR/02S	/EGR/SMPI		
Engine:Fr	ont X Hid	Rear	· [rive:FWD	RWD_X_ 4V	ID-FT 4	WD-PT X
Code/	 Vehicle Models (If Coded see attachment)	Туре	Test	or I	Ign. System	EGR Valve	Catalyst
					Part No.	Part No	Part No.
AK24ECH7	TRUCK 4x4 1/ KING CAB	 	 3875** 	14.5	 Control Unit MECH-T230 	EGR Valvel AEY77-41 	
 BK24ECH7 	TRUCK 4×4 1/						XXX.XXX XXX.XXX GXX.XXR GXX.XXS

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyna test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**EIW of these models are between 4000 - 5999 lbs.

***The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 04/10/90

Revision Date: 1/ 08/31/90