State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-97 Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Isuzu Motors Limited exhaust emission control systems are certified as described below for gasoline-powered light-duty trucks:

Engine Family: MSZ2.3T2FBA5 <u>Displacement</u>: 2.3 Liters (138 Cubic Inches) Exhaust Emission Control Systems and Special Features:

Secondary Air Injection Exhaust Gas Recirculation Oxygen Sensor Three-way Catalyst

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Loaded Vehicle <u>Weight(lbs.)</u>	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
	<u>(Grams per Mile)</u>	(Grams per Mile)	(Grams per Mile)
0-3750	0.41	9.0	0.7

The following are the certification emission values for this engine family:

Loaded Vehicle Weight(lbs.)	Hydro\$rbons	Carbon Monoxide	Nitrogen Oxides
	(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0-3750	0.24	4.1	0.5

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE TI FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard based on actual sales of 1990 model-year California-certified light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions of California Health and Safety Code Section 43205.

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 1940 day of September, 1990.

R. B. Summerfield Assistant Division Chief

Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-20-97 Page Manufacturer ISUZU MOTORS LIMITED Engine Family MSZ2.3T2FBA5 Pass Cars Lt-Duty Trucks X Med-Duty Vehicles Fuel Type Gasoline Engine Type L4 Liter (CID) 2.3 (138) Evaporative Family CAN-E Emission Control Sys. & Special Features ______ AIR, TWC, EGR, O2S, EFE (Use abbreviations per SAE J1930 Jun 88) Engine: Front X Mid. ___ Rear ___ Drive: FWD ___ RWD X 4WD-FT ___ 4WD-PT Veh. Models Equiv. RLHP Ign. Sys. EGR Eng. Trans. Catalyst Code/ (If Coded Type: Test DPA (PCME/PROM) Syst. Part No. (Cert A-Auto Weight Part No. Part No. see Std.) attachmt.) M-Man. KB-R1 3,125 13.1 Distributor 8251015450 KB-R2 8941224780 BA-1 М 3,250 8943413400 8251316600 **PCME** 8970226250 3,375 14.7 8970226280 WB-R3 (Cert Std) HC/CO/NOx/Evap.: 0.41/9.0/0.7/2.0Vehicle Model KB-R1: PICKUP 2WD, Std cab short wheelbase KB-R2: PICKUP 2WD, Std cab long wheelbase WB-R3: AMIGO 2WD

Revisions: New catalyst created by running change RC91T07. 042090