State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-14-181 Relating to Certification of New Motor Vehicles

TOYOTA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Toyota Motor Corporation exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: MTY2.5V5FCCO Displacement: 2.5 Liters (153 Cu. In.)

Exhaust Emission Control Systems and Special Features:

Three-Way Catalyst
Oxygen Sensor
Heated Oxygen Sensor
Exhaust Gas Recirculation
Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
(Grams per Mile)	(Grams per Mile)	(Grams per Mile)
0.39	7.0	0.4

The following are the certification emission values for this engine family:

Hydrocarbons (Grams per Mile)	Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
0.18	1.6	0.2	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this __/c day of August, 1990.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

			Page	
Manufacturer	TOYOTA	Engine famil	Y MTY2.5V5FCC0	
Passenger Cars _	x_ Light-Duty Trucks	Medium-Duty Vehic	les Fuel Type <u>Gasoline</u>	
Eng. Type60°	• V-6 Liter (CID)	2.5 (153.0)	Evap.Family EV-E	
Emission Control System & Special Features MPI + EGR + HO2S + O2S + TWC (Use abbreviation per SAE J1930 Jun88)				
Engine :Front x Mid. Rear Drive: FWD x RWD 4WD-FT 4WD-PT				
Certification std.: 0.4 NOx				

	1	1_]]]	1	1
Engine	Veh. Models	Trans.	ETW	RLHP	Ign. System	EGR	Catalyst
Code/	(If Coded see	Туре	}	}	(PCME/PROM)	System	}
(Cert	attachmt.)	A-Auto	ļ	1	Part No.	Part No.	Part No.
std.)		M-Man.		1	}		
1	VZV21L-AEMUKA	M5	3,375	7.2	89661-32580	25620-62010	18450-62060
	-UEMDKA	_ .		<u> </u>			(G04)*1
1R1	VZV21L-AEMUKA		3,375	7.2	89661-32581		
	-UEMDKA	. .	<u> </u>	<u> </u>		1	
2	VZV21L-AEMDKA	1	3,375	7.9	89661-32580		
	-UEMDKA	1	ł		1		
	-CTMNKA	.	3,500	6.0		1	
2R1	VZV21L-AEMUKA		3.375	7.9	89661-32581	}	1
	-UEMUKA			1			
	-CTMNKA		3,500	6.0			1
3	VZV21L-AEPUKA	A4	3,375	7.2	89661-32590	25620-62020	
	-UEPDKA	.1					
3R1 &	VZV21L-AEPUKA		3,375	7.2	89661-32591		i
3R2	-UEPDKA	1		<u> </u>			
4	VZV21L-UEPDKA	ł	3.375	7.9	89661-32590		
	-AEPUKA		3,500	ł	89661-32610*2		
	-AEPNKA	1		,			
	-UEPNKA	1					
	VZV21LG-UWPNKA	1 1		8.9			
	VZV21L-CTPNKA	1	3,625	6.0	l		i
4R1 &	VZV21L-UEPDKA	1 1	3,375	7.9	89661-32591		
4R2	-AEPDKA		3,500		89661-32611*2		
	-аерика	}				l	
	-UEPNKA	}				ł	
	VZV21LG-UWPNKA			8.9			
	VZV21L-CTPNKA		3,625	6.0		ļ	

Comments: Please refer to manufacturer's HP list for correct dyno test HP setting based on model and equipment.

Note *1: Parenthetical information represents identifying marks found on production parts.

*2 : Applicable vehicle model is VZV21L-CTPNKA.

Page : A-17.11-26

Issued: 05/25/90 Rev. 1: 06/29/90 91-TR-7 & 91-TR-13: 09/28/90

VEHICLE MODELS :

ES250	Camry	Camry Wagon
VZV21L-CTMNKA	VZV21L-AEMDKA	VZV21LG-UWPNKA
-CTPNKA	-UEMDKA	
	-AEPDKA	
	-aepnka	
	-UEPDKA	
	-uepnka	

Page : A-17.11-27

Issued : 05/25/90 Rev. 1 : 06/29/90