

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-188
Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1991 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for gasoline-powered passenger cars:

Engine Family: MNS3.0V5FFA3 Displacement: 3.0 Liters (181 Cu. In.)

Exhaust Emission Control Systems and Special Features:

- Dual Warm-up Three-Way Catalysts
- Dual Three-Way Catalysts
- Dual Heated Oxygen Sensors
- Pulsed Secondary Air Injection
- Exhaust Gas Recirculation
- Sequential Multipoint Electronic Fuel Injection
- Dual Turbochargers
- Charge Air Cooler

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.39	7.0	0.4

The following are the certification emission values for this engine family:

<u>Hydrocarbons</u> <u>(Grams per Mile)</u>	<u>Carbon Monoxide</u> <u>(Grams per Mile)</u>	<u>Nitrogen Oxides</u> <u>(Grams per Mile)</u>
0.11	0.8	0.2

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (California Health and Safety Code Section 43205).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19th day of July, 1990.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

*17.11.00-1

E.O. # A-15-188

17.11.00 1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page 1

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: MNS3.0V5FFA3

Pass Cars X Lt-Duty Trucks _____ Med-Duty Vehicles _____ Gas X Diesel _____

Eng.Type V-6, DOHC Liter (CID) 3.0 (180.6) Evap.Family FI6-1

Emission Control Sys. (Use SAE Abbrev.) TWC/PAIR/HO2S/EGR/SMPI

Engine: Front X Mid. _____ Rear _____ Drive: FWD _____ RWD X 4WD-FT _____ 4WD-PT _____

Engine Code/	Vehicle Models (If Coded see attachment)	Trans. Type	Equip. Test Weight	RLHP or DPA	Ign. System (ECU) Part No.	EGR Valve Part No.	Catalyst ** Part No.
AV30TCH1	300ZX TURBO 2-SEATER COUPE (GL) (with Michelin tire)	M5	3750	7.0	Control Unit A18-A78	EGR Valve EVK72-83	Main Cat Hxx, xA Hxx, xB Pre. cat (LH) JLxx, x1 (RH) JLxx, x2
	300ZX TURBO 2-SEATER COUPE (GLL) (with Michelin tire)		3875				
	300ZX TURBO 2-SEATER COUPE (with Dunlop and Good Year tire) 2/(GL)		3750	7.7			
	300ZX TURBO 2-SEATER COUPE (with Dunlop and Good Year tire) 2/ (GLL)		3875				

Comments: See page one for abbreviations and evaporative emission family identification. Please refer to manufacturer's HP list for correct dyna test HP settings based on model and equipment. If two test weights are listed, the lower weight will be used for testing.

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

1/ The supplemental data sheet is not changed by R/C No. M30V5FFC-01 at all.

Issue Date: 04/06/90

2/ With R/C No. M30V5FF

Revision Date: 1/ 08/27/90 2/09/26/90