State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-237 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation exhaust emission control systems are certified as described below for light-duty trucks and medium-duty vehicles:

Fuel Type: Gasoline

Engine Family: NCR5.2T5FHB4 Displacement: 5.2 Liters (318 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three-Way Catalyst Heated Oxygen Sensor Exhaust Gas Recirculation Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

Loaded Vehicle <u>Weight (lbs.)</u>	Non-Methane <u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	Nitrogen Oxides	
3751-5750	0.50	9.0	1.0	

The certification emission values for this engine family in grams per mile are as follows:

Loaded Vehicle <u>Weight (lbs.)</u>	Non-Methane <u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	Nitrogen Oxides
3751-5750	0.33	3.8	0.4

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

٠, ٠

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24 day of June, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

ATTACHMENT TO SDS PGS. 1 & 2 OF EXECUTIVE ORDER A-9-237

-

VEHICLE MODELS/CARLINE

Engine/Evap: NCR5.2T5FHB4 / NCRTG
Exhaust Control System: TWC, HO2S, SMPI, EGR

Evap. Control System: Canister Engine Displacement: 5.2L

Carline Model Code

DODGE	RAMCHARGER	D4E71, D8L71	D4L71,	D8E71,
DODGE	PICKUP	D2L62, D1L32, D5L61,	D1E62, D1L62, D5E61, D2L32, D6L62,	D1L31, D5E62, D5L62,
DODGE	VAN/WAGON	B2L12,	B2L11, B3L12, B1L52, B3L52	B1L51,
DODGE	DAKOTA PICKUP	N1L61,	N1L62,	N1L31
DODGE	DAKOTA CAB CHASSIS	N1C31,	N1C61,	N1C62

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O.# A-9-237 Page 1 Manufacturer CHRYSLER CORPORATION Engine Family NCR5.2T5FHB4 Pass Car Lt-Duty Truck x Med-Duty Vehicle x Fuel Type Gasoline OHV Engine Config. V8 Liter (CID) 5.2 (318) Evaporative Family NCRTG Exhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC. EGR. HO2S. SMPI (Use abbreviations per SAE J1930 Jun88) Drive: FWD___ RWD_X 4WD-FT___ 4WD-PT_X Engine: Front \underline{x} Mid. Rear ____ Catalyst | Veh. Models | Trans. | Equiv. | RLHP | Ign. Sys. EGR Eng. (PČME/PROM) I | Part No. Syst. Test | (If Coded |Type: | Code/ |A-Auto| Weight| | Part No. Part (Cert. see No. Attachmt.) M-Man. Std.) 4287784 52018135 56027143 4000 S A-1N1L61,N1L62 Α 52018130 56027144 Ε .50/9.0/1.0 52018132 E 52018133 4250 N1L31 52018137 Α 52018142 Т 4500 Т B1L11, B2L11, Α D1E61, D1E62, C D1L61, D1L62, Н N1C31,N1C61, M N1C62 Ε N 4750 B1L12, B2L12, D1L31,D1L32, D4E71, D4L71, D5E61,D5L61, B3L12,D2L62 5000 B1L51,B2L13, D5E62, D5L62, D8E71, B3L13, D2L32,B1L52 5250 B1L52, B2L52, D5L32, D8L71, D6L62 5500 B2L53,B3L52, D6L32

Engine Config. V8 Liter (CID) 5.2 (318) Evaporative Family NCRTG Exhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, EGR, HO2S, S (Use abbreviations per SAE J1930 Jun88) Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT							HO2S, SMPI
Code/ (Cert.	Veh. Models (If Coded see Attachmt.)	Type: A-Auto	Test Weight		Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
M-1 50/9.0/1.0	D1E61,D1L61,		4500	S E E	56027149 56027150	4287785	see page l
	D1L31,D5E61, D5L61,D2L62	•	4750	A T T			
	D1L32,D5E62, D5L62,D2L32	·	5000	A C H M			
	D5L32,D8E71, D8L71,D6L62		5250	E N T			
	D6L32		5500				