State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-125 Relating to Certification of New Motor Vehicles

MERCEDES-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Mercedes-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NMB6.0V5FA18 Displacement: 6.0 Liters (365 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three-Way Catalyst Heated Oxygen Sensor Secondary Air Injection Exhaust Gas Recirculation

Sequential Multipoint Electronic Fuel Injection System

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.41	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	Carbon Monoxide	Nitrogen Oxides
0.25	2.4	0.2

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model-year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this A day of September, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

	•								
199 <u>2</u> AIR	RESOURCES BO	ARD SUPPL	EMENTAL	DATA	SHEET	E.O.	# A-3-125	Page <u>2</u>	
Manufactu	rer <u>Mercedes</u>	-Benz		{	Engine	Family	NMB6.0V5	FA18	
ass Car_	XLt-Duty	Truck	Med-Du	ıty Ve	ehicle_	F	uel Type <u>G</u>	asoline	
Ingine Co	nfig. <u>V12</u> Li	ter (CID)	6.0 (30	<u>65</u>)	Evapo	rative	Family <u>NM</u>	BV5-2	
Exhaust E (Use abbr	CS & Special eviations per	Features SAE J193	(incl. (30 Jun88)	CARB,	MPI, e	tc.) <u>SM</u>	PI/AIR/EGR	/HO2S/TWC	
Engine: F	ront <u>X</u> Mid.	Rear	Dr	ive:	FWD	RWD <u>X</u>	4WD-FT	4WD-PT	
ing. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Type: A-Auto	Test		Ign.S (PCME/ Part	PROM) [EGR Syst. Part No.	Catalyst Part No. 	
M120	600 SEL	A-4	5250	10.3	012 545	6932	001 140 9660	underfl. right 140 490 22 14 140 490 23 14 140 490 24 14 140 490 25 14 140 490 38 14 140 490 39 14	t side
. •								underfl. left 140 490 26 14 140 490 27 14 140 490 28 14 140 490 29 14 140 490 40 14 140 490 41 14	side