State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-233 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code $\,c\,$ Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NCR3.8V5FEN9 Displacement: 3.3 Liters (201 Cubic Inches)

3.8 Liters (232 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor
Three-Way Catalyst
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.39	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.19	1.3	0.1

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____ day of June, 1991.

_ day of June, 1991

R. B. Summerfield Assistant Division Chief Mobile Source Division

199_2 AIR	RESOURCES BO	ARD SUPF	PLEMENTAL	DATA	SHEET E.O.	A −9−233	Page <u>1</u>
Manufactur	rer <u>CHRYSL</u> i	ER CORPO	RATION		Engine Family	NCR3.8V	5FEN9
Pass Car_	X Lt-Duty	Truck	Med-[3.3 (2	outy Ve	ehicleF	uel Type	GASOLINE
Engine Cor	SOHC nfig. <u>V/6</u> Li	ter (CII)) <u>3.8 (</u> 2	32	Evaporative	Family	NCRVC
Exhaust E((Use abbre	CS & Special eviations per	Features SAE J19	i (incl. 330 Jun88	CARB,	MPI, etc.)_	wc. но ₂ s.	EGR, SMPI
Engine: Fr	ront <u>x</u> Mid	Rear_	Dr	rive: 1	WD_X_RWD	_ 4WD-FT	4WD-PT
Code/ (Cert.	Veh. Models (If Coded see Attachmt.)	Type: A-Auto	Test Weight		Ign.Sys. (PCME/PROM) Part No. 	Syst.	Catalyst Part No.
A-1	ACDH41 ACDP41	A4	3500	S E E	4639494 4699024	4287179	4427631
39/7.0/.4 3.3L	ACCS41		3625	A T T			
	AYCS41		3750	A C H			
	AYCP41		3875	M E	**************************************		
A-2	ACCS41		3625	N T	4639498 4699028		
39/7.0/.4	AYCS41		3750				
3.8L	AYCP41		3875				

ATTACHMENT TO SDS PG. 1 OF EXECUTIVE ORDER A-9-233

VEHICLE MODELS / CARLINE

ENGINE FAMILY:

EXHAUST CONTROL SYSTEMS:

EVAP. CONTROL SYSYEM: ENGINE DISPLACEMENT: NCR3.8V5FEN9

TWC, HO2S, EGR, SMPI

CANISTER
3.3L / 3.8L

CARLINE MODEL CODE

CHRYSLER NEW YORKER ACCS41
CHRYSLER NEW YORKER 5th. AVE/ IMPERIAL AYCP41
AYCS41

DODGE DYNASTY ACDH41 ACDP41

HORSEPOWER CHART FOR THE FTP

1992 NCR3.BV5FEN9	SFEW	•			U	FA	sler (ILY T	Corp	Chrysler Corporation FAMILY TIRE USAGE	c					
VEHICLE		ENGINE/		WEIGHT	LBS	<	TIRE	DES	DESCRIPTION	Š		COASTDOWN	*DYNO	TIRE	PRES
MODEL		TRANS	SE	TEST	BA9	Ų	USE	×	CODE	3	MFG	TIME SEC	Ŧ	4.	æ
1	!	1	1	1	1 1 1	1	!	!	1 1 1	-	!	 	} 5 1	1	;
ACCS41	EGA	190 D6L	3	3625	0	>	STD	92	TKV	TAD	TZA	16.79	8.20	53	32
							OPT	92	TKL	TAD	TZA	16.79	8.20	53	53
							OPT	85	TKV	TAD	TZH	16.38	7.80	56	32
ACCS41	EGH	190	2	3625	0	>	STD	55	TKV	TAD	TZA	16.79	8.20	5	32
							PPT	92	TKL	TAD	12A	16.79	8.20	53	35
							OPT	92	TKV	TAD	T2H	16.38	7.80	53	32
ACDH41	EGA	190	3	3500	0	>	STD	92	TKV	TAD	TZA	16.59	8.10	53	\$
							TdO	85	TKL	TAD	TZA	16.59	8.10	53	53
							DP T	92	TKV	TAD	TZH	16.18	7.70	53	8
ACDP41	EGA	D61	3	3500	0	>	STD	85	TKV	TAD	TZA	16.59	8.10	53	53
							PPT	92	TKL	TAD	TZA	16.59	8.10	62	٤2
							OPT	92	TKV	TAD	TZH	16.18	7.70	8	58
AYCP41	EGA	190	3		0	>	STD	8	TKL	TAD	TZA	17.15	8.60	53	32
	EGE			3875	0	>	STD	92	TKL	TAD	TZA	17.15	8.60	\$	2
AYCS41	EGA	DOL	3		0	>	STD	92	TKt	TAD	TZA	16.79	8.60	53	2
	EGH			3750	0	>	STD	85	TKL	TAD	TZA	16.79	8.8	56	53