(Page 1 of 2)

State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-146 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1992 model-year Mazda Motor Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: NTK3.0T5FCC3 Displacement: 3.0 Liters (180 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three-Way Catalyst Heated Oxygen Sensor Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The following are the emission standards for this engine family:

Non-Methane Loaded Vehicle Hydrocarbons Weight(lbs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
3751-5750	0.50	9.0	1.0	

The following are the certification emission values for this engine family:

Non-Methane Loaded Vehicle Hydrocarbons Weight(lbs.) (Grams per Mile)		Carbon Monoxide (Grams per Mile)	Nitrogen Oxides (Grams per Mile)	
3751-5750	0.21	1.8	0.2	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

45.4 7

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Tune-Up Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25 day of June, 1991.

R. B. Summerfield Assistant Division Chief Mobile Source Division

Bot Cross for

199 <u>2</u> AIR	RESOURCES BOA	RD SUPPLE	MENTAL D	ATA SHEET	E.O.# A-1	6-146	Page				
Manuracturer Mazda Motor Corporation Engine Family NTK3.0T5FCC3											
Pass Car Lt-Duty Truck X Med-Duty Vehicle Fuel Type Unleaded											
Engine Config. V-6 Liter (CID) 3.0 (180) Evaporative Family C											
Exhaust ECS & Special Features (incl. CARB, MPI, ect.) TWC. HO25 MPI											
(Use abbreviations per SAE J1930 Jun88)											
Engine: Fr	ont <u>X</u> Mid	Rear	Driv	e: FWD _	RWD X 4	WD-FT	4WD-PT X				
Code/ (Cert.	Veh. Models (If Coded see Attachmt.)	Type: A-Auto	Equiv. Test Weight	RLHP	Ign. Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.				
				10.5	Distributor JE07		JE16				
CJEH-A	Hazda HPV	A-4	4,000	10.3	ECU JE57		0210				
CJEH-AC				11.6							
		 	4 250	11.3							
CJEH4-H		H-5	4,250	13.1							
CJEM4-HC	Mazda MPV 4x4		4,500	11.9			,				
CJEM4-A CJEM4-AC	DEV 4X4	A-4	4,500	13.1							
Cert. Std: NMHC:0.50 CO :9.0 NOx:1.0 Evap.:2.0											