

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-20-106  
Relating to Certification of New Motor Vehicles

ISUZU MOTORS LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Isuzu Motors Limited exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: N522.6T5FGA2 Displacement: 2.6 Liters (156 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Exhaust Gas Recirculation
- Secondary Air Injection
- Three-Way Catalyst
- Oxygen Sensor
- Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

| <u>Loaded Vehicle Weight(lbs.)</u> | <u>Total Hydrocarbons</u> | <u>Carbon Monoxide</u> | <u>Nitrogen Oxides</u> |
|------------------------------------|---------------------------|------------------------|------------------------|
| 0-3750                             | 0.41                      | 9.0                    | 0.4                    |

The certification emission values for this engine family in grams per mile are as follows:

| <u>Loaded Vehicle Weight(lbs.)</u> | <u>Total Hydrocarbons</u> | <u>Carbon Monoxide</u> | <u>Nitrogen Oxides</u> |
|------------------------------------|---------------------------|------------------------|------------------------|
| 0-3750                             | 0.27                      | 4.8                    | 0.3                    |

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year[s]..." for the aforementioned model-year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model-year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3<sup>rd</sup> day of July, 1991.

  
R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-20-106 Page       Manufacturer ISUZU MOTORS LIMITED Engine Family NSZ2.6T5FGA2Pass Cars     Lt-Duty Trucks   X   Med-Duty Vehicles     Fuel Type GasolineEngine Config.   L4   Liter (CID) 2.6(156) Evaporative Family CAN-GExhaust ECS & Special Features (incl. CARB, MPI, etc.) AIR, TWC, EGR, O2S, MPI  
(Use abbreviations per SAE J1930 Jun 88)Engine: Front   X   Mid.     Rear     Drive: FWD     RWD   X   4WD-FT     4WD-PT   X  

| Eng. Code/ (Cert Std.) | Veh. Models (If Coded see attachmt.) | Trans. Type: A-Auto M-Man. | Equiv. Test Weight | RLHP DPA | Ign. Sys. (PCME/PROM) Part No.   | EGR Syst. Part No. | Catalyst Part No. |
|------------------------|--------------------------------------|----------------------------|--------------------|----------|----------------------------------|--------------------|-------------------|
| GA-1                   | KC-R1                                | M                          | 3,250              | 13.1     | PCME<br>8970226240<br>8970226270 | 8943323570         | 8251316600        |
|                        | KC-R2T                               |                            | 3,375              | 15.0     |                                  |                    |                   |
|                        | KC-R3                                |                            |                    | 13.1     |                                  |                    |                   |
|                        | WC-R3                                |                            | 3,500              | 14.7     |                                  |                    |                   |
|                        | WC-R3H<br>KC-S1                      |                            | 3,625              |          |                                  |                    |                   |
|                        | KC-S1H                               |                            | 3,750              | 15.3     |                                  |                    |                   |
| GA-2                   | KC-R1                                | A                          | 3,250              | 13.1     |                                  |                    |                   |
|                        | KC-R2                                |                            | 3,375              |          |                                  |                    |                   |
|                        | KC-R3                                |                            | 3,500              | 13.8     |                                  |                    |                   |
|                        | WC-R3                                |                            |                    | 14.7     |                                  |                    |                   |
|                        | WC-R3H                               |                            | 3,625              |          |                                  |                    |                   |
| (Cert Std)             |                                      |                            |                    |          |                                  |                    |                   |

HC/CO/NOx/Evap.: 0.41/9.0/0.4/2.0

Vehicle Model KC-R1 : PICKUP 2WD, Std cab short wheelbase  
 KC-R2 : PICKUP 2WD, Std cab long wheelbase  
 KC-R3 : PICKUP 2WD, Ext cab long wheelbase  
 KC-R2T: PICKUP 2WD, Std cab long wheelbase 1-ton payload  
 KC-S1 : PICKUP 4WD, Std cab short wheelbase, P225 tire  
 KC-S1H: PICKUP 4WD, Std cab short wheelbase, 10.5R tire  
 WC-R3 : AMIGO 2WD, P225 tire  
 WC-R3H: AMIGO 2WD, 10.5R tire