

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-85  
Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Audi AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NAD2.3V6FNH1 Displacement: 2.3 Liters (141 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Exhaust Gas Recirculation
- Three-Way Catalyst
- Heated Oxygen Sensor
- Continuous Fuel Injection System

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.41	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.20	1.3	0.2

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year[s]..." for the aforementioned model-year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model-year (Title 13, California Code of Regulations, Section 2290).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model-year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 25<sup>th</sup> day of July, 1991.

  
R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-30-85 Page       

Manufacturer AUDI AG Engine Family NAD 2.3 V6FNH1  
 Passenger Cars X Light-Duty Trucks    Medium-Duty Vehicles    Fuel Type Gas  
 Engine Config. L5 Liter (CID) 2.3 (141) Evap. Family VBS/VBP  
 Emission Control System & Special Features CIS, TWC, H02S, EGR  
 Engine: Front X Mid    Rear    Drive: FWD X RWD    4WD-FT X \* 4WD PT   

Engine Code/ (Cert. Std.)	Veh. Models (If coded see attachment)	Trans. Type A-Auto M-Man.	Equiv. Test. Weight	RLHP	Ign. System (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
NBC3	Audi 80	A (L4)	3250	6.4	443907397 M 4A0907397 A	054131501 054906267	893131701 AC 893131702 Q (893178 A) *
NBC3	Audi 80	M (M5)	3125	6.4	- " -	- " -	893131701 AC 893131702 Q (893178 A) *
NBC3	Audi 80 qu*	M (M5q)	3375	7.6	- " -	- " -	893131702 L (893178 A) *

Date of Issue: 04-25-91

Revisions: