## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-86-146 Relating to Certification of New Motor Vehicles

## MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: NMT2.4T5FC13 Displacement: 2.4 Liters (143.4 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Oxygen Sensor Three-Way Catalyst

Exhaust Gas Recirculation

Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

Loaded Vehicle Weight (lbs.)	<u>Hydrocarbons</u>	Carbon Monoxide	Nitrogen Oxides
0-3750	0.39	9.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

Loaded Vehicle Weight (1bs.)	<u>Hydrocarbons</u>	Carbon Monoxide	Nitrogen Oxides	
0-3750	0.30	4.1	0.2	

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of Augus

R. B. Summerfield

Assistant Division Chief Mobile Source Division

## 1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A SU-146 Page 1

Mfr.: Mitsubishi Motors Corporation Eng. Family: NMT2.4T5FC13

Passenger Cars: \_ Light-Duty Trucks: X

Fuel Type: Gas

Eng. Config.: <u>IL4</u> Liter (CID): <u>2.4(143.4)</u>

Emission Control Sys.: EGR+O2S+TWC+SMPI

Evap. Family: <u>IB</u>

& Special Features

Engine: Front X

Rear \_

Drive : FWD \_

RWD X

4WD-FT

4WD-PT X

(For RAM50 4WD)

Eng. Code	Vehicle Models	Trans. Type: .*1	ETW	RLHP	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.
CM ACM	Dodge RAM50 2WD Mitsubishi Truck 2WD	M5	3000 3125 3250 	11.0 10.7 * 11.0	Distributor T1T42075 ECU E2T34176	EGR Valve K5T50285 Solenoid K5T47172	MD140506
ACA  CM-F ACM-F	Dodge Power RAM50 4WD	 M5	3250 3375	13.1			MD140508
CA-F ACA-F		L4	3500	13.4			

\*1: M-Manual transmission

L-Automatic transmission with lock-up

\* : Applicable to 2000 lbs. payload trucks.

Revisions: Date of Issue:

Issued: 6-14-91