State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-292-11 Relating to Certification of New Motor Vehicles

DIAMOND-STAR MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Diamond-Star Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NDS1.6V5FC29 Displacement: 1.6 Liters (97.3 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor
Three-Way Catalyst
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	
0.39	7.0	0.4	

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>	
0.26	2.1	0.3	

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 16 day of

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. 1 A-292-11 Page 1

Mfr.: Diamond-Star Motors Corporation \$

Eng. Pamily: NDS1.6V5FC29

Passenger Cars: X

Light-Duty Trucks:

Fuel Type: Gag

Eng. Config.: IL4

Liter (CID): 1.6(97.3)

Evap. Family: IR

Emission Control Sys.: <u>EGR+HO2S+TWC+SMPI</u> & Special Features

Engine: Front X

Rear _

Drive : FWD X

RWD

4WD-PT

4WD-PT

Eng. Code	Vehicle Models	Trans. Type:	ETW	RLHP	Ign. System (ECU/PROM)	EGR System	Catalyst
		*1			Part No.	Part No.	Part No.
ÇM	Mitsubishi Mirage	M5	2875	7.6	Crank Angle Sensor TlT49571	EGR Valvo K5T50680	HD131027
ACM				8.4	111493/1	Solenoid K5T47172	
				<u> </u>	ECU E2T35879		
CA-P	Mitsubishi Mirage	L4	2875	7.6		EGR Valve KST50681	
ACA-P				8.4		Solenoid K5T47172	

*1: M-Manual transmission L-Automatic transmission with lock-up

Date	of	Issue:		Revisions
------	----	--------	--	-----------

Revised: 6-3-91 \$

E.O. #: A-292-11 (1/2)

1992 MODEL-YEAR CERTIFICATION REVIEW SHEET EXHAUST/EVAPORATIVE EYETEM & FILL PIPE SPECIFICATION COMPLIANCE //080

Mfr. Diamond-Star Motors Corporation \$ Engine Family NDS1.6V5FC29
Passenger Cars X Engine Code Type(s): CA X 49S _ 50S _
Light-Duty Trucks LVW Fuel Type Gas
Engine Config. IL4 Liter (CID) 1.6(97.3) Valves/Cyl, 4
Rated HP 113 & 6500 RPh
Evaporative Family IR Cert. Type: 50K X 100K _ AB965 _
Exhaust ECS & Special Features EGR+HO2S+TWC+SMPI
(Use abbreviations per SAE J1930 Jun88)

	Section/Page		
1. Authorized Representative	01		
2. Fuel, Test Equipment Procedures & Route	03, 04 & 05		
3. Warr. State	17.06		
4. Maint: Cert/Req'd/Recm'd	06.06		
5. Tune-Up Lab./Vac. Hose Diag.	07		
6. Evap. Control System	08.11 & 19		
7. Engine Parameters	20		
8 Fuel/Ignition Systems	08.01 a 00.02		
9. Exhaust Control System	08 £ 20		
10. Projected Sales	17.19 & 20.05		
ll. Vehicle Description	20.06		
12. Test Veh. Information C/O MY or C/A	Dur, ID Dur. MY Emis, ID Emis. MY C-91619B 1989MY C-91600D 1989MY (MMC) ECO-C467 1990MY (MMC)		
Vehiclo Logo & Toro Mile Dosks Maint. Logs & Engr. Eval.	Vehicle venicle Book Book		
13. Evap. Bench Test Procedure	17.05		
14. Gen. Std., Increase In Em., Safety, Mtg. All Requents	16		
15. Prod. Veh. Same as Test Veh.	17.16.01		
16. Label Durability	17.16.01		
17. Driveability	17.16.01		
18. Fill Pipe Specifications	17.08		
19. Altitude A/F Req'ment	17.05		
20. OBD System	17.20		
21. EPA Certificate	To be issued		
22. Cert. Preview Program	17.02 & Verbal presentation		
23. Cert. Plan for Optional Stds.	Presented at 91 MY CPP.		