State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-292-14 Relating to Certification of New Motor Vehicles

DIAMOND-STAR MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Diamond-Star Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NDS2.0V5FC34 Displacement: 2.0 Liters (121.9 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Charge Air Cooler
Turbocharger
Heated Oxygen Sensor
Three-Way Catalyst
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.39	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	Carbon Monoxide	<u>Nitrogen Oxides</u>
0.18	2.2	0.2

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this // day of June, 1991.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # Page 1

Mfr.: Diamond-Star Motors Corporation &

Eng. Pamily: NDO2.0VCPC04

Passenger Cars: X

Light-Duty Trucks:

Fuel Type: Gas

Eng. Config.: IL4

Liter (CID): 2.0(121.9)

Emission Control Sys.: EGR+HO2S+TWC+(SMPI+CAC+TC) Evap. Family: IR

& Special Features

Engine: Front X

Rear _

Drive : FWD X

RWD _

4WD-FT X

4WD-PT

Eng. Code	Vehicle Models	Trans. Type: *1	ETW	RLHP	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst
CM ACM	Plymouth Laser Eagle Talon Mitsubishi Eclipse	M5 (2WD)	3125 3125	5.8	Crank Angle Sensor TlT49571 ECU E2T36573	EGR Valve K5T50780	MD137271
CM-F		M5 (4WD)	3500 3500	7.4	Crank Angle Sensor TlT49571 ECU E2T36577	Solenoid KST47172	MD139774 (A F6)
CA ACA		A4 (2WD)	3125 3250 3250	5.6	Crank Angle Sensor T1T49571 ECU	EGR Valve K5T50781	MD137271 (
CA-P ACA-F	Eagle Talon Mitsubishi Eclipse	A4 (4WD)	3500 3625	7.4	E2T36575 Crank Angle Sensor T1T49571 ECU E2T36581	Solenoid K5T47172	MD139774 (♣ F6)

*l: M-Manual transmission A-Automatic transmission without lock-up

Date of Issue:

Revisions:

Revised: 6-3-91 \$

E.O. 1: A-292-14 (1/2)

2.155
LYYZ MODEL-YRAR CERTIFICATION REVIEW SHEET
EXHAUST/EVAPORATIVE SYSTEM & FILL PIPE SPECIFICATION COMPLIANCE

Mfr. Diamond Star Motors Corporation \$ Engine ramity NDS2.0V5FC34
Passenger Cars X Engine Code Type(s): CA X 49S 50S
Light-Duty Trucks LVW Fuel Type Gas
Engine Config. IL4 Liter (CID) 2.0(121.9) Valves/Cyl. 4
Rated HP 195 @ 6000 RPM (Manual Trans.)
180 @ 5500 RPM (Auto. Trans.)
Evaporative Family IR Cert. Type: 50K X 100K _ AB965 _
Exhaust ECS & Special Features /EGR+HO2S+TWC+(SMPI+CAC+TC)
(Use abbreviations per SAE J1930 Jun88)

	Section/Page				
1. Authorized Representative	01				
2. Fuel, Test Equipment Procedures & Route	03, 04 6 05				
3. Warr. State /	17.06				
4. Maint: Cert/Req'd/Recm'd	06.06				
5. Tune-Up Lab./Vac. Hose Diag.	07				
6. Evap. Control System	08.11 6 19				
7. Engine Parameters	20				
8. Fuel/Ignition Systems	08.01 6 08.02				
9. Exhaust Control System	08 £ 20				
10. Projected Sales	17.19 & 20.05				
11. Vehicle Description	20.06				
12. Test Veh. Information C/O MY or C/A	Dur. IP Dur. MY Emis. ID Emis. MY S-92030DTP 1990MY EC1-5692 1991MY EC1-6693				
Vehicle Logs & Zero Mile Books Maint, Logs & Engr. Eval.	Vehicle Vehicle Book Book				
13. Evap. Bench Test Procedure	17.05				
14. Gen. Std., Increase In Em., Safaty, Mig. All Regiments	16				
15. Prod. Veh. Same as Test Veh.	17.16.01				
16. Label Durability	17.16.01				
17. Driveability	17.16.01				
18. Fill Pipe Specifications	17.08				
19. Altitude A/F Req'ment	17.05				
20. OBD System	17.20				
21. EPA Certificate	To be issued				
22. Cert. Preview Program	17.02 & Verbal presentation				
23. Cert. Plan for Optional Stds.	Presented at 91 MY CPP.				

Revised: 6-3-91 \$