

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-86-142
Relating to Certification of New Motor Vehicles

MITSUBISHI MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Mitsubishi Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NMT2.0V5FC21 Displacement: 2.0 Liters (121.9 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor
Three-Way Catalyst
Exhaust Gas Recirculation
Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.39	7.0	0.4

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.20	2.0	0.2

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of August, 1991.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

17.16.02



1992 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

E.O. # A-82-142 Page 1

Mfr.: Mitsubishi Motors Corporation Eng. Family: NMT2.0V5FC21

Passenger Cars: X Light-Duty Trucks: Fuel Type: Gas
 Eng. Config.: IL4 Liter (CID): 2.0(121.9)
 Emission Control Sys.: EGR+HO2S+TWC+SMPI Evap. Family: IA
 & Special Features

Engine: Front X Rear _
 Drive : FWD X RWD _ 4WD-FT X 4WD-PT _
 (for CM-F, ACM-F, CA-F, ACA-F)

Eng. Code	Vehicle Models	Trans. Type: *1	ETW	RLHP	Ign. System (ECU/PROM) Part No.	EGR System Part No.	Catalyst Part No.	
CM ----- ACM	Mitsubishi Galant	M5	3375	7.4	Crank Angle Sensor T1T49571 ECU E2T37379	EGR Valve K5T50680	MD156348 ( H5)	
CA ----- ACA		L4	3250	7.4		EGR Valve K5T50682		
CM-F ----- ACM-F		M5	3375	8.3		Crank Angle Sensor T1T49571 ECU E3T37381	EGR Valve K5T50681	MD162625 ( J7)
CA-F ----- ACA-F		L4	3625	8.3			EGR Valve K5T50682	
				3500			9.1	
				3250		8.1	Solenoid E2T37379	
			3625	9.1	Solenoid E2T377381			

*1: M-Manual transmission
 L-Automatic transmission with lock-up

Date of Issue: _____ Revisions:

Issued: 6-14-91