

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER P-9-25
Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 23, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1992 model Chrysler Corporation federally certified exhaust emission control systems are certified for sale in California as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: NCR3.0V5FFX9 Displacement: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three-Way Catalyst
- Heated Oxygen Sensor
- Sequential Multipoint Electronic Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.41	3.4	1.0

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.28	0.9	0.5

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emission credits for its estimated California sales of federally certified 1992 model vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles For Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 28th day of June, 1991.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

Manufacturer CHRYSLER CORPORATION Engine Family RCB3 OMSEENG

Pass Car Lt-Duty Truck _____ Med-Duty Vehicle _____ Fuel Type GASOLINE
SOHC

Engine Config. V/6 Liter (CID) 3.0 (181) Evaporative Family RCFVC

Exhaust ECS & Special Features (incl. CARB, MPI, etc.) TWC, HO2S, SMPI
(Use abbreviations per SAE J1930 Jun88)

Engine: Front Mid. _____ Rear _____ Drive: FWD RWD _____ 4WD-FT _____ 4WD-PT _____

Eng. Code/ (Cert. Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: [A-Auto M-Man.]	Equiv. Test Weight	RLHP	Ign.Sys. (PCME/PROM) Part No.	EGR Syst. Part No.	Catalyst Part No.
A-1 .41/3.4/1.0	AADH41, AAPH41 AGVL24, AJCH21	A4	3250	S E E A T T A C H M E N T	4639480 4699019 4639472 4699016	NONE	4427621 4427705 4427621 4427705
	ACDH41, APCP41 AADP41, AADX41 AAPP41, AGVX24 AGVH24, AJCP21		3375				
	ACDP41, AJCH27 AJCP27		3500				
A-2 .41/3.4/1.0	AADH41, AAPH41 AAPP41	A3	3250		4639480 4699019		
	AACP41, AADP41 AADX41, AAPX41 ACDH41, ACDP41		3375				
M-1 .41/3.4/1.0	AADH41, AAPH41 AAPP41, AADP41 AAPX41, AGVL24 AJCH21, AGVH24	M5	3250		4639468 4699018		
	AACP41, AADX41 AGVX24, AJCH27		3375				

Revisions:
1290

VEHICLE MODELS/CARLINE

Engine/Evap: NCR3.0V5FFX9 / NCRVC
Exhaust Control System: TWC, H02S, SMPI
Evap. Control System: Canister
Engine Displacement: 3.0L

Carline

Model Code

CHRYSLER LE BARON LANDAU
CHRYSLER LE BARON

AACP41
AJCH21, AJCH27, AJCP21,
AJCP27

DODGE SPIRIT
DODGE DYNASTY
DODGE DAYTONA

AADH41, AADP41, AADX41
ACDH41, ACDP41
AGVH24, AGVL24, AGVX24

PLYMOUTH ACCLAIM

AAPH41, AAPP41, AAPX41

CHRYSLER CORPORATION

FTP HORSEPOWER

1972
XCR3.0V3FFX9

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION TR CODE	TAD	MFG TIME SEC	COASTDOWN HP	DYNO TIRE	F	R	PRES
AACP41	EFA DOM FV 3375			0	STD	92 TKJ	TAD	TZA 16.25	8.10	29			32
AACP41	EFA DGL FV 3375			0	OPT	92 TKJ	TAD	TZH 15.80	8.00	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZA 15.89	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.46	8.00	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TKJ	TAD	TZA 15.89	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.46	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.44	8.00	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZA 15.89	8.10	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.44	8.00	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 15.44	8.00	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 15.44	7.30	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 14.87	7.10	29			32
AACP41	EFA DGM FV 3375			0	STD	92 TKH	TAD	TZA 15.54	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.11	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZA 15.11	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.11	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 16.56	7.30	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 16.49	7.10	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TKH	TAD	TZA 15.54	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.11	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZA 15.54	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.11	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 16.56	7.30	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 16.49	7.10	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TKH	TAD	TZA 16.25	8.10	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.80	8.00	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 15.19	7.30	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 15.10	7.10	29			32
AACP41	EFA DGM FV 3375			0	STD	92 TKH	TAD	TZA 15.89	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.46	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 16.87	7.30	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 16.79	7.00	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TKH	TAD	TZA 15.89	8.10	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.46	8.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 14.87	7.30	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 14.79	7.00	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 15.89	8.10	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TPX	TAD	TZH 15.10	7.30	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZA 15.10	7.10	29			32
AACP41	EFA DGM FV 3375			0	STD	92 TPX	TAD	TZA 14.87	7.30	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 14.79	7.00	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TPX	TAD	TZA 14.87	7.30	29			29
AACP41	EFA DGM FV 3375			0	OPT	92 TPX	TAD	TZH 14.79	7.00	29			29
AACP41	EFA DGM FV 3375			0	STD	92 TKH	TAD	TZA 15.89	8.10	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKH	TAD	TZH 15.44	8.00	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZA 15.89	8.10	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.44	8.00	29			32
AACP41	EFA DGM FV 3375			0	STD	92 TKJ	TAD	TZA 15.89	8.10	29			32
AACP41	EFA DGM FV 3375			0	OPT	92 TKJ	TAD	TZH 15.44	8.00	29			32

CHRYSLER CORPORATION
FTP HORSEPOWER

1992
XCR3.0V5FFX9

VEHICLE MODEL	ENGINE/TRANS	WEIGHT LBS TEST	A	TIRE USE	TIRE DESCRIPTION	TRD	MPG	COASTDOWN TIME SEC	*DYNOM HP	TIRE F	PRES R
AGVL24	EFA DGL FW 3250	0	Y	STD	TJB	TAD	TZA	17.16	7.20	32	32
				OPT	TJB	TAD	TZH	16.76	6.60	32	32
				OPT	TLM	TAD	TZA	15.26	6.20	32	32
				OPT	TLW	TAD	TZH	16.23	6.60	32	32
				OPT	TPX	TAD	TZA	15.40	6.20	32	32
				OPT	TPX	TAD	TZH	15.41	6.10	32	32
AGVX24	EFA DOM FW 3375	0	Y	STD	TKV	TAD	TZA	15.30	7.00	32	32
	EFA DGL FW 3375	0	Y	STD	TKV	TAD	TZA	16.93	6.90	32	32
AJCH21	EFA DOM FW 3250	0	Y	STD	TKW	TAD	TZA	18.18	7.00	29	29
				OPT	TKW	TAD	TZH	17.58	6.30	29	29
				OPT	TKJ	TAD	TZA	18.18	7.00	29	29
				OPT	TKJ	TAD	TZH	17.58	6.30	29	29
				OPT	TPJ	TAD	TZA	17.86	7.00	29	29
				OPT	TPJ	TAD	TZH	17.58	6.30	29	29
				OPT	TPX	TAD	TZA	16.21	6.20	29	29
				OPT	TPX	TAD	TZH	16.18	5.90	29	29
AJCH21	EFA DGL FW 3250	0	Y	STD	TKH	TAD	TZA	17.84	6.90	29	29
				OPT	TKH	TAD	TZH	17.27	6.30	29	29
				OPT	TKJ	TAD	TZA	17.84	6.90	29	29
				OPT	TKJ	TAD	TZH	17.27	6.30	29	29
				OPT	TPJ	TAD	TZA	17.54	7.00	29	29
				OPT	TPJ	TAD	TZH	17.27	6.30	29	29
				OPT	TPX	TAD	TZA	15.97	6.20	29	29
				OPT	TPX	TAD	TZH	15.94	5.90	29	29
AJCH27	EFA DOM FW 3375	0	Y	STD	TKH	TAD	TZA	17.57	7.60	29	29
				OPT	TKH	TAD	TZH	16.98	7.00	29	29
				OPT	TKJ	TAD	TZA	17.57	7.60	29	29
				OPT	TKJ	TAD	TZH	16.98	7.00	29	29
				OPT	TPJ	TAD	TZA	17.25	7.70	29	29
				OPT	TPJ	TAD	TZH	16.98	7.00	29	29
				OPT	TPX	TAD	TZA	15.70	6.70	29	29
				OPT	TPX	TAD	TZH	15.65	6.30	29	29
AJCH27	EFA DGL FW 3500	0	Y	STD	TKH	TAD	TZA	17.74	7.30	29	29
				OPT	TKH	TAD	TZH	17.16	7.00	29	29
				OPT	TKJ	TAD	TZA	17.74	7.30	29	29
				OPT	TKJ	TAD	TZH	17.16	7.00	29	29
				OPT	TPJ	TAD	TZA	17.43	7.60	29	29
				OPT	TPJ	TAD	TZH	17.16	7.00	29	29
				OPT	TPX	TAD	TZA	15.88	6.60	29	29
				OPT	TPX	TAD	TZH	15.27	6.40	29	29
AJCP21	EFA DGL FW 3375	0	Y	STD	IPK	TAD	TZA	17.97	6.90	29	29
				OPT	IPJ	TAD	TZA	17.97	6.90	29	29
				OPT	IPJ	TAD	TZH	17.68	6.30	29	29
				OPT	TPK	TAD	TZH	17.68	6.30	29	29
				OPT	TPK	TA	TZA	16.31	6.10	29	29
				OPT	TPX	TAD	TZH	16.29	5.80	29	29

1992
MCR1.0V3FFX9

VEHICLE MODEL	ENGINE/TRANS	WEIGHT TEST	LBS GVW	A C	TIRE USE	DESCRIPTION	TRD	MFG	COASTDOWN TIME SEC	*DYN HP	TIRE F	PRES R
AAPH41	EFA DGL FM 3250	0	Y	STD	92	TKM	TAD	TZA	15.54	8.10	29	29
				OPT	92	TKM	TAD	TZH	15.11	8.00	29	29
				OPT	92	TKJ	TAD	TZA	15.54	8.10	29	29
				OPT	92	TKJ	TAD	TZH	15.11	8.00	29	29
AAPH41	EFA DGM FM 3250	0	Y	STD	92	TKH	TAD	TZA	15.54	8.10	29	29
				OPT	92	TKH	TAD	TZH	15.11	8.00	29	29
				OPT	92	TKJ	TAD	TZA	15.54	8.10	29	29
				OPT	92	TKJ	TAD	TZH	15.11	8.00	29	29
AAPP41	EFA DDM FM 3250	0	Y	STD	92	TKH	TAD	TZA	15.89	8.10	29	32
				OPT	92	TKH	TAD	TZH	15.44	8.00	29	32
				OPT	92	TKJ	TAD	TZA	15.89	8.10	29	32
				OPT	92	TKJ	TAD	TZH	15.44	8.00	29	32
AAPP41	EFA DGL FM 3375	0	Y	STD	92	TKM	TAD	TZA	15.89	8.10	29	32
				OPT	92	TKH	TAD	TZH	15.46	8.00	29	29
				OPT	92	TKJ	TAD	TZA	15.89	8.10	29	29
				OPT	92	TKJ	TAD	TZH	15.46	8.00	29	29
AAPP41	EFA DGM FM 3250	0	Y	STD	92	TKH	TAD	TZA	15.54	8.10	29	29
				OPT	92	TKH	TAD	TZH	15.11	8.00	29	29
				OPT	92	TKJ	TAD	TZA	15.54	8.10	29	29
				OPT	92	TKJ	TAD	TZH	15.11	8.00	29	29
AAPX41	EFA DDM FM 3375	0	Y	STD	92	TPK	TAD	TZA	16.21	8.40	29	32
				OPT	92	TPK	TAD	TZH	15.80	8.00	29	32
AAPX41	EFA DGL FM 3375	0	Y	STD	92	TPK	TAD	TZA	15.85	8.30	29	29
				OPT	92	TPK	TAD	TZH	15.46	8.00	29	29
AAPX41	EFA DGM FM 3375	0	Y	STD	92	TPK	TAD	TZA	15.85	8.30	29	29
				OPT	92	TPK	TAD	TZH	15.46	8.00	29	29
ACDH41	EFA DGL FM 3500	0	Y	STD	92	TKV	TAD	TZA	16.59	9.10	29	29
				OPT	92	TKL	TAD	TZH	16.59	8.10	29	29
ACDH41	EFA DGM FM 3375	0	Y	STD	92	TKV	TAD	TZA	16.18	8.20	29	29
				OPT	92	TKL	TAD	TZH	16.13	8.20	29	29
ACDP41	EFA DGL FM 3500	0	Y	STD	92	TKV	TAD	TZA	16.59	7.30	29	29
				OPT	92	TKL	TAD	TZH	15.73	8.10	29	29
ACDP41	EFA DGM FM 3375	0	Y	STD	92	TKV	TAD	TZA	16.59	8.10	29	29
				OPT	92	TKL	TAD	TZH	16.18	7.70	29	29
ACDP41	EFA DGM FM 3375	0	Y	STD	92	TKV	TAD	TZA	16.13	8.20	29	29
				OPT	92	TKL	TAD	TZH	16.13	8.20	29	29
AGVH24	EFA DDM FM 3375	0	Y	STD	92	TPA	TAD	TZA	16.06	6.20	32	32
				OPT	92	TPA	TAD	TZH	17.18	6.20	32	32
AGVH24	EFA DGL FM 3375	0	Y	STD	92	TPA	TAD	TZA	15.66	6.10	32	32
				OPT	92	TPA	TAD	TZH	16.73	6.20	32	32
AGVL24	EFA DDM FM 3250	0	Y	STD	92	TJB	TAD	TZA	17.61	7.20	32	32
				OPT	92	TJB	TAD	TZH	17.20	6.70	32	32
				OPT	92	TLM	TAD	TZA	15.63	6.20	32	32
				OPT	92	TLM	TAD	TZH	16.66	6.70	32	32

FTP HORSEPOWER

1992
MCR3.DY5FFX9

VEHICLE MODEL	ENGINE/ TRAMS	WEIGHT LBS TEST	GVU	A	Y	STD	92	TPK	TAD	TZA	TZM	TZA	TZM	TZA	TZM	MFG TIME SEC	COASTDOWN *DYN0 HP	TIRE F	TIRE R	PRES
AJCPZ7	EFA DGL FV 3500			0	Y	STD	92	TPK	TAD	TZA	TZM	TZA	TZM	TZA	TZM	17.43	7.60	29	29	29
						OPT	92	TPJ	TAD	TZA	TZM	TZA	TZM	TZA	TZM	17.43	7.60	29	29	29
						OPT	92	TPJ	TAD	TZM	TZM	TZM	TZM	TZM	TZM	17.16	7.00	29	29	29
						OPT	92	TPK	TAD	TZM	TZM	TZM	TZM	TZM	TZM	17.16	7.00	29	29	29
						OPT	92	TPX	TAD	TZA	TZM	TZA	TZM	TZA	TZM	15.88	6.60	29	29	29
						OPT	92	TPX	TAD	TZM	TZM	TZM	TZM	TZM	TZM	15.27	6.40	29	29	29