

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-592
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model General Motors Corporation exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: P3G3.8X8XE68 Displacement: 3.8 Liters (231 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converter
- Exhaust Gas Recirculation
- Heated Oxygen Sensor
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (pounds)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	50,000	0.32	4.4	1.0
	100,000	0.40	5.5	N/A

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (pounds)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
3751-5750	50,000	0.11	1.2	0.3
	100,000	0.13	1.3	N/A

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this th 10 day of June, 1992.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Example, Pattern A: CC10703+E62
Example, Pattern B: 1UM05

Digit 1 = Marketing Division

Pattern A	Pattern B
C = Chevrolet	1 = Chevrolet
T = GMC	2 = Pontiac
H = Oldsmobile	3 = Oldsmobile

Note: Digit 1 is not used for Pattern A models on engine family pages or California Supplemental Data Sheets.

Digit 2 = Chassis Type (all)

- U = Conventional 4x2 Front Wheel Drive
- C, R, S, M = Conventional 4x2 Rear Wheel Drive
- G = Forward Control 4x2 Rear Wheel Drive
- K, V, T, L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A	Pattern B
1 = 10,15,1500/3500-7300	Letter code designates trim level rather than series/GVWR.
2 = 20,25,2500/6400-8600	
3 = 30,35,3500/7100-14500	

Digits 4 & 5

Pattern A = Dimensional Grouping	Pattern B
05 = Blazer, Jimmy, Bravada	05 = Cargo (APV)
06 = S/T Short Box	06 = Passenger (Lumina APV, Trans Sport, Silhouette)
07 = C/K Short Box	
08 = S/T Long Box & Cab-Chassis	
09 = C/K Long Box, R/V Suburban, M/L Short Body	
10 = G Short Wheelbase, M/L Long Body	
13 = G Long Wheelbase	

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

- 03 = Conventional Cab, Cab-Chassis
- 05 = Cargo Van
- 06 = Passenger Van, 4 Door Special Purpose Vehicle
- 16 = 2 Door Special Purpose Vehicle
- 53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

- +E62 = Stepside, Fenderside
- +E63 = Fleetside, Wideside
- +ZW9 = Cab-Chassis

ISSUED: 04-06-92
(ML-PP258)

REVISED:

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: P3G3.8X8XE68

PASSENGER CARS___ LIGHT DUTY TRUCKS_X MEDIUM DUTY VEHICLES___ FUEL TYPE: GAS

ENGINE CONFIG: V6 LITER (CID): 3.8 (231) EVAP FAMILY: PBO-3G

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: TWC, EGR, O2S, SFI

ENGINE: FRONT_X MID___ REAR___ DRIVE: FWD_X RWD___ 4WD-FT___ 4WD-PT___

CERT STANDARDS: NMHC/CO/NOx: .32/4.4/1.0 (50K) NMHC/CO/NOx: .40/5.5/NA (100K)

DPA & RLHP: SEE ATTACHMENT I

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE:		EQUIV TEST WEIGHT	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
		A-AUTO	M-MAN				
11	1UM06 2UM06 3UM06	A4		4250	DK118284/8284, DK102511/2511	17091147	25143534
11A					16181074/BCAU, 16187564/BDPC 16191804/BFJY		

ISSUED: 04-06-92
(ML-PP258)

REVISED: ML-PR012, PR094, PR128

17-P3G3.8X8XE68-2
(1993)