State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-3-135 Relating to Certification of New Motor Vehicles

MERCEDES-BENZ AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model-year Mercedes-Benz AG exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PMB6.0V5FA1X Displacement: 6.0 Liters (365 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

inquential multiport Fuel Injection
Heated Oxygen Sensor
Secondary Air Injection
Exhaust Gas Recirculation
Dual Three Way Catalytic Converters

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Mon-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides	
50,000	0.39	7.0	0.4	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.23	, 1.8	0.1

BE IT FURTHER PESSLVED: That the vehicle manufactures is certifying to the 50,000-mile ron-methane hydrocarbons and tacher marginde standards passed on its projected total sales of 1993 model California-certified passenger cars and light-duty thucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Yebicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Milforotion and Diagnostic System for 1983 and Subsequent Madels of [1]... The last sequent lines model year (Title 13, California Code of Aegulations, Section 1968).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executive Order A-3-133 dated July 30, 1992, is hereby cancelled by Executive Order A-3-135.

Executed at El Monte, California this

_ day of December, 1992.

R.(B. Summerfield

Assistant Division Chief

Manufacturer Mercedes-Benz

Engine Family

PMB6.0V5FA1X

Passenger Car X (PC) Light-Duty Truck

(T1/T2)

Emission Control System Combination 2 Medium-Duty Vehicle

(M1/M2/M3/M4/M5)

Stds Type: Tier 0 (Tier 0/1, AB965, TLEV, LEV, ULEV)

Veh. Type (FFV, HEV(type A/B/C)):

Fuel Type: GASOLINE

Evaporative Family: PMBV5-2

Engine Config. <u>V-12</u>

Liter (CID) 6.0 (365)

Engine: Front X Mid.

Rear

Drive: FWD

RWD X 4WD-FT

4WD-PT

Exhaust ECS & Special Features (incl. CARB, MFI, etc.)

SEL HO2S/AIR/EGR/2TWC

(use abbreviations per SAE 1930 MAY91)

EngineCode (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans.Type A-automatic M-manual	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No	EGR System Part No.	Catalyst Part No.
M 120-1	600 SEL	A-4	5500	9.7	013 545 70 32	001 140 96 60	underfl. right side 140 490 74 14 or 140 490 75 14 or 140 490 76 14 or 140 490 77 14 or 140 490 78 14 or 140 490 79 14 underfl. left side 140 490 80 14 or 140 490 81 14 or 140 490 82 14 or 140 490 83 14 or 140 490 84 14 or 140 490 85 14
M 120-1	600SEC	A-4	5250	9.7	013 545 70 32	001 140 96 60	H H
M 120-1	600SL	A-4	4750	6.6	013 545 70 32	001 140 96 60	underfl. right side 129 490 25 14 underfl. left side 129 490 24 14