

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-575  
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: P1G3.8W8XE65 Displacement: 3.8 Liters (231 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Three Way Catalytic Converter
- Heated Oxygen Sensor
- Exhaust Gas Recirculation
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.10	1.0	0.1
100,000	0.11	1.0	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 19<sup>th</sup> day of May, 1992.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS: 1 J C 3 7 (EXAMPLE)

Digit 1 - Selling Division

- 1 - Chevrolet
- 2 - Pontiac
- 3 - Oldsmobile
- 4 - Buick
- 6 - Cadillac
- 8 - Saturn

Digit 2 - Body Designation

- A - 6000, Cutlass Ciera, Cutlass Cruiser, Century
- B - Caprice, Custom Cruiser, Roadmaster Wagon, Coachbuilder Wagon, Roadmaster
- C - Ninety-Eight, Touring, Park Avenue, DeVille, Fleetwood, Commercial Chassis
- D - Brougham
- E - Toronado, Riviera, Eldorado, Trofeo
- F - Camaro, Firebird, Trans Am
- H - Bonneville, Eighty-Eight, LeSabre
- J - Cavalier, Sunbird
- K - Seville
- L - Corsica, Beretta
- N - Grand Am, Achieva, Skylark
- T - Lemans
- V - Allante
- W - Grand Prix, Regal, Cutlass Supreme, Lumina
- Y - Corvette
- Z - Saturn Coupe/Sedan

Digit 3 - Trim Level

B, C, D, E, F, G, H, J, K, M, N, L, P, R, S, T, U, V, W, X, Y, Z

Digits 4 & 5 - Body Style

- |                            |                            |
|----------------------------|----------------------------|
| 07 - 2Dr Sport Coupe       | 57 - 2Dr Hardtop Coupe     |
| 08 - 2Dr Hatchback Coupe   | 67 - 2Dr Convertible Coupe |
| 19 - 4Dr Sedan             | 68 - 4Dr Hatchback Sedan   |
| 27 - 2Dr (Notchback Coupe) | 69 - 4Dr (Notchback) Sedan |
| 35 - 4Dr Station Wagon     | 87 - 2Dr Hatchback Coupe   |
| 37 - 2Dr Hardtop Coupe     | 90 - Commercial Chassis    |
| 47 - 2Dr Hardtop Coupe     | 97 - 2Dr Hardtop Coupe     |

ISSUED: 03-11-92  
(ML-PP224)

REVISED:

17-PIG3.8W8XE65-1  
(1993)

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: P1G3.8W8XE65

PASSENGER CARS X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_\_ FUEL TYPE: GAS

ENGINE CONFIG: V6 LITER (CID): 3.8 (231) EVAP FAMILY: PBO-1M

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR, TWC, HO2S, SFI

ENGINE: FRONT X MID\_\_\_ REAR\_\_\_ DRIVE: FWD X RWD\_\_\_ 4WD-FT\_\_\_ 4WD-PT\_\_\_

CERT STANDARDS: NMHC/CO/NOx: .25/3.4/.4 (50K) NMHC/CO/NOx: .31/4.2/NA (100K)

DPA & RLHP: SEE ATTACHMENT I

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
11	3CX69 3CW69 4CW69	A4	3875	16162654 (AXTF)	17091147	25143483
11A				16181224 (BCBR), 16187304 (BDMW), 16191614 (BFHZ)		
12	3CV69 3CX69 3CW69 4CW69			16162674 (AXTJ), 16162694 (AXTL)		
12A				16181244 (BCBT), 16181264 (BCBW), 16187324 (BDMY), 16187344 (BDNA), 16191634 (BFJB), 16191654 (BFJD)		

ISSUED: 03-11-92  
(ML-PP224)

REVISED: ML-PRO11, PRO90, PR125, PP472

17-P1G3.8W8XE65-2  
(1993)

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: P1G3.8W8XE65  
 PASSENGER CARS X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_\_ FUEL TYPE: GAS  
 ENGINE CONFIG: V6 LITER (CID): 3.8 (231) EVAP FAMILY: PBO-1M  
 EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR, TWC, HO2S, SFI  
 ENGINE: FRONT X MID\_\_\_ REAR\_\_\_ DRIVE: FWD X RWD\_\_\_ 4WD-FT\_\_\_ 4WD-PT\_\_\_  
 CERT STANDARDS: NMHC/CO/NOx: .25/3.4/.4 (50K) NMHC/CO/NOx: .31/4.2/NA (100K)  
 DPA & RLHP: SEE ATTACHMENT I

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
13	2HX69 3HN69 3HY69 4HP69 4HR69	A4	3750	16162794 (AXTY), 16176924 (BAYC)	17091147	25143483
13A				16181294 (BCBZ), 16181334 (BCCD), 16187434 (BDNM), 16187474 (BDNS), 16191694 (BFJK), 16191734 (BFJP)		
14	2HZ69 3HN69 3HY69 4HP69 4HR69		3875 3750	16162814 (AXUA), 16162834 (AXUC)		
14A				16181314 (BCCB), 16181354 (BCCH), 16187454 (BDNP), 16187494 (BDNU), 16191714 (BFJM), 16191754 (BFJS)		

ISSUED: 03-11-92  
(ML-PP224)

REVISED: ML-PR011, PR090, PR125

17-P1G3.8W8XE65-3  
(1993)

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: P1G3.8W8XE65

PASSENGER CARS X LIGHT DUTY TRUCKS \_\_\_ MEDIUM DUTY VEHICLES \_\_\_ FUEL TYPE: GAS

ENGINE CONFIG: V6 LITER (CID): 3.8 (231) EVAP FAMILY: PBO-1M

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR, TWC, HO2S, SFI

ENGINE: FRONT X MID \_\_\_ REAR \_\_\_ DRIVE: FWD X RWD \_\_\_ 4WD-FT \_\_\_ 4WD-PT \_\_\_

CERT STANDARDS: NMHC/CO/NOx: .25/3.4/.4 (50K) NMHC/CO/NOx: .31/4.2/NA (100K)

DPA & RLHP: SEE ATTACHMENT I

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
15	4WB19 4WD19 4WF19 4WB57 4WD57 4WF57	A4	3750   3625	16162874 (AXUJ), 16187534 (BDNZ), 16189654 (BDZX), 16191794 (BFJX)	17091147	25131709

ISSUED: 03-11-92  
(ML-PP224)

REVISED: ML-PR090, PR099, PR125

17-P1G3.8W8XE65-4  
(1993)

## 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: P1G3.8W8XE65

PASSENGER CARS X LIGHT DUTY TRUCKS\_\_\_ MEDIUM DUTY VEHICLES\_\_\_ FUEL TYPE: GAS

ENGINE CONFIG: V6 LITER (CID): 3.8 (231) EVAP FAMILY: PBO-1M

EMISSION CONTROL SYSTEM &amp; SPECIAL FEATURES: EGR, TWC, HO2S, SFI

ENGINE: FRONT X MID\_\_\_ REAR\_\_\_ DRIVE: FWD X RWD\_\_\_ 4WD-FT\_\_\_ 4WD-PT\_\_\_

CERT STANDARDS: NMHC/CO/NOx: .25/3.4/.4 (50K) NMHC/CO/NOx: .31/4.2/NA (100K)

DPA &amp; RLHP: SEE ATTACHMENT I

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (PCME/PROM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
15	4WB19 4WD19 4WF19 4WB57 4WD57 4WF57	A4	3750   3625	16162874 (AXUJ), 16187534 (BDNZ), 16189654 (BDZX), 16191794 (BFJX)	17091147	25131709
16	3HN69 3HY69 4HP69 4HR69		3750	DK122591	17094050	25143483

ISSUED: 03-11-92  
(ML-PP224)

REVISED: ML-PR090, PR099, PR125, PR150

17-P1G3.8W8XE65-4  
(1993)