State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-9-242 Relating to Certification of New Motor Vehicles

CHRYSLER CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Chrysler Corporation 1993 model-year exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PCR232V5FFV5 Displacement: 3.3 Liters (201 Cubic Inches)

3.8 Liters (232 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Exhaust Gas Recirculation Heated Oxygen Sensor Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.39	7.0	0.4	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.26	2.2	0.2	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this _____

R. B. Summerfield

Assistant Division Chief Mobile Source Division

day of June, 1992.

1993 AIR RE	SOURCES BOARD SU	PPLEMENTAL	DATA SH	IEET	E.O.# <u>A-9-24</u>	.2	Page 1 of
Manufacturer_	Chrysler Corporat	ion	Er	igine Fa	mily <u>PCR2</u>	32V5FFV5	
Passenger Car_	x (PC) Light-	Outy Truck	(T1	/T2) M	edium-Duty Ve	hicle(M1/M2/M3/N
Stds. Type:	Tier 0 (Tier 0/	l,AB965,TL1	EV,LEV,L	ILEV)	Veh. Type (FFV,HEV(typ	e A/B/C)):
Fuel Type:	Gasoline	****	Ev	•	ve Family: _	PVASC	
Engine Config	V-6	Liter	(CID)_	3.3 (3.8 (201) 232)		
Engine: Front	<u>x</u> Mid	Rear	Dr	rive: FW	D <u>x</u> RWD	4WD-FT	4WD-P
Exhaust ECS & (use abbro	Special Features eviations per SAE	(incl. CA 1930 MAY9	RB, MFI, l)	etc.)	TWC,EGR,SF	I,H02S	
Engine Code (Cert. Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Auto. M-Man.	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	EGR Sys. Part No.	Catalyst Part No.
CA-100 CA-300 CA-310 CA-500 CA-700 CA-710 .39/7.0/0.4	ACDH41, ACDP41, ACCS41 AYCS41	A4 A4	3500 3625 3750	7.3	04639600 04672238	04287179	0442763
CA-200 CA-400 CA-410 CA-600 CA-800 CA-810 .39/7.0/0.4	AYCS41 AYCP41		3750 3875		04639604 04672245		