State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-10-539 Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model-year Ford Motor Company exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PFM3.8V5FAC8 Displacement: 3.8 Liters (229 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Three Way Catalytic Converters

Dual Heated Oxygen Sensors Exhaust Gas Recirculation

Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>	
50,000	0.25	3.4	0.4	
100,000	0.31	4.2	n/a .	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.14	1.3	0.2	
100,000	0.18	1.6	n/a	

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this day of September, 1992.

R. B. Summerfield

Assistant Division Chief

Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Page <u>2 of 2</u> Manufacturer <u>Ford Motor Company</u> Engine Family <u>PFM3.8V5FAC8(P3.8VAC)</u>										
Passenger Car XXX (PC) Light-Duty Truck (T1/T2) Medium-Duty Vehicle (M1-M5)										
Stds Type: TIER 1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh Type: (FFV, HEV)										
Fuel Type: <u>Gasoline</u> Evap Family <u>HM</u> Engine Conf <u>V-6</u> Liter (CID) <u>3.8L (229)</u>										
Engine: Front XXX Mid Rear Drive: FWD XXX RWD 4WD-FT 4WD-PT										
Exhaust ECS & Special Features (including Carb, MFI, etc.)2TWC/HO2S/EGR/5FI										
(Use abbreviations per SAE J1930, May 91)										
Engine Code	Vehicle Models (If Coded see	Trans. Type	Equiv. Test	DPA	Ign. System (ECM/PCM)	i				
(Cert Std)	attachment)	A-Auto M-Manual	Weight		(12A650) Part No.	(9D475) Part No.	(5F250) Part No.			
316QR10A	SABLE SEDAN	A	3625	5.8	F3DF - BC	E9SE - AA	F3DC - KA			
316QR10A	SABLE S/W	A	3750	5.8						
316QR10A	TAURUS SEDAN	A	3500*	6.8						
316QR10A	TAURUS S/W	A	3750	8.1						
316QR10N	SABLE SEDAN	Α .	3500	5.3						
316QR10N	SABLE S/W	A	3750	7.4						
316QR10N	TAURUS SEDAN	A	3500	6.2						
316QR10N	TAURUS S/W	A	3750	7.4						
* FORD ELECTS TO CONDUCT TESTS IN THE NEXT HIGHER ETW. Certification Standards										
HMHC: 0.31 CO: 4.2 NOx: 0.4 EVAP: 2.0										