State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-235 Relating to Certification of New Motor Vehicles

NISSAN MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model-year Nissan Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PNS1.6V5FAA5 Displacement: 1.6 Liters (98 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Three Way Catalytic Converter Oxygen Senson Exhaust Gas Recirculation Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles_	Non-Methane	Carbon	Nitrogen
	Hydrocarbons	<u>Monoxide</u>	_Oxides_
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	Oxides
50,000	0.17	2.1	0.3
100,000	0.17	2.3	n/a

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

NISSAN MOTOR CO., LTD.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Mator Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models a so comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models a so comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this $\frac{2}{2}$ day of July, 1992.

- Rain 1

R. B. Summerfield Assistant Division Chief Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #_{B=15=235} Page <u>1</u> of <u>5</u> Manufacturer: <u>NISSAN_MOTOR_CO., LTD.</u> Engine Family: <u>PNS1.6V5FAA5</u> Passenger Car_PC_(PC) Light-Duty Truck_____(T1/T2) Medium-Duty Vehicle _____(M1/M2/M3/M4/M5) Stds Type : <u>Tier_1</u> (Tier O/1, AB965, TLEV, LEV, ULEV) Veh.Type (FFV, HEV(type A/B/C)): <u>N.A.</u> Fuel Type : <u>Gasoline</u> Evap.Family : <u>FI4-2</u> Engine Config. <u>L4</u> Liter (CID) 1.6__(97.5) Engine: Front <u>X</u>______ Mid.____ Rear_____ Drive : FWD_X_____ RWD_____ 4WD-FT______ 4WD-PT______

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SF1</u> (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic	-	or	 Ignition (ECM/PCM) Part No. 	System-	Catalyst Part No. **
AG16DCM3	SENTRA E 4-DOOR SEDAN SENTRA E 4-DOOR SEDAN SENTRA XE 2-DOOR SEDAN SENTRA SE 2-DOOR SEDAN SENTRA XE 4-DOOR SEDAN SENTRA GXE 4-ROOR SEDAN	M 5	2625	ô.7	Control Unit A11-C51 (JECS) JA11 C66 (AUTECS)	EVK77-45	• • • • •

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

I Co	ode	Vehicle Models (if coded see attachment)	A-automatic		or			
		NX 1600					EGR Valve EVK77-45	
AG16DC 		NX 1600 (T-BAR ROOF)		2750		A11-C51 (JECS) JA11 C66 (AUTECS)		Sxxx1 Sxxx2

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic		or	Ignition (ECM/PCM) Part No.	System-	Catalyst Part No. ##
	ISENTRS E I2-DOOR SEDAN			5.6 6.1			
	SENTRA E 14-DOOR SEDAN		· · · · · · · · · · · · · · · · · · ·	5.6 6.1 6.5			
BG16DCM3	ISENTRA XE 12-DOOR SEDAN	N <i>5</i>	2625		Unit All-C51		Axxx3 Sxxx1
	ISENTRA SE 12-DOOR SEDAN				JECS) JA11 C66 (AUTECS)		Sxxx2
	ISENTRA XE 14-DOOR SEDAN			6.1 6.5			
	ISENTRA GXE 14-ROOR SEDAN		2750	0.0			

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

\$17.11.01-4

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. *A-15-235 Page 4_of 8_ Manufacturer: NISSAN MOTOR CO., LTD.___ Engine Family: PNS1.6V5FAA5_ Passenger Car_PC_(PC) Light-Duty Truck_____(T1/T2) Medium-Duty Vehicle _____(M1/M2/M3/M4/M5) Stds Type : Tier_1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh.Type (FFV, HEV(type A/B/C)): ___N.A.___ Fuel Type : Gasoline ____ Evap.Family : _FI4-2_ Engine Config. _L4 ___Liter (CID) 1.6___(97.5)_____ Engine: Front _X___Mid.___ Rear___ Drive : FWD_X__ RWD___ 4WD-FT____ 4WD-PT____

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SF1</u> (use abbreviations per SAE 1930 MAY91)

Std.)	chment) M-manual 			System- Part No.	
BG16DCM3	M5	2625	5.8 6.2		

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-235 Page 5 of 8 Manufacturer: NISSAN MOTOR CO., LTD.___ Engine Family: PNS1.6V5FAA5_ Passenger Car_PC_(PC) Light-Duty Truck_____(T1/T2) Medium-Duty Vehicle ____(M1/M2/M3/M4/M5) Stds Type : Tier_1 (Tier O/1, AB965, TLEV, LEV, ULEV) Veh.Type (FFV, HEV(type A/B/C)): _______ Fuel Type : Gasoline _____ Evap.Family : _FI4-2_ Engine Config. _L4 _____ Liter (CID) 1.6___(97.5) Engine: Front _X_____ Mid.____ Rear____ Drive : FWD_X___RWD_____ 4WD-FT______ 4WD-PT_____

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/O2S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic	ł	l or	 Ignition (ECM/PCM) Part No. 	System-	Part No.
	SENTRS E 2-DOOR SEDAN			6.2 6.7			
	SENTRA E 4-DOOR SEDAN			6.2 6.7 7.2			
	SENTRA XE 2-door sedan	АЧ	2750		Control Unit A11-C52	EVK77-45	Axxx3 Sxxx1
	SENTRA SE 2-DOOR SEDAN			0.7	(JECS) JA11 C67 (AUTECS)		Sxxx2
	SENTRA XE 4-DOOR SEDAN			6.7 7.2			
	SENTRA GXE 4-ROOR SEDAN			ſ. Ĺ			

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

\$17.11.01-6

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.C. # A-15-235 Page _6_of_8_ Manufacturer: NISSAN MOTOR CO., LTD.__ Engine Family: PNS1.6V5FAA5_ Passenger Car_PC_(PC) Light-Duty Truck_____(T1/T2) Medium-Duty Vehicle _____(M1/M2/M3/N4/M5) Stds Type : Tier_1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh.Type (FFV, HEV(type A/B/C)): _______ Fuel Type : _Gasoline_____ Evap.Family : _FI4-2_ Engine Config. _L4__ Liter (CID) 1.6___(97.5)_____ Engine: Front _X____ Mid.____ Rear____ Drive : FWD_X___RWD____ 4WD-FT____ 4WD-PT____

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SF1</u> (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic		or	Ignition (ECM/PCM) Part No.	System-	
	NX 1600				Control	EGR Valve	
	 NX 1600 (T-BAR ROOF)		2750		A11-C52 JECS) JA11 C67 (ATTECS)		Sxxx1 Sxxx2

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. # A-15-235 Page 7_of 8_ Manufacturer: NISSAN_MOTOR_CO., LTD.____Engine Family: PNS1.6V5FAA5_ Passenger Car_PC_(PC) Light-Duty Truck_____(T1/T2) Medium-Duty Vehicle _____(M1/M2/M3/M4/M5) Stds Type : Tier_1 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh.Type (FFV, HEV(type A/B/C)): ____N.A.___ Fuel Type : __Gasoline _____ Evap.Family : __FI4-2____ Engine Config. _L4___ Liter (CID) 1.6___(97.5) Engine: Front _X____Mid.___ Rear _____ Drive : FWD_X___RWD____ 4WD-FT____ 4WD-PT_____

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic	[or	 Ignition (ECM/PCM) Part No. 	Catalyst Part No. **
	SENTRS E 2-DOOR SEDAN		2625	5.6 6.1		
	ISENTRA E 14-DOOR SEDAN			5.6 6.1 6.5		
BG16DCA3	SENTRA XE 12-door sedan	A4		6.1		
	SENTRA SE 2-DOOR SEDAN		2750		JA11 C67 (AUTECS)	
	ISENTRA XE 14-DOOR SEDAN			6.1		
	SENTRA GXE 14-ROOR SEDAN			6.5		

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

 1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
 E.O. * A-15-235Page 8 of 8

 Manufacturer: NISSAN MOTOR CO., LTD.
 Engine Family: PNS1.6V5FAA5

 Passenger Car PC (PC)
 Light-Duty Truck (T1/T2)

 Medium-Duty Vehicle ____ (M1/M2/M3/M4/M5)

 Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV)

 Veh.Type (FFV.HEV(type A/B/C)): ______

 Fuel Type : Gasoline ______

 Evap.Family : FI4-2

 Engine Config. _L4
 Liter (CID)
 1.6 (97.5)

 Engine:
 Front _X_____
 Mid. _______

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/02S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic		or	Ignition (ECM/PCM) Part No.	Catalyst Part No. **
BG16DCA3	NX 1600 NX 1600 (T-BAR ROOF)		2750	5.8 6.2	Unit	Axxx3

**The figures and numbers in the place of the mark x are variable according to lot number and production date.

Issue Date: 06/05/92 Revision Date:

· · ·