State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-244 Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PNS4.5V5FBA3 <u>Displacement</u>: 4.5 Liters (274 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Warm Up Three Way Catalytic Converters

Dual Three Way Catalytic Converters

Dual Heated Oxygen Sensors Exhaust Gas Recirculation

Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	Monoxide	_Oxides_	
50,000	0.39	7.0	0.4	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.19	1.1	0.1	

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this

R. B. Summerfield

Assistant Division Chief

day of August, 1992.

Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-244 Page 2 of 2

Manufacturer: NISSAN MOTOR CO., LTD. Engine Family: PNS4.5V5FBA3

Passenger Car PC (PC) Light-Duty Truck (T1/T2)

Medium-Duty Vehicle (M1/M2/M3/M4/M5)

Stds Type: Tier O (Tier O/1, AB985, TLEV, LEV, ULEV)

Veh.Type (FFV, HEV (type A/B/C)): N.A.

Fuel Type: Gasoline Evap.Family: FI8-1

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC/HO2S/EGR/SMPT SFT (use abbreviations per SAE 1930 MAY91)

Dual WV-TWC.

Engine Config. V8 Liter (CID) 4.5 (274.2)

	Vehicle Models (if coded see attachment)	A-automatic		or	 Ignition (ECM/PCM) Part No.	System-	Catalyst Part No. **
	INFINITI Q45 FULL-ACTIVE SUSPENSION (with MICHELIN Summer)	,	4500	:	 Control Unit		Main cat (LH) Yxx.xxR Yxx.xxQ Yxx.xxS (RH) Yxx.xxN
AN45DCA4	INFINITI Q45 FULL-ACTIVE SUSPENSION COUNLOP All-season tire	·A]	4500 	10.3	A18-A59 		Yxx,xxM Yxx,xxP Pre-cat. (LH) KLxx,x1 (RH) KLxx,x2

^{**}The figures and numbers in the place of the wark x are variable according to lot number and production date.

Issue Date: 07/03/92

Revision Date:

			A-automatic	ETW	or	Ignition (ECM/PCM) Part No.	System-	Catalyst Part No. **
1/		INFINITI Q45 INFINITI Q45 SUSPENSION (with NICHELIN New summer tire)	A	4500	İ	Control Unit A18-A59 		Main cat (LH) Yxx.xxR Yxx.xxQ Yxx.xxS (RH) Yxx.xxN Yxx.xxH Yxx.xxP
	1 1 1 1			.]	1			(LH)

Issue Date: 01/09/93 With R/C No. P45V5FBA-01

Revision Date:

^{**}The figures and numbers in the place of the mark x are variable according to lot number and production date.