State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-23-142 Relating to Certification of New Motor Vehicles

HONDA MOTOR CO., LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model-year Honda Motor Co., Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PHN3.2V5FZZ1 Displacement: 3.2 Liters (196 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Warm Up Three-Way Catalytic Converters Three Way Catalytic Converter Dual Heated Oxygen Sensors Sequential Multiport Fuel Injection Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen	
	Hydrocarbons	<u>Monoxide</u>	<u>Oxides</u>	
50,000	0.39	7.0	0.4	

The certification exhaust emission values for this engine family in grams per mile are:

Miles	Non-Methane	Carbon	Nitrogen
	<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
50,000	0.14	1.0	0.1

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the requirements of the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." for the aforementioned model year (Title 13, California Code of Regulations, Section 1968).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 24 day of November, 1992.

R. B. Summerfield

Assistant Division Chief Mobile Source Division

	IR RESOURCES BOARD S						
Stds T Fuel T Engine Engine	ger Car X Light- ype: Tier-0 ype: Gasoline Config. V-6 Front X Mid. ECS & Special Feature	Liter (CID)	Mediehicle Ty Evaporati3.2 (ve Family: 196)	icleNot_applica 93FH	ble
Code/ (Cert.	Veh. Models (If coded see Attachment)	Trans. Type: A-Auto M-Man.	ETW	DPA or RLHP	Ignition (ECM/PCM) Part No.	System	
PZZ1/1		M6	3750		ECM:37820-P -L04 (37820 -PX9-L041)	-PY3-0030)	SE (1815)
(<u>1</u> /)	Legend Coupe LS			7.5 (MI)	ECM:37820-P -L14 (37820 -PX9-L141)	X9	-PX9-A001) R.WUTWC: SL (1818:
PZZ3/1 (<u>1</u> /)	Legend Coupe L	A4		7.5 (MI)	PCM:37820-P2 -L54 (37820 -PX9-L541)	İ	-PY9-A001)
	Legend Coupe LS HC 0.39, CO 7.0, NO				PCM:37820-P) -L64 (37820 -PX9-L641)		SM (18285 -PX9-A001)

EVAP 2.0 g/test

SM (18280

-PX9-A002)

1993 AIR RESOURCES	BOARD SUE	PLEMENTA	AL DAT	A SHEET	E.O. #	4-23	-142	Page 2
Manufacturer	HONDA	<u> </u>	En	gine Fami	1y	PHI	N3.2V5FZZ1	
Passenger Car X								
Stds Type:								.e
Fuel Type:Gas								
Engine Config Engine: Front <u>X</u> Exhaust ECS & Spec	V-6 Mid	Liter ((Rear _	CID) Dr	3.2 (1 ive: FWD	96) _X RWD			4WD-PT
Eng. Veh. Model Code/ (If coded (Cert. see Std.) Attachmen		Trans. Type: A-Auto M-Man.	ETW	or	Ignition (ECM/PCM) Part No.	s	GR ystem art No.	Catalyst Part No.
PZZ1/1 Legend Cou	pe L	м	3750		ECM:37820-F -L05 (37820 -PX9-L050))	OZ (18710 PY3-0030)	TWC: SE (18150 -PX9-A000)
(1/) Legend Cou	pe LS				ECM:37820-F -L15 (37820 -PX9-L150))		R.WUTWC: SL (18180
Legend Cou PZZ3/1	pe L	A	3875	7.5 (MI)	PCM:37820-F -L55 (37820 -PX9-L550) PCM:37820-F))		-PX9-A002) L.WUTWC: SM (18280

-L65 (37820

-PX9-L650)

Note 1/: HC 0.39, CO 7.0, NOx 0.4 g/mile EVAP 2.0 g/test

(1/) Legend Coupe LS

Date of Issued 12/08/92 Revisions: