

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-30-92
Relating to Certification of New Motor Vehicles

AUDI AG

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Audi AG 1993 model-year exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PAD2.8V5FAP9 Displacement: 2.8 Liters (169 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Sequential Multiport Fuel Injection
- Dual Three Way Catalytic Converters
- Dual Heated Oxygen Sensors
- Exhaust Gas Recirculation

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.39	7.0	0.4

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.29	2.0	0.3

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile non-methane hydrocarbons and carbon monoxide standards based on its projected total sales of 1993 model California-certified passenger cars and light-duty trucks.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 9th day of September, 1992.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1993 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer AUDI AG Engine Family PAD 2.8 V5FAP9
 Passenger Cars X (PC) Light-Duty Trucks (T1/T2) Medium-Duty Vehicles (M1/M2/M3/M4/M5)
 Stds Type: Tier 0 (Tier 0/1, AB965, TLEV, LEV, ULEV) Veh. Type (FFV, HEV(type A/B/C)):
 Fuel Type: GASOLINE Evaporative Family: VES
 Engine Config. V-6 Liter (CID) 2.8 (169)
 Engine: Front X Mid. Rear Drive: FWD X RWD 4WD-FT X 4WD-PT
 Exhaust ECS & Special Features (incl. CARB, MPI, etc.) SFI/2TWC/²HO2S/EGR
 (Use abbrevations per SAE J1930 May 91)

Engine Code (Cert. Std.)	Veh. Models (If coded see Attachment)	Trans. Type: A-Auto M-Man.	Equiv. Test Weight	RLHP or DPA	Ignit. Syst. (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
AJLA	Audi 100	A	3625	5.7	4A0 906 266 A	054 131 501	right
		M	3750				4A0 178 A
							left
							4A0 178
AJLA	Audi 100 Quattro	M	3875	8.2	4A0 906 266 A	054 131 501	right
		A	4000				4A0 178 A
							left
							4A0 178
AJLA	Audi 100 Quattro Wagon	A	4250	8.2	4A0 906 266 A	054 131 501	right
							4A0 178 A
							left
							4A0 178