## State of California AIR RESOURCES BOARD

## EXECUTIVE ORDER A-48-29 Relating to Certification of New Motor Vehicles

ROLLS-ROYCE MOTOR CARS, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 22; and  $\frac{1}{1200}$   $\frac{1}{1200}$ 

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model Rolls-Reyce Motor Cars, Ltd. exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PRR6.7V6FNA1 Displacement: -6,275 Liters (412 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Heated Oxygen Sensor Warm-Up Three-Way Catalyst Dual Three-Way Catalysts Continuous Fuel Injection System Secondary Air Injection System

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	<b>Hydrocarbons</b>	Carbon Monoxide	Nitrogen Oxides	
50,000	0.41	7.0 (1.15)	0.7	

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<b>Hydrocarbons</b>	Carbon Monoxide	Nitrogen Oxides	
50,000	0.15	1.3	0.5	

BE IT FURTHER RESOLVED: That the listed models are certified to the optional NOx emission standard thereby making the vehicle manufacturer subject to Section 1960.1.5 of Title 13, California Code of Regulations which includes recall liability for emission control components up to 7 years or 75,000 miles if found defective by the Executive Officer.

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the optional NOx standard pursuant to Section 1960.1.5.(a)(1)(C), Title 13, California Code of Regulations (passenger cars with loaded vehicle weight over 5250 pounds).

- 14

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile hydrocarbon and carbon monoxide standards pursuant to Section 1960.1(e)(1)(B), Title 13, California Code of Regulations (passenger cars produced by a small-volume manufacturer).

BE IT FURTHER RESOLVED: That the listed we hicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Eill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this \_

\_ day of March, 1992.

R. B. Summerfield Assistant Division Chief Mobile Source Division

						17	02 - 12		
1993 A	IR RESOURCES B	OARD SUPPL	ehental D	ATA SEE	ET 8.0. A				
Manufa	cturer Rolls-	Royce Moto	r Cars Lt	d E	ngine Family	PRR6.7V6	PNA1		
	ers X Lt Du				T 4 2				
	Type V8 Lit				A. P. Ass. I				
Emissi (Use a	on Control Sys	. & Specia	l Peature	s <u> </u>	FI/E02S/VUTVC+	2TVC/AIR			
(Use abbreviations per SAE J1930 Jun88)  Engine: Front X Mid. Rear Drive: FVD RVD X 4VD-FT 4VD-FT									
	***************************************			ส. ร.ก <i>ู้</i>	KAD T 4AD	-FI 4	VD-PT		
Code/	Veh. Models (If Coded	Trans. Type:	Loaded Veh.	RLHP	Ign. Sys. (ECM)	EGR Syst.	Catalyst Part No.		
(Cert	Attachmt.)	A-Auto	Veight	(DPA)	Part No.	Part No.	PAIL NO.		
A									
	Rolls-Royce								
	Silver Spirit	Δ4	5500	12.6	ECM				
	Silver Spur II	<b>A</b> 4	5500	12.6					
i.	Silver Spur II Limousine	<b>∆</b> 4	5500						
	Corniche IV	<b>A</b> 4	5500	12.8	RR: UD 72618	R/A	WUTWC UE 74067 or UE 72980		
					Bosch: 0261 200 277	! !	TVC UE 73687		
	Bentley								
	Brooklands	<b>A</b> 4	5500	12.6					
• •	Brooklands (LVB)	<b>A</b> 4	<b>.5</b> 500	12.6					
	Continental	<b>▲</b> 4	5500	12.8					

Revisions: 031390

descue Date 7 Oct 91 Revision Date 4 Feb 92