## State of California ATR RESOURCES BOARD

## EXECUTIVE ORDER A-98-16 Relating to Certification of New Motor Vehicles

## ASTON MARTIN LAGONDA LIMITED

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4:

IT IS ORDERED AND RESOLVED: That 1993 model-year Aston Martin Lagonda Limited exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PAS5.3V5F891 Displacement: 5.34 Liters (326 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Dual Heated Oxygen Sensors

Dual Three Way Catalytic Converters
Secondary Air Injection
Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Miles	Hydrocarbons	Carbon Monoxide	Nitrogen Oxides
50,000	0.41	7.0	0.4

The certification exhaust emission values for this engine family in grams per mile are:

Miles	<b>Hydrocarbons</b>	Carbon Monoxide	Nitrogen Oxides
50,000	0.20	1.9	0.3

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying to the 50,000-mile hydrocarbon and carbon monoxide standards pursuant to Section 1960.1(e)(1)(B), Title 13, California Code of Regulations (passenger cars produced by a small-volume manufacturer).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Gasoline-Powered Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the vehicle models listed also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year[s]..." (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty regulations (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 30 day of November, 1992.

R. B. Summerfield

Assistant Division Chief Mobile Source Division





P ASTON MARTIN LAGONDA LIMITED 9
Ticklord Street. Newyori Pagnell, Buckinghamshire MK16 9AN, Telephane: Newyori Pagnell (1998) 610620
Telegramu: Astomartia, Newyori Pagnell, Telex: 82341

	ASTON MARIIN LAGO		_			4	
	_X(PC) Light-D						
tds Type: TI	FR 0 (Tier 0/1,	AB965.TLEY, LEY	,ULEY)	Yeh	.Type (FFV.HE	V(type A/i	3/C)):
uel Type: <equation-block></equation-block>	SOLINE	Evap	prative	Family:	589 VP		
ngine Canfig	. <u>v8</u> Lit	er (CID) <u>5.34</u>	( 326	<u>.</u>			
ngine: Front	X Mid R	earD	rive: Fi	40 <u>X</u>	RWD 4WD-	FT 4)	C-PT
xhaust ECS & (use abbr	Special Features eviations per SAE	(incl. CARB, 1930 MAY91)	MFI, et	c.) <u>2Tw</u>	C + AIR 2HO2S	+ SFI	
			٠,,				
	Yehicle Models (if coded see attachment)	Trans. Type   A-automatic M-manual	ETH	DPA ; OF RLHP	Ignition (ECM/PCM) Part No.	EGR System Part No.	Catalyst Part No.
ngine Code Cert. Std.)	(if coded see	A-automatic	ETW 4500	3 1	(ĒCM/PCM)	System	,
Cert. Std.)	(if coded see attachment)	A-automatic M-manual	4500	RLHP	(ECM/PCM) Part No	System Part No.	Part No. 35-50370
Cert. Std.)	(if coded see attachment) VIRACE SALOCN	A-automatic M-menual A-4	4500	9.8 9.8	(ĒCM/PCM) Part No 08-55044	System Part Ho. N/A	Part No. 35-50370 35-50371 35-50370

Page is aatisfactory unsatisfactory

Issue Date: 10 NOV 1992 Revision No. GB.