

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER P-10-42
Relating to Certification of New Motor Vehicles

FORD MOTOR COMPANY

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1993 model-year Ford Motor Company federally certified exhaust emission control systems are certified for sale in California as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: PFM5.0V5HBGX Displacement: 5.0 Liters (302 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Exhaust Gas Recirculation
Dual Three Way + Oxidation Catalytic Converters
Dual Heated Oxygen Sensors
Sequential Multiport Fuel Injection
Secondary Air Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification emission standards for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.41	3.4	1.0

The certification emission values for this engine family in grams per mile are as follows:

<u>Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0.15	0.5	0.5

BE IT FURTHER RESOLVED: That the Executive Officer has been provided evidence of federal certification of vehicle models listed in the attachments which are not available as California-certified models.

BE IT FURTHER RESOLVED: That the Executive Officer has been provided all material required to demonstrate that the vehicle manufacturer has sufficient emission credits for its estimated California sales of federally certified 1993 model vehicles using the "Guidelines for Certification of 1983 and Subsequent Model-Year Federally Certified Light-Duty Motor Vehicles For Sale in California" (Title 13, California Code of Regulations, Section 1960.5).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model-year.


BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 29th day of July, 1992.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family PFM5.OV5HBGXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/2HO2S/2TWC+OC/SFI/AIR
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
9-22A-ROON	Mustang ZBA (police package)	A	3500	8.8	E9ZF-CA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	A	3500	9.9 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	A	3750	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	A	3625	9.1 ¹ 8.3 ²			
3-21F-ROOA	Mustang ZBG (Cobra)	M	3500	9.2	F3ZF-CA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)

1 With handling tires.
2 With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBGXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
9-21A-R00A	Mustang ZBA (police package)	M	3500	9.7	E9ZF-AA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	M	3500	10.8 ¹ 10.1 ²			
	Mustang ZBH (2dr conv)	M	3625	11.6 ¹ 10.7 ²			
	Mustang ZDA (3dr hatch)	M	3500	10.8 ¹ 9.6 ²			
	Mustang ZHVE (3dr GT)	M	3500	10.0 ¹ 9.1 ²			

1 With handling tires.
2 With all-season tires.

ENGINE FAMILY: P5.0V5B
ISSUED: 7/13/92
REVISED: 10/2/92 3/29/93

01.09.17.02

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.OV5HBGXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/HO2S²/TWC+OC/SFI/AIR
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
9-21A-ROON	Mustang ZBA (police package)	M	3375	8.8	E9ZF-AA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	M	3375	9.9 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	M	3625	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	M	3500	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	M	3500	9.1 ¹ 8.3 ²			
9-21C-ROCA	Mustang ZBR (2dr conv)	M	3625	11.6 ¹ 10.7 ²	E9ZF-BA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
9-21C-ROON	Mustang ZBH (2dr conv)	M	3625	10.5 ¹ 9.7 ²	E9ZF-BA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)

1 With handling tires.
2 With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family PFM5,OV5HBCXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No. -9F483-	Catalyst Part No. -5F250-
9-22A-R00A	Mustang ZBA (police package)	A	3500 ¹	9.7	E9ZF-CA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (3dr)	A	3500	10.9 ¹ 10.1 ²			
	Mustang ZBH (2dr conv)	A	3750	11.6 ¹ 10.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	10.8 ¹ 9.6 ²			
	Mustang ZHVB (3dr GT)	A	3625	10.0 ¹ 9.1 ²			

1 With handling tires
2 With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family PFM5.OV5HBGXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/HO2S¹/TWC+OC/SFI/AIR²
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
9-22A-R00N	Mustang ZBA (police package)	A	3500	8.8	E9ZF-CA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	A	3500	9.9 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	A	3750	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	A	3625	9.1 ¹ 8.3 ²			
3-21F-R00A	Mustang ZBC (Cobra)	M	3500	9.2	F3ZF-CA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)
3-21F-R00N	Mustang ZBC (Cobra)	M	3500	8.3	F3ZF-CA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBR (Cobra R)	M	3375	8.3			

¹ With handling tires.
² With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBGX

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADED

Eng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HM

Emission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
 (Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-22A-R10A	Mustang ZBA (police package)	A	3500	9.7	F3ZF-FA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	A	3500	10.9 ¹ 10.1 ²			
	Mustang ZBH (2dr conv)	A	3750	11.6 ¹ 10.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	10.8 ¹ 9.6 ²			
	Mustang ZHVB (3dr GT)	A	3625	10.0 ¹ 9.1 ²			

¹ With handling tires.
² With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBGX
 Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADED
 Eng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HM
 Emission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
 (Use abbreviations per SAE J1930 June88)
 Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-22A-R10N	Mustang ZBA (police package)	A	3500	8.8	F3ZF-FA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	A	3500	9.9 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	A	3750	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	A	3625	9.1 ¹ 8.3 ²			

¹ With handling tires.
² With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEETManufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBGXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No. -9F483-	Catalyst Part No. -5F250-
3-21A-R10A	Mustang ZBA (police package)	M	3500	9.7.	F3ZF	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZEA (2dr)	M	3500	10.6 ¹ 10.1 ²			
	Mustang ZBH (2dr conv)	M	3625	11.6 ¹ 10.7 ²			
	Mustang ZDA (3dr hatch)	M	3500	10.8 ¹ 9.6 ²			
	Mustang ZHVB (3dr GT)	M	3500	10.6 ¹ 9.1 ²			

1 With handling tires.
2 With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.OV5HBCX

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADED

Eng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HM

Emission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
 (Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-FT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-21A-R10N	Mustang ZBA (police package)	M	3375	8.8	F3ZF-DA	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (3dr)	M	3375	9.8 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	M	3625	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	M	3500	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	M	3500	9.1 ¹ 8.3 ²			
3-21C-R11A	Mustang ZBH (2dr conv)	M	3425	11.6 ¹ 10.7 ²	F3CF-DA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)
3-21C-R11N	Mustang ZBH (2dr conv)	M	3425	10.5 ¹ 9.7 ²	F3CF-DA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)

1 With handling tires
 2 With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBGX

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADED

Eng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HM

Emission Control System & Special Features EGR/HO2S/T-C+OC/SFI/AIR
 (Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-22A-R11A	Mustang ZBA (police package)	A	3500	9.7	F3ZF-FB	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	A	3500	10.9 ¹ 10.1 ²			
	Mustang ZBH (2dr conv)	A	3750	11.6 ¹ 10.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	10.8 ¹ 9.6 ²			
	Mustang ZHVB (3dr GT)	A	3625	10.0 ¹ 9.1 ²			

¹ With handling tires.
² With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.OV5HBGXPass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADEDEng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HMEmission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
(Use abbreviations per SAE J1930 June88)Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-22A-R11N	Mustang ZBA (police package)	A	3500	8.8	F3ZF-FB	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	A	3500	9.9 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	A	3750	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	A	3625	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	A	3625	9.1 ¹ 8.3 ²			

1 With handling tires.
2 With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBCX

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADED

Eng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HM

Emission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
 (Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-21A-R11A	Mustang ZBA (police package)	M	3500	9.7	F3ZF-DB	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	M	3500	10.9 ¹ 10.1 ²			
	Mustang ZBH (2dr conv)	M	3625	11.6 ¹ 10.7 ²			
	Mustang ZDA (3dr hatch)	M	3500	10.8 ¹ 9.6 ²			
	Mustang ZHVB (3dr GT)	M	3500	10.0 ¹ 9.1 ²			

¹ With handling tires.
² With all-season tires.

1991 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer FORD MOTOR COMPANY Eng. Family PFM5.0V5HBGX

Pass Cars X Lt-Duty Trucks Med-Duty Vehicles Fuel Type UNLEADED

Eng. Type 90 deg V-8 Liter (CID) 5.0 (302) Evap. Family HM

Emission Control System & Special Features EGR/HO2S/TWC+OC/SFI/AIR
 (Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT

Eng. Code/ (Cert Std.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	RLHP	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9F483-	Catalyst Part No. -5F250-
3-21A-R11N	Mustang ZBA (police package)	M	3375	8.8	F3ZF-DB	E7AE-AA F2AE-AA (alt) F3AE-AA (alt)	FOZC-BA FOZC-CA (alt)
	Mustang ZBA (2dr)	M	3375	8.8 ¹ 9.2 ²			
	Mustang ZBH (2dr conv)	M	3625	10.5 ¹ 9.7 ²			
	Mustang ZDA (3dr hatch)	M	3500	9.8 ¹ 8.7 ²			
	Mustang ZHVB (3dr GT)	M	3500	9.1 ¹ 8.3 ²			
3-21C-R11A	Mustang ZBH (2dr conv)	M	3625	10.5 ¹ 9.7 ²	F3ZF-CA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)
3-21C-R11N	Mustang ZBH (2dr conv)	M	3625	10.5 ¹ 9.7 ²	F3ZF-CA	E7AE-AA F2AE-AA (alt)	FOZC-BA FOZC-CA (alt)

1 With handling tires.
 2 With all-season tires.