State of California AIR RESOURCES BOARD

. EXECUTIVE ORDER A-6-634 Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That General Motors Corporation 1994 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: R3G2.277GAEA <u>Displacement</u>: 2.2 Liters (134 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Three Way Catalytic Converter Oxygen Sensor Exhaust Gas Recirculation Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.) Miles		Non-Methane	Carbon	Nitrogen
		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
0-3750	50,000	0.39	9.0	0.4

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.) Miles		Non-Methane	Carbon	Nitrogen
		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
0-3750	50,000	0.33	5.3	0.2

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If such requirement is not repealed, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" (Title 13, California Code of Regulations, Section 2290) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" (Title 13, California Code of Regulations, Section 1965) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model Year Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 10 day of June, 1993.

R. B. Summerfield
Assistant Division Chief
Mobile Source Division

16.03.00.00

EXECUTIVE ORDER INFORMATION

ENGINE FAMILY R3G2.277GAEA

EVAPORATIVE FAMILY . . . R3G1108AYMOA

CARLINES TO BE COVERED:

CARLINE NAME CARLINE CODE

S10 PICKUP 2WD 55082 SONOMA PICKUP 2WD 80072

ISSUED: 06-01-93

(ML-RP335)

REVISED:

16-R3G2.277GAEA-2 (1994)

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET LIGHT DUTY TRUCKS AND MEDIUM DUTY VEHICLES

Example, Pattern A: CC10703+E62 Example, Pattern B: 1UM05

Digit 1 = Marketing Division

Pattern A C = Chevrolet T = GMC

H = Oldsmobile

Pattern B

1 = Chevrolet

2 = Pontiac 3 = Oldsmobile

Note: Digit 1 is not used for Pattern A models on engine family pages or

California Supplemental Data Sheets.

Digit 2 = Chassis Type (all)

= Conventional 4x2 Front Wheel Drive C, S, M = Conventional 4x2 Rear Wheel Drive

- Forward Control 4x2 Rear Wheel Drive K. T. L = Conventional 4x4 Four Wheel Drive, All Wheel Drive

Digit 3 = Series/GVWR

Pattern A 1 = 10, 15, 1500/3500-7300

2 = 20,25,2500/6400-8600

3 = 30.35.3500/7100-14500

Pattern B

Letter code designates trim level

rather than series/GVWR.

Digits 4 & 5

Pattern A = Dimensional Grouping

05 = Blazer, Jimmy, Bravada

06 = S/T Short Box 07 = C/K Short Box

08 = S/T Long Box & Cab-Chassis 09 = C/K Long Box, Suburban,

M/L Short Body

10 = G Short Wheelbase, M/L Long Body

<u>Pattern B</u> 05 = Cargo (APV)

06 = Passenger (Lumina APV, Trans Sport, Silhouette)

13 = G Long Wheelbase

Digits 6 & 7 = Body/Cab Codes (Pattern A Only)

03 = Conventional Cab, Cab-Chassis

05 = Cargo Van

06 = Passenger Van, 4 Door Special Purpose Vehicle

16 = 2 Door Special Purpose Vehicle

53 = Extended Cab

Pickup Body Codes (Optional, Used with Pattern A Only)

+E62 = Stepside, Fenderside

+E63 = Fleetside, Wideside

+ZW9 = Cab-Chassis

ISSUED: 06-01-93

REVISED:

(ML-RP335)

17-R3G2.277GAA-1 (1994)

GMC LIGHT DUTY TRUCK MODEL IDENTIFICATION

MODEL	NAME	CAR LINE	CODE
TK10703+E62	K1500 SPORTSIDE SIERRA	K1500 SIERRA 4WD	80020
TK10703+E63	(SHORT BOX) K1500 WIDESIDE SIERRA	·	80020
TK10753+E62	(SHORT BOX) K1500 SPORTSIDE SIERRA		80020
TK10753+E63	(CLUB COUPE - SHORT BOX) K1500 WIDESIDE SIERRA		80020
TK10903+E63 TK10953+E63	(CLUB COUPE - SHORT BOX) K1500 WIDESIDE SIERRA (LONG BOX) K1500 WIDESIDE SIERRA (CLUB COUPE - LONG BOX)		80020 80020
TK20753+E63	K2500 WIDESIDE SIERRA	K2500 SIERRA 4WD	80025
TK20903+E63	(CLUB COUPE - SHORT BOX) K2500 WIDESIDE SIERRA		80025
TK20953+E63	(LONG BOX) K2500 WIDESIDE SIERRA (CLUB COUPE - LONG BOX)		80025
TK10516	K1500 YUKON	K1500 YUKON 4WD	80065
TK10906	K1500 SUBURBAN	K1500 SUBURBAN 4WD	80070
TL10905 TL11005	SAFARI AWD SAFARI XT AWD (EXTENDED)	SAFARI AWD (CARGO)	80037 80037
TL10906 TL11006	SAFARI AWD SAFARI AWD (EXTENDED)	SAFARI AWD (PASSENGER)	80052 80052
TM10905 TM11005	SAFARI SAFARI XT (EXTENDED)	SAFARI 2WD (CARGO)	80035 80035
TM10906 TM11006	SAFARI SAFARI XT (EXTENDED)	SAFARI 2WD (PASSENGER)	80050 80050
T\$10603+E63	SONOMA PICKUP (REGULAR CAB - SHORT BOX)	SONOMA PICKUP 2WD	80072
TS10653+E63 TS10803+E63	SONOMA PICKUP (CLUB COUPE) SONOMA PICKUP (REGULAR CAB - LONG BOX)		80072 80072
T\$10506 T\$10516	JIMMY (4 DR) JIMMY (2 DR)	JIMMY 2WD	80076 80076

CHEVROLET LIGHT DUTY TRUCK MODEL IDENTIFICATION

MODEL	NAME	CAR LINE	CODE
CK10703+E62	K1500 SPORTSIDE PICKUP -	K1500 PICKUP 4WD	55030
CK10703+E63	SHORT BOX K1500 FLEETSIDE PICKUP - SHORT BOX		55030
CK10753+E62	K1500 SPORTSIDE PICKUP - EXTENDED CAB SHORT BOX		55030
CK10753+E63	K1500 FLEETSIDE PICKUP - EXTENDED CAB SHORT BOX		55030
CK10903+E63	K1500 FLEETSIDE PICKUP - LONG BOX		55030
CK10953+E63	K1500 FLEETSIDE PICKUP - EXTENDED CAB LONG BOX		55030
CK20753+E63	K2500 FLEETSIDE PICKUP - EXTENDED CAB SHORT BOX	K2500 PICKUP 4WD	55035
CK20903+E63	K2500 FLEETSIDE PICKUP - LONG BOX		55035
CK20953+E63	K2500 FLEETSIDE PICKUP - EXTENDED CAB LONG BOX		55035
CK10516	K1500 BLAZER	K1500 BLAZER 4WD	55075
CK10906	K1500 SUBURBAN	K1500 SUBURBAN 4WD	55080
CL10905 CL11005	ASTRO AWD - CARGO VAN ASTRO AWD - EXTENDED CARGO VAN	ASTRO AWD (CARGO)	55047 55047
CL10906 CL11006	ASTRO AWD - PASSENGER VAN ASTRO AWD - EXTENDED PASSENGER VAN	ASTRO AWD (PASSENGER)	55062 55062
CM10905 CM11005	ASTRO - CARGO VAN ASTRO - EXTENDED CARGO VAN	ASTRO 2WD (CARGO)	55045 55045
CM10906 CM11006	ASTRO - PASSENGER VAN ASTRO - EXTENDED PASSENGER VAN	ASTRO 2WD (PASSENGER)	55060 55060
CS10603+E63 CS10653+E63 CS10803+E63	S10 PICKUP - SHORT BOX S10 PICKUP - EXTENDED CAB S10 PICKUP - LONG BOX	S10 PICKUP 2WD	55082 55082 55082
CS10506 CS10516	S10 BLAZER - 4 DOOR S10 BLAZER - 2 DOOR	S10 BLAZER 2WD	55090 55090
CT10603+E63 CT10653+E63 CT10803+E63	S10 PICKUP - SHORT BOX S10 PICKUP - EXTENDED CAB S10 PICKUP - LONG BOX	S10 PICKUP 4WD	55037 55037 55037
CT10506 CT10516	S10 BLAZER - 4 DOOR S10 BLAZER - 2 DOOR	S10 BLAZER 4WD	55070 55070

ISSUED: 01-15-93 (ML-RP096) REVISED: ML-RP318

08.13.03.08-3

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: R3G2.277GAEA

PASSENGER CARS___ LIGHT DUTY TRUCKS_X_ (T1) MEDIUM DUTY VEHICLES___

FUEL TYPE: GAS STANDARDS TYPE: TIER 0 VEHICLE TYPE: NA

ENGINE CONFIG: L4 LITER (CID): 2.2 (134) EVAP FAMILY: R3G1108AYM0A

ENGINE: FRONT X MID REAR DRIVE: FWD RWD X 4WD-FT 4WD-PT

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: TWC/EGR/02S

DPA: SECTION 08.13.02.00

	ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST <u>WEIGHT</u>	IGN SYSTEM (ECM/PCM) PART NO.	EGR SYSTEM PART_NO.	CATALYST PART_NO.
	51, 52	S10603+E63 S10803+E63 S10653+E63	A4	3375 3500	16197195/BJDF	17093157	25143990
,	51A, 52A				16200775/BKCR		
	55, 56	CS10603+E63 CS10653+E63 CS10803+E63	M5	3250 3500 3375	16194941/BHFM		
		TS10603+E63 TS10653+E63 TS10803+E63		3500 3375			

ISSUED: 06-01-93 (ML-RP335)

REVISED: ML-RR037, RR070

17-R3G2.277GAEA-2 (1994)