

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-612  
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: R4G1.9V5GEEA Displacement: 1.9 Liters (116 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Oxygen Sensor
- Exhaust Gas Recirculation
- Throttle Body Fuel Injection
- Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.25	3.4	0.4
100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
50,000	0.19	1.9	0.2
100,000	0.23	2.4	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 7<sup>th</sup> day of June, 1993.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

A-6-612

(FOR CARB USE ONLY)

16.03.00.00

EXECUTIVE ORDER INFORMATION

ENGINE FAMILY..... R4G1.9V5GEEA

EVAPORATIVE FAMILY..... R4G1035AYPOA

CARLINES TO BE COVERED:

CARLINE NAME	CARLINE CODE
SC	37310
SL	37320
SW	37330

ISSUED: 05-07-93 (ML-RP299)

16-R4G1.9V5GEEA-2

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET  
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS:                    1 J C 3 7 (EXAMPLE)

Digit 1 - Selling Division

- 1 - Chevrolet
- 2 - Pontiac
- 3 - Oldsmobile
- 4 - Buick
- 6 - Cadillac
- 8 - Saturn

Digit 2 - Body Designation

- A - Cutlass Ciera, Cutlass Cruiser, Century, Century Wagon
- B - Caprice, Custom Cruiser, Roadmaster Wagon, Coachbuilder Wagon, Roadmaster, Caprice Wagon
- C - Ninety-Eight, Park Avenue
- D - Fleetwood, Limousine, Funeral Coach/Hearse
- E - Toronado, Riviera, Eldorado, Trofeo
- F - Camaro, Firebird
- H - Bonneville, Eighty-Eight, LeSabre
- J - Cavalier, Sunbird, Cavalier Wagon
- K - Seville
- Ksp - Deville, Concours
- L - Corsica, Beretta
- N - Grand Am, Achieva, Skylark
- W - Grand Prix, Regal, Cutlass Supreme, Lumina
- Y - Corvette
- Z - Saturn

Digit 3 - Trim Level

A, B, C, D, etc.

Digits 4 & 5 - Body Style

- |                            |                            |
|----------------------------|----------------------------|
| 07 - 2Dr Sport Coupe       | 57 - 2Dr Hardtop Coupe     |
| 08 - 2Dr Hatchback Coupe   | 67 - 2Dr Convertible Coupe |
| 19 - 4Dr Sedan             | 68 - 4Dr Hatchback Sedan   |
| 27 - 2Dr (Notchback) Coupe | 69 - 4Dr (Notchback) Sedan |
| 35 - 4Dr Station Wagon     | 87 - 2Dr Hatchback Coupe   |
| 37 - 2Dr Hardtop Coupe     | 90 - Commercial Chassis    |
| 47 - 2Dr Hardtop Coupe     | 97 - 2Dr Hardtop Coupe     |

ISSUED: 05-07-93  
(ML-RP299)

REVISED:

17-R4G1.9V5GEEA-1  
(1994)

(1994)

A-6-612

SATURN MODEL IDENTIFICATION

<u>MODEL</u>	<u>NAME</u>	<u>CAR LINE</u>	<u>CODE</u>
8ZE27	SC1 COUPE (W/ M5 TRANS)	SC	37310
8ZF27	SC1 COUPE (W/ AUTO TRANS)		37310
8ZG27	SC2 COUPE (W/ M5 TRANS)		37310
8ZH27	SC2 COUPE (W/ AUTO TRANS)		37310
8ZF69	SL SEDAN (BASE W/ M5 TRANS)	SL	37320
8ZG69	SL1 SEDAN (UPLEVEL W/ M5 TRANS)		37320
8ZH69	SL1 SEDAN (W/ AUTO TRANS)		37320
8ZJ69	SL2 SEDAN (W/ M5 TRANS)		37320
8ZK69	SL2 SEDAN (W/ AUTO TRANS)		37320
8ZG35	SW1 WAGON (UPLEVEL W/ M5 TRANS)	SW	37330
8ZH35	SW1 WAGON (UPLEVEL W/AUTO TRANS)		37330
8ZJ35	SW2 WAGON (W/ M5 TRANS)		37330
8ZK35	SW2 WAGON (W/ AUTO TRANS)		37330

ISSUED: 12-18-92      REVISED: ML-RP318  
(ML-RP071)

08.13.03.00-7  
(1994)

(FOR CARB USE ONLY)

E.O. #A-6-612

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: R4G1.9V5GEEA  
PASSENGER CARS X LIGHT DUTY TRUCKS      MEDIUM DUTY VEHICLES       
FUEL TYPE: GAS STANDARDS TYPE: TIER 1 VEHICLE TYPE: NA  
ENGINE CONFIG: I4 LITER (CID): 1.9 (116) EVAP FAMILY: R4G1035AYPOA  
ENGINE: FRONT X MID      REAR      DRIVE: FWD X RWD      4WD-FT      4WD-PT       
EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR, O2S, TWC, TBI, KS  
DPA: SECTION 08.13.02.00

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (ECM/PCM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
1	8ZH69 8ZH35 8ZF27	A4	2625	21022351: ECM 7383/TCM 7386	21000122	25145003
1A				21022762: ECM 7454/TCM 7449		
2	8ZH69 8ZH35 8ZF27		2750 2625	21022351: ECM 7383/TCM 7386		
2A				21022762: ECM 7454/ECM 7449		
3	8ZG69 8ZF69 8ZG35 8ZE27	M5		21022350: ECM 7379		
3A				21022264: ECM 7448		
4	8ZG69 8ZF69 8ZG35 8ZE27		2750 2625	21022350: ECM 7379		
4A				21022264: ECM 7448		

ISSUED: 05-07-93  
(ML-RP299)

REVISED: ML-RP308, RR020, RR098

17-R4G1.9V5GEEA-2  
(1994)

(FOR CARB USE ONLY)

E.O. #A-6-612

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION ENGINE FAMILY: R4G1.9V5GEEA  
PASSENGER CARS X LIGHT DUTY TRUCKS     MEDIUM DUTY VEHICLES      
FUEL TYPE: GAS STANDARDS TYPE: TIER 1 VEHICLE TYPE: NA  
ENGINE CONFIG: I4 LITER (CID): 1.9 (116) EVAP FAMILY: R4G1035AYP0A  
ENGINE: FRONT X MID     REAR     DRIVE: FWD X RWD     4WD-FT     4WD-PT      
EMISSION CONTROL SYSTEM & SPECIAL FEATURES: EGR, O2S, TWC, TBI, KS  
DPA: SECTION 08.13.02.00

ENG CODE	VEH MODELS (SEE PAGE 1)	TRANS TYPE: A-AUTO M-MAN	EQUIV TEST WEIGHT	IGN SYSTEM (ECM/PCM) PART NO.	EGR SYSTEM PART NO.	CATALYST PART NO.
1B	8ZH69 8ZH35 8ZF27	A4	2625	21022911: ECM 1394/TCM 7449	21000122	25145003
2B	8ZH69 8ZH35 8ZF27		2750 2625			
3B	8ZG69 8ZF69 8ZG35 8ZE27	M5		21022910: ECM 1392		
4B	8ZG69 8ZF69 8ZG35 8ZE27		2750 2625			

ISSUED: 09-23-93  
(ML-RR086)

REVISED: ML-RR098

17-R4G1.9V5GEEA-2.1  
(1994)