

State of California
AIR RESOURCES BOARD

EXECUTIVE ORDER A-6-622
Relating to Certification of New Motor Vehicles

GENERAL MOTORS CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year General Motors Corporation exhaust emission control systems are certified as described below for passenger cars:

Fuel Type: Gasoline

Engine Family: R1G3.4V8G0EA Displacement: 3.4 Liters (208 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

- Dual Oxygen Sensors
- Exhaust Gas Recirculation
- Three Way Catalytic Converter
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

| <u>Miles</u> | <u>Non-Methane Hydrocarbons</u> | <u>Carbon Monoxide</u> | <u>Nitrogen Oxides</u> |
|--------------|---------------------------------|------------------------|------------------------|
| 50,000 | 0.39 | 7.0 | 0.4 |

The certification exhaust emission values for this engine family in grams per mile are:

| <u>Miles</u> | <u>Non-Methane Hydrocarbons</u> | <u>Carbon Monoxide</u> | <u>Nitrogen Oxides</u> |
|--------------|---------------------------------|------------------------|------------------------|
| 50,000 | 0.20 | 1.8 | 0.3 |

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 3rd day of June, 1993.



R. B. Summerfield
Assistant Division Chief
Mobile Source Division

(FOR CARB USE ONLY)

A-6-622

16.03.00.00

EXECUTIVE ORDER INFORMATION

ENGINE FAMILY RIG3.4V8GOEA

EVAPORATIVE FAMILY RIG1058AYMOA

CARLINES TO BE COVERED:

| <u>CARLINE NAME</u> | <u>CARLINE CODE</u> |
|---------------------|---------------------|
| CAMARO | 12025 |
| FIREBIRD/FORMULA | 33020 |

ISSUED: 04-23-93
(ML-RP268)

REVISED:

16-RIG3.4V8GOEA-2
(1994)

(FOR CARB USE ONLY)

E.O. #A-6-622

AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET
GASOLINE-FUELED PASSENGER CARS

VEHICLE MODELS: 1 J C 3 7 (EXAMPLE)

Digit 1 - Selling Division

- 1 - Chevrolet
- 2 - Pontiac
- 3 - Oldsmobile
- 4 - Buick
- 6 - Cadillac
- 8 - Saturn

Digit 2 - Body Designation

- A - Cutlass Ciera, Cutlass Cruiser, Century, Century Wagon
- B - Caprice, Custom Cruiser, Roadmaster Wagon, Coachbuilder Wagon, Roadmaster, Caprice Wagon
- C - Ninety-Eight, Park Avenue
- D - Fleetwood, Limousine, Funeral Coach/Hearse
- E - Toronado, Riviera, Eldorado, Trofeo
- F - Camaro, Firebird
- H - Bonneville, Eighty-Eight, LeSabre
- J - Cavalier, Sunbird, Cavalier Wagon
- K - Seville
- Ksp - Deville, Concours
- L - Corsica, Beretta
- N - Grand Am, Achieva, Skylark
- W - Grand Prix, Regal, Cutlass Supreme, Lumina
- Y - Corvette
- Z - Saturn

Digit 3 - Trim Level

A, B, C, D, etc.

Digits 4 & 5 - Body Style

- | | |
|----------------------------|----------------------------|
| 07 - 2Dr Sport Coupe | 57 - 2Dr Hardtop Coupe |
| 08 - 2Dr Hatchback Coupe | 67 - 2Dr Convertible Coupe |
| 19 - 4Dr Sedan | 68 - 4Dr Hatchback Sedan |
| 27 - 2Dr (Notchback) Coupe | 69 - 4Dr (Notchback) Sedan |
| 35 - 4Dr Station Wagon | 87 - 2Dr Hatchback Coupe |
| 37 - 2Dr Hardtop Coupe | 90 - Commercial Chassis |
| 47 - 2Dr Hardtop Coupe | 97 - 2Dr Hardtop Coupe |

ISSUED: 04-23-93
(ML-RP268)

REVISED:

17-R1G3.4V8G0EA-1
(1994)

(1994)

A-6-622

CHEVROLET LIGHT DUTY VEHICLE MODEL IDENTIFICATION

| <u>MODEL</u> | <u>NAME</u> | <u>CAR LINE</u> | <u>CODE</u> |
|--------------|-------------------------------|-----------------|-------------|
| 1BL19 | CAPRICE CLASSIC SEDAN | CAPRICE | 12040 |
| 1BN19 | CAPRICE CLASSIC LS SEDAN | | 12040 |
| 1BL35 | CAPRICE CLASSIC STATION WAGON | CAPRICE WAGON | 12045 |
| 1FP87 | CAMARO COUPE | CAMARO | 12025 |
| 1FP67 | CAMARO CONVERTIBLE | | 12025 |
| 1JC37 | CAVALIER RS COUPE | CAVALIER | 12060 |
| 1JC69 | CAVALIER RS SEDAN | | 12060 |
| 1JF37 | CAVALIER Z24 COUPE | | 12060 |
| 1JC35 | CAVALIER STATION WAGON | CAVALIER WAGON | 12065 |
| 1JC67 | CAVALIER RS CONVERTIBLE | CAVALIER | 12060 |
| 1JF67 | CAVALIER Z24 CONVERTIBLE | | 12060 |
| 1LT69 | CORSICA SEDAN | CORSICA | 12010 |
| 1LV37 | BERETTA COUPE | BERETTA | 12020 |
| 1LW37 | BERETTA Z26 COUPE | | 12020 |
| 1WL27 | LUMINA COUPE | LUMINA | 12050 |
| 1WL69 | LUMINA SEDAN | | 12050 |
| 1WN27 | LUMINA EURO COUPE | | 12050 |
| 1WN69 | LUMINA EURO SEDAN | | 12050 |
| 1WP27 | LUMINA Z34 COUPE | | 12050 |
| 1YY07 | CORVETTE HATCHBACK COUPE | CORVETTE | 12055 |
| 1YY67 | CORVETTE CONVERTIBLE | | 12055 |

ISSUED: 12-18-92
(ML-RP071)

08.13.03.00-2
(1994)

(1994)

A-6-622

PONTIAC MODEL IDENTIFICATION

| <u>MODEL</u> | <u>NAME</u> | <u>CAR LINE</u> | <u>CODE</u> |
|--------------|------------------------------|------------------|-------------|
| 2FS87 | FIREBIRD COUPE | FIREBIRD/FORMULA | 33020 |
| 2FV87 | FIREBIRD FORMULA | | 33020 |
| 2FS67 | FIREBIRD CONVERTIBLE | | 33020 |
| 2FV67 | FIREBIRD FORMULA CONVERTIBLE | | 33020 |
| 2HX69 | BONNEVILLE SE SEDAN | BONNEVILLE | 33045 |
| 2HY69 | BONNEVILLE SSEI SEDAN | | 33045 |
| 2HZ69 | BONNEVILLE SSE SEDAN | | 33045 |
| 2JB37 | SUNBIRD LE COUPE | SUNBIRD | 33060 |
| 2JB69 | SUNBIRD LE SEDAN | | 33060 |
| 2JL37 | SUNBIRD SE COUPE | | 33060 |
| 2JB67 | SUNBIRD LE CONVERTIBLE | | 33060 |
| 2NE37 | GRAND AM SE COUPE | GRAND AM | 33025 |
| 2NE69 | GRAND AM SE SEDAN | | 33025 |
| 2NW37 | GRAND AM GT COUPE | | 33025 |
| 2NW69 | GRAND AM GT SEDAN | | 33025 |
| 2WJ19 | GRAND PRIX SE SEDAN | GRAND PRIX | 33055 |
| 2WJ37 | GRAND PRIX SE COUPE | | 33055 |

ISSUED: 12-18-92
(ML-RP071)

08.13.03.00-3
(1994)

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

MANUFACTURER: GENERAL MOTORS CORPORATION

ENGINE FAMILY: R1G3.4V8G0EA

PASSENGER CARS X LIGHT DUTY TRUCKS___ MEDIUM DUTY VEHICLES___

FUEL TYPE: GAS STANDARDS TYPE: TIER 0 VEHICLE TYPE: NA

ENGINE CONFIG: V6 LITER (CID): 3.4 (208) EVAP FAMILY: R1G1058AYM0A

ENGINE: FRONT X MID___ REAR___ DRIVE: FWD___ RWD X 4WD-FT___ 4WD-PT___

EMISSION CONTROL SYSTEM & SPECIAL FEATURES: SFI, TWC, EGR, KS, 202S

DPA: SECTION 08.13.02.00

| ENG CODE | VEH MODELS (SEE PAGE 1) | TRANS TYPE: A-AUTO M-MAN | EQUIV TEST WEIGHT | IGN SYSTEM (ECM/PCM) PART NO. | EGR SYSTEM PART NO. | CATALYST PART NO. |
|----------|---|--------------------------------|----------------------|-------------------------------------|------------------------------------|-----------------------|
| 95 | 1FP87 2FS87 1FP67 2FS67 2FV67 | A | 3625 3750 | 16194271, 16187051 | 17090077, 17091144, 17091147 | 25131046, 25146927 |
| 95A | | | | 16196921 | | |
| 95B | | | | 16198711 | | |
| 95C | | | | 16203271 | | |

ISSUED: 04-23-93
(ML-RP268)

REVISED: ML-RR034, RR044, RR085, RR104

17-R1G3.4V8G0EA-2
(1994)