State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-15-267 Relating to Certification of New Motor Vehicles

NISSAN MOTOR COMPANY, LTD.

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That 1994 model-year Nissan Motor Company, Ltd. exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: RNS3.028G1EA Displacement: 3.0 Liters (181 Cubic Inches)

Exhaust Emission Control Systems and Special Features:

Sequential Multiport Fuel Injection Exhaust Gas Recirculation Heated Oxygen Sensor Three Way Catalytic Converter

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle <u>Weight(lbs.)</u>	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>
3751-5750	50,000	0.32	4.4	1.0
	100,000	0.40	5.5	N/A

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle Weight(lbs.)	Miles	Non-Methane <u>Hydrocarbons</u>	Carbon <u>Monoxide</u>	Nitrogen <u>Oxides</u>
3751-5750	50,000	0.21	1.7	0.3
	100,000	0.23	1.8	N/A

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed light-duty trucks to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, if the manufacturer incurs a NMOG debit for the aforementioned model year based on the projected NMOG fleet average exceeding the value required by the above-referenced standards and test procedures, all incurred NMOG debits by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 2 day of August, 1993.

R. B. Summerfield Assistant Division Chief Mobile Source Division

1017.11.01-3

1994 AIR RESCURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-267 Page 3 of 8

Manufacturer: MISSAN MCTOR CO., LTD. Engine Family: RMSS.028G1EA

Passenger Car___(PC) Light-Duty Truck_T2_(T1/T2)

Hedium-Duty Vehicle ____ (M1/M2/M3/H4/M5)

Stds Type : Tier 1 (Tier 0/1; AB965, TLEV. LEV, ULEV)

Veh.Type (FFV.HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RNS1057BYMOC

Engine Config. V6 Liter (CII) 3.0 (180.6)

Engine: Front X Rid. Rear Drive: FWD RWD 4VD-FT 4WD-PT X

Exhaust ECS & Special Features (Incl. CARB, MFI. etc.) TWC/HO2S/EGR/SFI (use abbreviations per SAE 1930 MAY91)

Code		A-autumetic	}	DPA or RLHF			Catalyst Part No. **
1	MISSA IXE-VO KING CAB ITRUCK 4X4				1		
	 NISSAN SE-VG KING CAB TRUCK 424 	{ } ! !	! ! !		(Before R/C No R3028G1E-01) MECM-V220 (After R/C No. R3023G1E-G1)	 	
1	 HISSAK XE-V6 KING C/A TRUCK 4X4	A 4	4250 	14.5 . 		AEY77-67 	
!							

the figures and numbers in the place of the mark x are variable according to lot number and production date

1/ With R/C No.2302801E-01

Issue Date: 06/15/93 Revision Date:1/ 12/03/93 1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-267 Page 4 of 8

Manufacturer: MISSAN MOTOR CO., LTD. Engine Family: RNS3.028G1EA

Passenger Car (PC) Light-Duty Truck T2 (T1/T2)

Medium-Duty Vehicle (M1/M2/M3/M4/M5)

Stds Type: Tier 1 (Tier O/1, AB965, TLEV, LEV, ULEV)

Veh.Type (FFV, HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RNS1057BYHOC

Engine Config. V6 Liter (CID) 3.0 (180.6)

Engine: Front X Mid. Rear Drive: FWD RWD 4WD-FT 4WD-PT_X

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) TWC/H 02S/EGR/SFI (use abbreviations per SAE 1930 MAY91)

Code	Vehicle Models (if coded see attachment)	A-automatic		or	Ignition (ECH/PCM) (Part No. 		Catalyst Part No.
	NISSAN XE-V6 KING CAB TRUCK 4X4						
	 NISSAN SE-V6 KING CAB TRUCK 4X4			 	 ECH	! EGR Valve	
 BV30ECM4	NISSAN XE-V6 KING CAB TRUCK 4X4	M/5 !	4250 	14.5 	MECM-V237 	AEY77-66 	7xx, xx2
	INISSAN SE-V6 KING CAB TRUCK 4X4	 	1 		 	[

***The figures and numbers in the place of the mark x are variable according to lot number and production date

Issue Date: 06/15/93

Revision Date:

\$17.11.01-5

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-267 Page 5 of 8

Hanufacturer: MISSAN HOTOR CO., LTD. Engine Family: RNS3.028G1EA

Passenger Car (PC) Light-Duty Truck TD (T1/T2)

Hedium-Duty Vehicle (M1/M2/M3/M4/M5)

Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV)

Veh.Type (FFV.HEV(type A/B/C)): N.A.

Fue! Type : Gasoline Evap.Family : RNS1057BYMOC

Engine Config. V6 Liter (CID) 3.0 (180.6)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT X

Exhaust ECS & Special Features (inc). CARB, WFI, etc.) TVC/HO2S/EGR/SFI

(use abbreviations per SAE 1930 MAY91)

		(C) (C (O () S PC) .					. = = = = = = = = =	
 	Code	 Vehicle Hodels (if coded see attachment)	A-automatic	ĺ	IDPA or RLHP	(ECM/PCM)		 Catalyst Part No. po
 		INISSAN IPATHFINDER XE-V6 4DR 4X2		4250		 		
	AV30ECA4	NISSAN PATHFINDER XE-V6 4DR 4X4	A.4		16.0	HECH-V288 (Before R/C No R302891E-01)		(WUTWC)
	ĺ	HISSAH PATHFINDER SE-V6 4DR 4X4	• !	4500 ! i	 	MECH-V260 (After R/C No. R3028G1E-01;	£EY77-67	
	į	NISSAN PATHFINDER LE-VG 4DR 4X4		'	1	 	 	Bxx, xxE

lot number and production date

1/ With R/C No.R3028G1E-01

Issue Date: 06/15/93

Revision Date: 1/ 12/03/93

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #4-15-267 Page 6 of 8

Hanufacture: : MISSAM MOTOR CO., LTL. Engine Family: PMS3.028G1EA

Passenger Car (PC) Light-Duty Truck T2 (T1'T2)

Hedium-Duty Vehicle (M1/N2/M3/N4/N5)

Stds Type : Tier 1 (Tier 0/1, A8065, TLIV, LEV, ULEV)

Von.Type (FFV.HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RNS1057BYHCC

Ensine Config. 40 Liter (CID) 3.0 (180.6)

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT X

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/HO2S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

l	Code	Vehicle Models (if coded sea attachment)	lA-automatic	1	IDPA or RLHP	(ECH/PCH)		Catalyst Part No. os
	BV30ECA4	NISSAN PATHFINGER XE-VG 4DR 4X2 NISSAN PATHFINDER XE-VG 408 4X4 NISSAN PATHFINDER SE-VG 4DR 4X4	A4	4500	14.5		EGR Valve AEY77-67 	

lot number and production date

1/ With R/C No R3028615-01

1/ With R/C No.R3028G1E-01

Issue Date: 06/15/93

Revision Date:1/ 12/03/93

1994 AIR RESOURCES BOARD SUPPLEMENTAL	DATA S	HEET	E.O. #A-15	<u>5-267</u> Page	_7_of_8_	
Manufacturer: NISSAN MOTOR CO., LTD.	Engi	ne Fami	11y:_RMS3.0	28G1EA_		
Passenger Car(PC) Light-Duty Truc	ck_T2_	(T1/T2))			
Medium-Duty Vehicle(N1/M2/M3/M4/M	45)					
Stds Type : <u>Tier 1</u> (Tier 0/1, AB965,	TLEV, L	.EV, ULI	EV)		·	
Veh.Type (FFV, HEV(type A/B/C)): N.A.	<u>*</u>					
Fuel Type : <u>Gasoline</u> Evap.Fam	ily : _	RNS105	<u> ТВҮНОС</u>			
Engine Config. V6 Liter (CID) 3	.0 (18	30.6)				
Engine: Front X Mid. Rear	Drive	: FWD	RWD_X	_ 4WD-FT_	4WD-PT	<u>}</u>
Exhaust ECS & Special Features (incl. (use abbreviations per SAE 1930 MAY91)		MFI, e	tc.) <u>TWC/</u>	HO2S/EGR/S	<u>FI</u>	
Engine Vehicle Models Trans. Type Code (if coded see A-automatic (Cert. attachment) M-manual std.)	 	or RLHP	(ECM/PCM) Part No.	System- Part No.	Part No. ** 	
	4250				(WUTWC)	

15.5 ECM

EGR Valve 7xx,xx1

|MECM-V277|AEY77-66 | (TWC)

17xx, xx2

2xx,xxB

Bxx,xxE

***The figures and numbers in the place of the mark x are variable according to lot number and production date

4500 | 16.0

₩5

Issue Date: 06/15/93

INISSAN

MISSAN

|PATHFINDER |SE-V6 4DR 4X4

XE-V6 4DR 4X4

|AV30ECM4|PATHFINDER

Revision Date:

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET E.O. #A-15-267 Page 8 of 8

Manufacturer: MISSAN MOTOR CO., LTD. Engine Family: RNS3.028G1EA

Passenger Car (PC) Light-Duty Truck T 2 (T1/T2)

Medium-Duty Vehicle (M1/M2/M3/M4/M5)

Stds Type : Tier 1 (Tier 0/1, AB965, TLEV, LEV, ULEV)

Veh. Type (FFV, HEV(type A/B/C)): N.A.

Fuel Type : Gasoline Evap.Family : RNS1057BYMOC

Engine Config. <u>V6</u> Liter (CID) <u>3.0 (180.6)</u>

Engine: Front X Mid. Rear Drive: FWD RWD X 4WD-FT 4WD-PT X

Exhaust ECS & Special Features (incl. CARB, MFI, etc.) <u>TWC/HO2S/EGR/SFI</u> (use abbreviations per SAE 1930 MAY91)

	Code	Vehicle Models (if coded see attachment)	A-automatic		or	Ignition (ECM/PCM) Part No.	System-	Catalyst Part No. **
		NISSAN PATHFINDER XE-V6 4DR 4X2		4000	14.0			
		NISSAN PATHFINDER XE-V6 4DR 4X4	N 5	4250		ECH MECH-V277 		7xx,xx2 (TWC)
		NISSAN PATHFINDER SE-V6 4DR 4X4		4500 	14.5			2xx,xxB Bxx,xxE

***The figures and numbers in the place of the mark x are variable according to lot number and production date

Issue Date: 06/15/93

Revision Date: