

State of California  
AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-174  
Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mazda Motor Corporation 1994 model-year exhaust emission control systems are certified as described below for light-duty trucks:

Fuel Type: Gasoline

Engine Family: RTK4.018G1EA Displacement: 4.0 Liters (244 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

- Exhaust Gas Recirculation
- Three Way Catalytic Converters (Two)
- Dual Heated Oxygen Sensors
- Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0-3750	50,000	0.25	3.4	0.4
	100,000	0.31	4.2	n/a

The certification exhaust emission values for this engine family in grams per mile are:

<u>Loaded Vehicle Weight (lbs.)</u>	<u>Miles</u>	<u>Non-Methane Hydrocarbons</u>	<u>Carbon Monoxide</u>	<u>Nitrogen Oxides</u>
0-3750	50,000	0.13	3.2	0.2
	100,000	0.14	4.0	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-methane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That under the submitted compliance plan, the manufacturer would incur an NMOG debit for the aforementioned model year because the projected NMOG fleet average would exceed the value required by the above-referenced standards and test procedures. All NMOG debits incurred by the manufacturer shall be equalized as required by the standards and test procedures.

BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.


BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Code of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.).

Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this 5<sup>th</sup> day of April, 1993.



R. B. Summerfield  
Assistant Division Chief  
Mobile Source Division

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer MAZDA MOTOR COMPANY Eng. Family RTK4.018G1EA

Pass Cars \_\_\_ Lt-Duty Trucks X Med-Duty Vehicles \_\_\_ Fuel Type UNLEADED

Eng. Type V-6 Liter (CID) 4.0 (244) Evap. Family RTK1045AYPOA

Emission Control System & Special Features EGR/TWC(2)/2H029/SFI  
(Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. \_\_\_ Rear \_\_\_ Drive: FWD \_\_\_ RWD X 4WD-FT \_\_\_ 4WD-PT X

Eng. Code/ (Cert Attachmt.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	DPA	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9D475-	Catalyst Part No. -5E212-Std.) -5E214-
460SR00N	PN66 4x2 <b>B4000</b>	A4	3500	11.3	F47F-BBB	E6AE-BA	F37A-HD
460SR00A	"	"	"	12.4	"	"	"
460UR05N	PN66 4x2	A4	3750	11.3	F47F-AHB	E6AE-BA	"
459SR00N	PN66 4x2	M5	3375	11.3	F47F-ZB	E6AE-BA	"
"	"	"	3750	"	"	"	"
459SR00A	PN66 4x2	M5	3500	12.4	"	"	"
"	"	"	3750	"	"	"	"

Certification Standards

NMHC: .25 (50K) .31 (100K)  
CO: 3.4 (50K) 4.2 (100K)  
NOx: .4 (50K)  
EVAP: 2.0

Idle HC/CO Standards

Idle HC 220 ppm @ 2500 rpm  
100 ppm @ idle  
Idle CO 1.2% @ 2500 rpm  
1.0% @ idle

ENGINE FAMILY: RTK4.018G1EA

20.09.17.02 - 1

ISSUED:

REVISED:

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer MAZDA MOTOR COMPANY Eng. Family RTK4.018G1EA

Pass Cars \_\_\_ Lt-Duty Trucks X Med-Duty Vehicles \_\_\_ Fuel Type UNLEADED

Eng. Type V-6 Liter (CID) 4.0 Evap. Family RTK1045AYPOA

Emission Control System & Special Features (2) 2 EGR/TWC/HO2S/SFI  
(Use abbreviations per SAE J1930 June88)

Engine: Front X Mid. \_\_\_ Rear \_\_\_ Drive: FWD \_\_\_ RWD X 4WD-FT \_\_\_ 4WD-PT X

Eng. Code/ (Cert Attachmt.)	Veh. Models (If Coded see Attachmt.)	Trans. Type: A-Auto M-Man.	ETW	DPA	Ign. Sys. (PCME/PROM) Part No. -12A650-	EGR Syst. Part No -9D475-	Catalyst Part No. -5E212-Std.) -5E214-
460SR00N	PN66 4x2 <b>RKS</b>	A4	3500	11.3	F47F-BBB	E6AE-BA	F37A-HD
460SR00A	" " <b>RKL</b>	"	"	12.4	"	"	"
"	" " <b>RKL</b>	"	3625	"	"	"	"
460UR05N	PN66 4x2 <b>SKS</b>	A4	3750	11.3	F47F-AHB	E6AE-BA	"
459SR00N	PN66 4x2 <b>RKS</b>	M5	3375	11.3	F47F-ZB	E6AE-BA	"
"	" " <b>RKL</b>	"	3500	"	"	"	"
"	" " <b>SKS</b>	"	3750	"	"	"	"
459SR00A	PN66 4x2 <b>RKS</b>	M5	3500	12.4	"	"	"
"	" " <b>SKS</b>	"	3750	"	"	"	"

1st Character: R = Regular Cab, S = Super Cab  
3rd Character: S = Short WB, L = Long WB

Certification Standards

NMHC: .25 (50K) .31 (100K)  
CO: 3.4 (50K) 4.2 (100K)  
NOx: .4 (50K)  
EVAP: 2.0

Idle HC/CO Standards

Idle HC 220 ppm @ 2500 rpm  
100 ppm @ idle  
Idle CO 1.2% @ 2500 rpm  
1.0% @ idle

ENGINE FAMILY: RTK4.018G1EA

20.09.17.02 - 1

ISSUED:  
REVISED:

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

Manufacturer: MAZDA MOTOR COMPANY Eng. Family: RTK4.018G1EA  
 Pass Car:    (PC) Light-Duty Truck: T1 (T1/T2) Med-Duty Vehicle:    (M1/M2/M3/M4/M5)  
 Standards Type: T-1 (Tier 0/1, AB965, TLEV,LEV,ULEV) Vehicle Type: (FFV,HEV(type A/B/C))  
 Fuel Type: UNLEADED Evaporative Family: RTK1045AYPOA  
 Engine Config: V-6 Liter (CID): 4.0L  
 Engine: Front X Mid.    Rear    Drive: FWD    RWD X 4WD-FT    4WD-PT X  
 Exhaust ECS & Special Features:(incl. CARB, MFI EGR/TWC/HO2S/SFI  
 (Use abbreviations per SAE J1930 May91)

Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)	Trans. Type A-Automatic M-Manual	ETW	DPA	Ignition (ECM/PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No. -5E212- (Std.) -5E214-
457SR10A	PN66 4X2	M5	3500 3750	12.3	F47F-CHA	E6AE-BA	F37A-HD
457SR10N	PN66 4X2	M5	3375 3500	11.2	F47F-CHA	E6AE-BA	F37A-HD
458SR10A	PN66 4X2	A4	3500 3625	12.3	F47F-CKA	E6AE-BA	F37A-HD
458SR10N	PN66 4X2	A4	3500	11.2	F47F-CKA	E6AE-BA	F37A-HD
458UR10N	PN66 4X2	A4	3750	11.2	F47F-DDA	E6AE-BA	F37A-HD