State of California AIR RESOURCES BOARD

EXECUTIVE ORDER A-16-175 Relating to Certification of New Motor Vehicles

MAZDA MOTOR CORPORATION

Pursuant to the authority vested in the Air Resources Board by the Health and Safety Code, Division 26, Part 5, Chapter 2; and

Pursuant to the authority vested in the undersigned by Health and Safety Code Sections 39515 and 39516 and Executive Orders G-45-3 and G-45-4;

IT IS ORDERED AND RESOLVED: That Mazda Motor Corporation 1994 model-year exhaust emission control systems are certified as described below for lightduty trucks:

<u>Fuel Type</u>: Gasoline

Engine Family: RTK4.028G1EA Displacement: 4.0 Liters (244 Cubic Inches)

Exhaust Emission Control Systems & Special Features:

Exhaust Gas Recirculation Three Way Catalytic Converters (Two) Dual Heated Oxygen Sensors Sequential Multiport Fuel Injection

Vehicle models, transmissions, engine codes and evaporative emission control families are listed on attachments.

The certification exhaust emission standards for this engine family in grams per mile are:

Loaded Vehicle	<u>Miles</u>	Non-Methane	Carbon	Nitrogen
<u>Weight(1bs.)</u>		<u>Hydrocarbons</u>	<u>Monoxide</u>	_Oxides
3751-5750	50,000	0.32	4.4	1.0
	100,000	0.40	5.5	n/a

The certification exhaust emission values for this engine family in grams per mile are:

Loaded Vehicle	Miles	Non-Methane	Carcor	Nitrogen
<u>Weight(ibs.)</u>		<u>Hydrocarbons</u>	<u>Monoxide</u>	<u>Oxides</u>
3751-5750	50,000	0.10	1.1	0.2
	100,000	0.11	1.3	n/a

BE IT FURTHER RESOLVED: That the vehicle manufacturer is certifying the listed vehicle models to the aforementioned exhaust emission standards based on its submitted plan to comply with the fleet average non-rethane organic gas (NMOG) exhaust mass emission requirements as set forth in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles". BE IT FURTHER RESOLVED: That on January 14, 1993, the Air Resources Board adopted the repeal of the currently-effective requirement that each manufacturer certify a minimum of 80 percent of its projected sales of 1994 model-year California-certified passenger cars and light-duty trucks to the phase-in standards for NMHC, or the more stringent standards in section 1960.1(g)(2) of Title 13, California Code of Regulations. If the repeal of such requirement does not become effective, the manufacturer shall submit a plan for compliance with the requirement; passenger cars and light-duty trucks not meeting such phase-in or more stringent standards shall be certified only to the extent allowed under the requirement.

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with "California Evaporative Emission Standards and Test Procedures for 1978 and Subsequent Model Motor Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's "Specifications for Fill Pipes and Openings of Motor Vehicle Fuel Tanks" for the aforementioned model year (Title 13, California Code of Regulations, Section 2290).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the Board's high-altitude requirements and highway emission standards, and with the California Inspection and Maintenance emission standards in place at the time of certification, as stipulated in "California Exhaust Emission Standards and Test Procedures for 1988 and Subsequent Model Passenger Cars, Light-Duty Trucks, and Medium-Duty Vehicles".

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "California Motor Vehicle Emission Control Label Specifications" for the aforementioned model year (Title 13, California Code of Regulations, Section 1965).

BE IT FURTHER RESOLVED: That the listed vehicle models also comply with the "Malfunction and Diagnostic System for 1988 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles with Three-Way Catalyst Systems and Feedback Control" (Title 13, California Code of Regulations, Section 1968) for the aforementioned model year.

BE IT FURTHER RESOLVED: That the listed vehicle models have been exempted from compliance with the "Malfunction and Diagnostic System Requirements-1994 and Subsequent Model-Year Passenger Cars, Light-duty Trucks, and Medium-Duty Vehicles and Engines" pursuant to Title 13, California Cose of Regulations, Section 1968.1(m)(2.0) for the aforementioned model year.

BE IT FURTHER RESOLVED: That for the listed vehicles, the manufacturer has submitted and the Executive Officer hereby approves the materials to demonstrate certification compliance with the Board's emission control system warranty provisions (Title 13, California Code of Regulations, Section 2035 et seq.). Vehicles certified under this Executive Order must conform to all applicable California emission regulations.

The Bureau of Automotive Repair will be notified by copy of this order and attachment.

Executed at El Monte, California this <u>day</u> of April, 1993.

R. B. Summerfield Assistant Division Chief Mobile Source Division

EO #1-16-175

1994 AIR RESOURCES BOARD SUPPLEMENTAL DATA SHEET

 Manufacturer_MAZDA_MOTOR_COMPANY
 Eng. Family_RTK4.028G1EA

 Pass Cars_____Lt-Duty Trucks_X___Med-Duty Vehicles_____Fuel_Type_UNLEADED

 Eng. Type____V-6___Liter (CID)____4.0(244)
 Evap. FimilyRTK1045AYP0A

 Emission Control System & Special Features__EGR/TWCfa)/2.H025/5F1
 (Use abbreviations per SAE J1930_June88)

Engine: Front X Mid. ___ Rear___ Drive: FWD___ RWD_X_4WD-FT___ 4WD-PT_X

A4 A4	3750 3875	12.4	F4F7 - AHB	E6AE-BA	F37A-HD
	3875			1	1 3713-110
	1	.12.0	F47F-ACB	E6AE-BA	-
-	4000	н		, et	n
A4	3875 ·	13.3	R	-	
	4000	n	n	•	
M5	3750	12.0	F47F-AAB	E6AE-BA	
	4000 ´		 n	-	, M
M5	3875	13.3	*		n _
	4000	-	• "		₩ 4 5
					*
	" M5 "	A4 3875 * 4000 M5 3750 * 4000 ' M5 3875	A4 3875 13.3 " 4000 " M5 3750 12.0 " 4000 ' " M5 3875 13.3	A4 3875 13.3 " " 4000 " " M5 3750 12.0 F47F-AAB " 4000 " " M5 3875 13.3 "	A4 3875 13.3 " " * 4000 " " " M5 3750 12.0 F47F-AAB E6AE-BA * 4000 " " " M5 3875 13.3 " "

Certification Standards NMHC: .32 (50K) .40 (100K) CO: 4.4 (50K) 5.5 (100K) NOx: 1.0 (50K) EVAP: 2.0

Idle HC/CO Standards Idle HC 220 ppm @ 2500 rpm 100 ppm @ idle Idle CO 1.2% @ 2500 rpm 1.0% @ idle

EDETINE FAMILY: RIK4.028GIFA INNEVD: FEEDED: 20.09.17.32 - 1

E.O.# <u>A-16-17</u>5

1994	AIR RESOUR	CES BO	ARD SU	IPPLE	MENTAL DA	TA SHEE	T
Manufacture	r: MAZDA MOTO		NY_	En	ig. Family: <u>RTI</u>	(4.028G1EA	<u> </u>
Pass Car:	(PC) Light-Duty	/ Truck: <u>T</u>	<u>2 (</u> T1/T2)	Me	ed-Duty Vehicl	e: (M1/M	2/M3/M4/M5)
Standards Ty	/pe: <u>T-1_(</u> Tier 0/1	, AB965, '	TLEV,LE\	/,ULEV)	Vehicle Typ	e: (FFV,HE\	V(type A/B/C)_
Fuel Type:	JNLEADED	Evapo	rative Fa	nily: <u> </u>	TK1045AYPO	<u>A</u>	
Engine Confi	g: <u>V-6</u>	Liter (CID); <u>4.0L</u>		·		
	t <u>X</u> Mid Rea				RWD <u>X</u> 4WD		D-PT <u>X</u>
Exhaust ECS (Use a	& Special Featu bbreviations per	res:(incl. (SAE J193	CARB, MP 10 May91)	EGF	R/TWC/HO2S/S	SFI	
Engine Code (Cert Std.)	Vehicle Models (if coded see attachment)		atic	/ DPA	Ignition (ECM/PCM) Part No. -12A650-	EGR System Part No. -9D475-	Catalyst Part No. -5E212- (Std.) -5E214-
457TR10A	PN66 4X4	- M5	3875 4000	13.6	F47F-CJA	E6AE-BA	F37A-HD
457TR10N	PN66 4X4	M5 "	3750 4000	12.4 •	F47F-CJA	E6AE-BA	F37A-HD
458TR10A	PN66 4X4	A4 •	3875 4000	13.6 •	F47F-DCA	E6AE-BA	F37A-HD
458TR10N	PN66 4X4	A4 •	3875 4000	12.4	F47F-CJA	E6AE-BA	F37A-HD
458UR10A	PN66 4X2	A4	3750	12.3	F47F-DDA	E6AE-BA	F37A-HD